GROUP PUZZLES Sudoku Generalized

Variations on Sudoku Eight Logic Puzzles

В		R	Τ	Η	D	Α	Y
н				I	В		
			D				
		Υ				В	Ι
Т						Н	
	Т	В					R
	R		Η		Y		В

T. P. Smith

Step-By-Step Solutions Included

September, 2024 Volume: 1 Copyright © 2024 Group Puzzles Pub. Co. Permission is granted to teachers in grades K-12 to photocopy these puzzles for use in their classes. All other rights are reserved, except as otherwise noted on this page.

info@grouppuzzles.com

Other titles can be found at: https://www.grouppuzzles.com/titles

September, 2024

In the interest of try-before-you-buy, this eBook is made available free of charge under the Creative Commons Non-Commercial License. In simple terms, that means you can share this PDF format eBook with your friends so that they too can discover what types and levels of puzzles they wish to work. You can share this PDF eBook by email, posting it on your web page, or any other means so long as you do not change it or charge for it. This link https://creativecommons.org/licenses/by-nc/4.0 provides the license terms along with a straightforward explanation.

Contents

1	Teaching Logic Using Group Puzzles	6
	Logic Practice?	6
	What Exactly are Group Puzzles?	13
	Naming New Puzzle Types.	17
2	Solving Group Logic Puzzles	32
	Help with those 'Simple Rules.'	32
	Strategy 1	33
	Strategy 2	35
	Strategy 3	36
	Puzzle Difficulty Levels Explained.	39
	Detailed Instructions for Sudoku-8 puzzles	44
	Detailed Instructions for Sudoku-8-X puzzles	47
	Detailed Instructions for HyperSudoku-8 puzzles	51
	Detailed Instructions for HyperSudoku-8up puzzles	55
	Detailed Instructions for Super-Birthday puzzles	59
3	Four Easy Sudoku-8 Puzzles	63
	Sudoku-8 Puzzle 1, 3/995	64
	Sudoku-8 Puzzle 2, 3/991	70
	Sudoku-8 Puzzle 3, 3/991	76
	Sudoku-8 Puzzle 4, 4/9963	82
4	Four Medium Sudoku-8 Puzzles	88
	Sudoku-8 Puzzle 5, 5/9.9922	89
	Sudoku-8 Puzzle 6, 7/835.9442	96
	Sudoku-8 Puzzle 7, 7/985.5632	103
	Sudoku-8 Puzzle 8, 8/7657.7632	110
	Sucond 01 u2210 0, 01 1031.1032	110

5	Four Difficult Sudoku-8 Puzzles	117
	Sudoku-8 Puzzle 9, 9/7.6232.5664	118
	Sudoku-8 Puzzle 10, 10/65.3232.4674	125
	Sudoku-8 Puzzle 11, 11/644.3412.1476	132
	Sudoku-8 Puzzle 12, 11/433.3744.3563	139
6	Four Easy Sudoku-8-X Puzzles	146
	Sudoku-8-X Puzzle 13, 3/953	147
	Sudoku-8-X Puzzle 14, 3/993	153
	Sudoku-8-X Puzzle 15, 4/9993	159
	Sudoku-8-X Puzzle 16, 4/9991	166
7	Four Medium Sudoku-8-X Puzzles	173
	Sudoku-8-X Puzzle 17, 6/97.7954	174
	Sudoku-8-X Puzzle 18, 6/64.9974	181
	Sudoku-8-X Puzzle 19, 7/634.5896	188
	Sudoku-8-X Puzzle 20, 8/7564.6358	195
8	Four Difficult Sudoku-8-X Puzzles	202
	Sudoku-8-X Puzzle 21, 9/2.5477.9622	203
	Sudoku-8-X Puzzle 22, 11/2A1.3224.7994	210
	Sudoku-8-X Puzzle 23, 11/753.3594.3432	217
	Sudoku-8-X Puzzle 24, 12/2661.A225.6674	224
9	Four Easy HyperSudoku-8 Puzzles	231
	HyperSudoku-8 Puzzle 25, 3/992	232
	HyperSudoku-8 Puzzle 26, 4/9943	238
	HyperSudoku-8 Puzzle 27, 4/9991	245
	HyperSudoku-8 Puzzle 28, 4/9991	252
10	Four Medium HyperSudoku-8 Puzzles	259
	HyperSudoku-8 Puzzle 29, 5/9.9882	260
	HyperSudoku-8 Puzzle 30, 6/99.9554	267
	HyperSudoku-8 Puzzle 31, 8/9584.4344	274
	HyperSudoku-8 Puzzle 32, 8/5326.6589	
11	Four Difficult HyperSudoku-8 Puzzles	288
	HyperSudoku-8 Puzzle 33, 9/2.3554.8953	289
	HyperSudoku-8 Puzzle 34, 11/584.5123.5561	296

	HyperSudoku-8 Puzzle 35, 11/654.6741.5451	303
	HyperSudoku-8 Puzzle 36, 12/5423.3653.5442	310
12	Four Easy HyperSudoku-8up Puzzles	317
	HyperSudoku-8up Puzzle 37, 3/992	318
	HyperSudoku-8up Puzzle 38, 3/982	324
	HyperSudoku-8up Puzzle 39, 4/9952	330
	HyperSudoku-8up Puzzle 40, 4/9962	337
13	Four Medium HyperSudoku-8up Puzzles	344
	HyperSudoku-8up Puzzle 41, 6/98.7675	345
	HyperSudoku-8up Puzzle 42, 7/956.7733	352
	HyperSudoku-8up Puzzle 43, 7/656.8691	359
	HyperSudoku-8up Puzzle 44, 8/5347.6961	366
14	Four Difficult HyperSudoku-8up Puzzles	373
	HyperSudoku-8up Puzzle 45, 11/352.1326.9654	374
	HyperSudoku-8up Puzzle 46, 12/6213.1114.7974	381
	HyperSudoku-8up Puzzle 47, 12/2211.1258.8951	388
	HyperSudoku-8up Puzzle 48, 12/5773.2112.4861	395
15	HyperSudoku-8up Puzzle 48, 12/5773.2112.4861	395402
15	Four Easy Super-Birthday Puzzles Super-Birthday Puzzle 49, 4/9952	
15	Four Easy Super-Birthday Puzzles	402
15	Four Easy Super-Birthday Puzzles Super-Birthday Puzzle 49, 4/9952	402 403
15	Four Easy Super-Birthday Puzzles Super-Birthday Puzzle 49, 4/9952 Super-Birthday Puzzle 50, 4/9941	402 403 409
	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982	402 403 409 415
	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993	402 403 409 415 422
	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday Puzzles	402 403 409 415 422 429
	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941	402 403 409 415 422 429 430
	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941Super-Birthday Puzzle 54, 7/977.7441	402 403 409 415 422 429 430 437
16	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941Super-Birthday Puzzle 54, 7/977.7441Super-Birthday Puzzle 55, 7/859.5682Super-Birthday Puzzle 56, 8/8764.3543Four Difficult Super-Birthday Puzzles	402 403 409 415 422 429 430 437 444
16	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941Super-Birthday Puzzle 54, 7/977.7441Super-Birthday Puzzle 55, 7/859.5682Super-Birthday Puzzle 56, 8/8764.3543Four Difficult Super-Birthday PuzzlesSuper-Birthday Puzzle 57, 10/64.3347.5461	402 403 409 415 422 429 430 437 444 451
16	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941Super-Birthday Puzzle 54, 7/977.7441Super-Birthday Puzzle 55, 7/859.5682Super-Birthday Puzzle 56, 8/8764.3543Four Difficult Super-Birthday PuzzlesSuper-Birthday Puzzle 57, 10/64.3347.5461Super-Birthday Puzzle 58, 11/324.31C4.4854	402 403 409 415 422 429 430 437 444 451 458 459 466
16	Four Easy Super-Birthday PuzzlesSuper-Birthday Puzzle 49, 4/9952Super-Birthday Puzzle 50, 4/9941Super-Birthday Puzzle 51, 4/9982Super-Birthday Puzzle 52, 4/9993Super-Birthday Puzzle 52, 4/9993Four Medium Super-Birthday PuzzlesSuper-Birthday Puzzle 53, 5/8.9941Super-Birthday Puzzle 54, 7/977.7441Super-Birthday Puzzle 55, 7/859.5682Super-Birthday Puzzle 56, 8/8764.3543Four Difficult Super-Birthday PuzzlesSuper-Birthday Puzzle 57, 10/64.3347.5461	402 403 409 415 422 429 430 437 444 451 458 459

Chapter 1

Teaching Logic Using Group Puzzles

Logic Practice?

Everyone understands and encourages long hours of practice for sports, music, and many other endeavors. Logic should be no different. No one doubts that Olympic athletes and professional sports stars practice their craft constantly in spite of their obvious talents. Moreover, many motivational books and lectures often focus on the life story of someone who has "made it" in their chosen field through hard work and determination in spite of abilities that do not make them stand out among their peers. Ask someone to practice thinking ... Or worse, practice logic ... Suddenly all of those lessons do not seem to apply, even though most of life's challenges come from making important decisions off the field and require most of all, the ability to think clearly.

Many people, especially those that enjoy working puzzles of any type, believe that practice does make one a stronger and more agile thinker (to use the sports metaphor) and that such abilities do carry over to the rest of life. Many start every morning with a puzzle as a type of mental calisthenics to get "warmed up." Moreover, education research has shown that *active* mental exercises, even simple ones like reading a book, have a more positive impact on learning than *passive* activities, such as watching videos. Puzzles of any sort, therefore, offer an even greater opportunity to exercise your mind because they require a more active involvement in the material than reading. Just as word puzzles can exercise verbal skills

and math puzzles can exercise math skills, logic puzzles exercise logic and deductive reasoning skills that can help lead to clear-minded decision making.

Unfortunately, even some ardent puzzle lovers have found Sudoku-type Group Puzzles too hard or difficult, and in the final analysis, simply not fun. Starting a brief survey of why these people did not work group logic puzzles, such as Sudoku, quickly revealed what should have been obvious: most puzzles are published for those people who already know and love group logic puzzles. Even puzzles marked as "Easy" in newspapers and magazines can prove daunting to someone who has never worked such a puzzle unless they have someone available to tutor them briefly about the basics. At the very least, they need step-by-step solutions to puzzles describing how someone can deductively reason from the particular puzzle that they are currently working on to the completed grid. The answer grid published with most Sudoku puzzles as puzzle solutions, in contrast, only tells you whether you have arrived, not how to get there. Although we do not expect students to learn a subject like math from just a set of problems and answers, with no explanation, tutoring, or step-by-step solutions, most sources of logic puzzles do exactly this. Thus, these publications limit their audience to those who already know and like such puzzles and, more importantly, limit their usefulness in teaching logic in an educational environment.

Teaching Logic and Deduction.

For many people who enjoy working logic puzzles it is simply "obvious" that puzzles are a good tool for teaching logic, and nothing further needs to be said. For people who enjoy these puzzles and understand how to work them, that is true. For many others, however, especially for children and those who teach them, there are a number of challenges and potential pitfalls facing the use of puzzles to teach logic in the general population and in schools.

Purely Deductive Puzzles.

Teaching logic is difficult. Teaching guessing is unnecessary. In order to teach logic using Group Puzzles, like traditional Sudoku puzzles, there must be at least one purely deductive set of steps that shows how to logically get from every puzzle to its answer grid that requires no guessing or backtracking. Students must know that the easiest way to solve the puzzle is to use logic so that they actively and habitually look for solutions that are deductive. Purely deductive solutions for other published Sudoku puzzles may exist, but such solutions are rarely guaranteed. This is one barrier to the effective use of existing puzzle sources to teach logic. Another barrier to this use of puzzles is the lack of availability of step-by-step deductive solutions. Detailed step-by-step instructions are required not only for instructors who wish to use puzzles, but may not have the time to work each puzzle before the students, but also for anyone who has never worked such a puzzle and wishes to teach themselves. Existing publishers for Sudoku puzzles do not provide step-by-step instructions that describe what values can be placed where in a puzzle, and why. Indeed, a number of puzzles in some publications have been found to have no simple deductive solution and require guessing and backtracking. These are usually "symmetric" puzzles, so named because they are constructed from a solution grid using a pattern of empty cells that is reflectively symmetric about one or more axes. Symmetric puzzles are an attempt to approximate puzzle difficulty by use of these patterns. When puzzles are rated quantitatively, however, symmetric puzzles have been found to provide only a coarse probabilistic approximation to puzzle difficulty in terms of the number of deductive steps required to solve the puzzle.

Guaranteed Correct Puzzles.

Like any other educational tool, the effectiveness of using puzzles to teach logic requires educational materials, including puzzles, strategy guides, step-by-step solutions, and hints, that are *always* correct. Incorrect puzzles teach students that logic and deduction do not work. Incorrect puzzles teach students to guess rather than to reason and solve. Incorrect puzzles drive students away from logic. Students must know that the effort expended in logically deducing solutions is not a wasted effort or the puzzles are no longer fun and become just another school chore. Puzzle correctness can be guaranteed by the use of a set of automated tools and stringent quality control measures that eliminate errors in the puzzle generation, rating, and type setting processes.

Carefully Calibrated Puzzle Difficulty.

The educational effectiveness of puzzles is also strongly dependent on matching puzzle difficulty to the solver's current abilities. Puzzles that are too hard make students frustrated and risk the most important advantage they have for teaching: making learning fun. Puzzles that are too simple have little teaching value or make students bored, also risking the fun factor. Thus, educational logic puzzles require a very accurate puzzle difficulty rating system. This, however, is yet another barrier to the effective use of existing puzzle sources. Most publishers separate puzzles into sections with labels, such as Easy, Medium, and Hard. The detailed quantitative classification algorithm described here, however, has been used to show that there is tremendous overlap in the difficulty ratings in sections of some existing publications with supposedly different difficulty classifications. Indeed, in one publication there were puzzles that required guessing (i.e. they were nondeterministic) in the section labeled "medium" rather than in the section labeled "hard," although there were fewer nondeterministic puzzles in that section. In addition, the puzzle with the most difficult deterministic solution in the entire book was found in the medium section. not the hard section.

Diverse Puzzle Difficulty Levels.

Carefully calibrated puzzle difficulty is only as effective as the availability of puzzles at a wide variety of difficulty levels. Working puzzles provides vital practice of logic skills, but these skills must be exercised regularly and the exercise itself must be well-suited to each person's current ability level so that they are challenged without being overwhelmed. This requires puzzles at many difficulty levels, from very simple to extremely challenging, for puzzles *of every type*. The easy availability of puzzles at the appropriate level of difficulty helps students make steady progress without risking frustration or boredom.

Diverse Logic Puzzle Types.

There are several reasons why many different types of logic puzzles are essential to teaching logic. First, new and different puzzle types help to keep and hold the interest of students. If they are not fun, then one of the key advantage of puzzles is lost. Second, smaller puzzles are inherently easier to work than larger puzzles and choosing the type of puzzle is the first and most important part of selecting the appropriate difficulty of a puzzle for a particular audience. A simple 3x3 grid puzzle, such as the one shown here, may prove challenging for most younger children, but

Simple 3x3 Grid Puzzle							
1		2					

	1		
3		1	

boring and unappealing to older grades. Larger Group Puzzles (such as size 12 or 16) also greatly increase the difficulty of a puzzle, more so than just the overall size. For example, a 12x12 grid with 12 distinct group values and an overall size of 144 cells can be much more difficult than one of the Sunday newspaper puzzles with five overlapping traditional Sudoku puzzle with 9 distinct group values on a 21x21 grid with an overall size of 369 cells. Third, and perhaps most importantly, new types of puzzles help students generalize their solving techniques and logic skills rather than focusing on the puzzles themselves and developing mental habits that are useful only in solving one particular type of puzzle, such as the traditional Sudoku puzzle. Since group logic puzzle are mathematical constraint satisfaction problems, there is no simple algorithm to deductively solve all such puzzles, so children can (and should) be encouraged to discover their own puzzle solving rules and heuristics and then check them for correctness and usefulness by applying them to new puzzles. Since the rules for checking solutions to these puzzle are simple enough that even young children can understand the rules of the smaller puzzles, Group Puzzles offer a wonderful opportunity to combine both logic and fun for everyone.

Puzzles Annotated with Step Numbers.

Another way to focus on learning logic is to solve one of the harder or larger puzzles using a grid that shows the step in which each empty cell can be deduced using the rules outlined in the general strategy guide. Knowing which cells *can* be filled in given the current state of the puzzle is often the hardest part of finding a solution. Specifying that information in the puzzle itself eliminates the question of where to work on the puzzle next and allows the solver to focus on looking for a specific solution using only logic, since they know there has to be a way for the value of the cells in the current step to be deduced from the given information. While this approach can be used for any puzzle type and any difficulty level, it is particularly useful for very large or very difficult puzzles where there are many more options to consider that lead to a solution. For example, in the tournament-level puzzle shown here, there are 25 dependent steps that lead to the solution using the standard algorithm. The step number

l'ournam	ent-leve	el							
6	7	22	24	24	2	23	4	21	1
1	24	23	23	21	8	24	22	20	
18	19	14	24	3	5	24	8	23	
17	18	1	2	23	24	13	2	11	4
16	15	2	7	1	8	9	12	10	
7	8	2	8	7	6	6	1	5	
16	23	23	4	22	9	2	24	1	7
15	3	24	25	2	24	9	23	22	
2	6	1	5	6	4	2	7	8	
1			4			7	I		•

is annotated in the top right corner of each empty cell. All cells with the same number can be logically deduced independently of one another from only the initial givens and all the cells with lower step numbers. Using these types of puzzles annotated with the solution step information can change the problem solving experience significantly because the frustration associated with fruitlessly searching for the next move can be avoided for those that have not yet acquired those skills. Thus, these types of puzzles with step numbers annotated in all the empty cells are, in a very real sense, a new type of puzzle in and of themselves.

Another variation on this type of puzzle is to fill in some, but not all, of the step numbers on the harder or larger puzzles. For example, annotating the first several steps of puzzles provides the opportunity for solvers to tackle harder puzzles than they usually attempt. Annotating the last few

First thre	ee steps							
2	1	2	3		S	4	1	3
				6	Ŧ	8	3	2
		3			8	1	9	7
					2	3	3	1
3	1	6	2			7	5	2
	4			8	1	2		
	3		8	7	1	5	2	2
6	9	3				1	1	3
2		7		1			3	6

steps is another possible variation that outlines to the solver the more difficult areas of the puzzle to help them avoid wasting effort, without providing them with an explicit road map of how to go about solving the puzzle.

The beauty of these types of puzzles is that there are an enormous number of logical ways to solve each puzzle and many different heuristics and strategies for each solver to discover, practice, and evaluate. The key is to enable this type of learning without limiting future opportunities for additional learning, by providing a wide variety of puzzles and only general guidance.

What Exactly are Group Puzzles?

The short answer is that Group Puzzles are a generalization of Sudoku puzzles, just as Sudoku puzzles are a generalization of Latin Squares. The long answer requires a brief history of Sudoku puzzles.

Latin Squares.

Sudoku puzzles are often described as a special type of *Latin Square* of size 9 that has additional constraints. A Latin Square is a well-known mathematical construct that has been the subject of study for decades. A Latin Square of size N is defined to be a square matrix with N rows and N columns containing only integers from 1 to N arranged so that there are no duplicate integers in any row or column. A Latin Square the size and shape of a traditional Sudoku puzzle is, therefore, a Latin Square of size 9.

Valid Latin Square										
1	9	8	7	6	5	4	3	2		
2	1	9	8	7	6	5	4	3		
3	2	1	9	8	7	6	5	4		
4	3	2	1	9	8	7	6	5		
5	4	3	2	1	9	8	7	6		
6	5	4	3	2	1	9	8	7		
7	6	5	4	3	2	1	9	8		
8	7	6	5	4	3	2	1	9		
9	8	7	6	5	4	3	2	1		

The particular Latin Square shown here, however, is not a valid Sudoku puzzle solution because (among other problems) the 3x3 square in the up-

per left corner has duplicate integers and is missing some of the integers, such as 4, 5, 6, and 7. It does however meet all the constraints of a Latin Square because each row and column contains a full set of the integers ranging from 1 to 9.

A Latin Square puzzle can be generated from a Latin Square by replacing some of the numbers with empty cells. Care must be taken when

Latin Sq	Latin Square Puzzle										
1	9	8	7		5	4	3	2			
2	1	9	8		6	5	4	3			
3	2	1	9		7	6	5	4			
4	3	2	1		8	7	6	5			
6	5	4	3		1	9	8	7			
7	6	5	4		2	1	9	8			
8	7	6	5		3	2	1	9			
9	8	7	6		4	3	2	1			

selecting which cells to leave empty or the puzzle that is generated from the Latin Square may not be solvable. In order to create a useful puzzle, the values of all of the the empty cells must be able to be determined by examining the numbers remaining in the puzzle, given the row and column group constraints which define a Latin Square. If too many cells are left empty, there may be more than one valid Latin Square that contain the initial values given in the puzzle. Even greater care must be taken to ensure that the puzzle has a purely deductive deterministic solution that does not require guessing or backtracking.

Sudoku Puzzles.


Although not all Latin Squares are valid Sudoku puzzles, the reverse is true: all traditional Sudoku puzzles are valid Latin Squares. This is because a traditional Sudoku puzzle constrains not only the rows and the columns to be complete groups of the integers from 1 through 9, but also constrains all of the 3x3 squares to be complete groups as well.

Group Puzzles.

Group puzzles include many variations on traditional Sudoku puzzles that typically fall into several different categories: group sizes other than 9, additional constraint groups, such as diagonals, inner squares or jigsaw shapes, groups of unique values other than numbers (such as letters) and multiple overlapping puzzles of various types (quilted puzzles). One thing all of these puzzles types have in common is the specification of a group of unique symbols or values that make up each constraint group defined for a particular type of puzzle. Like Latin Squares, elements of a complete valid Sudoku or Group Puzzle grid can be removed to create a puzzle where the missing items can be logically deduced from the remaining values and the constraints on the groups.

Group puzzles also include an even broader set of generalizations of Sudoku puzzles in that groups need not be contiguous shapes, rows and columns need not be groups (i.e., the puzzle need not be a valid Latin Square), and the values in the groups can contain duplicates.

A non-contiguous group is a group where the members of the group are not immediately next to each other in the puzzle, such as the outside corners of a 4x4 puzzle. In this type of puzzle, the non-contiguous outside corners of the puzzle form a group in addition to the contiguous 4-element groups consisting of rows, columns, and 2x2 squares. Non-contiguous groups are logically no different from puzzles with only contiguous groups, but they pose two different challenges for human puzzle solvers. The first difficulty concerns how to visually identify which cells in a non-contiguous group actually make up a non-contiguous group. The most common way to show this is to use a single color or shade of gray to indicate that the cells of the same shade belong to the same group. In cases where the noncontiguous group follows a clear enough pattern, such as the upper right corners of every rectangle, the group members may be outlined rather than



shaded. The second difficulty is developing the habit of perceiving diverse disconnected cells as part of the same group.

Group puzzles that are not valid Latin Squares also pose additional challenges for human puzzle solvers for several reasons. First, rows and columns are visually obvious groups for human solvers that are difficult to ignore. Second, in-grained habits are often difficult to break. Moreover, additional constraint groups can make logical deductions easier when there are more unknowns, so removing the constraints on rows or columns can make it more difficult to deduce other unknowns in the puzzle. For this reason, non-Latin puzzles typically require additional constraint groups that take up the slack for a missing row or column constraint. The next example illustrates one of these types of Group Puzzles that is neither a traditional Sudoku puzzle nor a Latin Square. In this puzzle, rows are not constrained to be groups, but the columns, 2x3 rectangles, the one diagonal, and the group comprised of the upper right corners of the 2x3 rectangles are all constraint groups.

Group puzzles, unlike traditional Sudoku puzzles, can contain repeated elements in a group. An example of one such puzzle uses the familiar Sudoku 9x9 grid with a group size of 9, but the group contains only the numbers 1 through 8 with the value 1 present twice in each row, column, and 3x3 square. In other words, the group for the puzzle is (1, 1, 2, 3, 4, 5, 6, 7, 8). These types of puzzles offer a different type of challenge, since groups with duplicate values can make for more difficult puzzles that requires new strategies to deal the the fact that some symbols can be repeated.

Non-Latin Square Puzzle

6	2	2	3	6	4
4	3	1	5	3	2
5	1	4	6	5	1
2	5	3	1	1	6
1	4	6	4	2	3
3	6	5	2	4	5

Group Puzzle with duplicate 1s

4	3	6	8	7	1	1	2	5
1	7	1	5	2	3	6	8	4
5	2	8	1	6	4	1	7	3
6	5	7	3	8	1	4	1	2
3	1	4	2	5	7	8	1	6
8	1	2	1	4	6	5	3	7
1	4	5	7	1	2	3	6	8
7	6	3	4	1	8	2	5	1
2	8	1	6	3	5	7	4	1

Naming New Puzzle Types.

The name of a puzzle should describe its most important characteristics, since creating new and different puzzle types is one of the important ways,

from a teaching perspective, to keep puzzle solving fresh and useful. Although creators of Sudoku puzzles have typically limited themselves to a relatively small number of puzzle types with an ad-hoc collection of names, the goal of introducing dozens or even hundreds of new group puzzle types into common usage requires a naming convention for puzzles, such as the one described below, in which the name of the puzzle suggests some of its most important attributes.

Group Puzzle Size.

One of the most important attributes of a Group Puzzles is the size of its constraint group. For traditional Sudoku puzzles which require the placement of the values 1 through 9 exactly once in each of the 9 rows, columns, and 3x3 squares, the group size is 9. The puzzles that consist of 5 overlapping traditional Sudoku puzzles, also have a group size of 9 (even though the 5 overlapping puzzles are part of a larger 21x21 grid) because there are exactly 9 different values that must be placed in each row, column, and 3x3 square. The standard name for a traditional Sudoku puzzle in this new naming convention, therefore, would be **Sudoku-9**.

Group Puzzle Base Constraints.

Group puzzles of size 9 that do not require both the rows and columns to be constraint groups are not valid Latin Squares. The standard name would reflect this lack of constraints with the name **Nonlatin-9**. Similarly, the name **Latin-9** implies that all of the rows and columns are constraint groups, but that there are no additional square constraint groups. The name **Sudoku** would be retained only for those puzzles that require rows, columns, and any type of rectangular constraint group that covers the entire puzzle. Thus, in the standard naming convention, any puzzle named **Sudoku-N** has a group size of N with all of the rows, columns, and rectangles being constraint groups.

Group Puzzle Rectangular Constraints.

Group sizes that are integer squares, such as 4, 9, 16, and up, have the obvious square constraint groups of 2x2, 3x3, and 4x4, respectively. Puzzle sizes that are not integer squares, but are even integers, can be divided into

N rectangles of the same shape and orientation. These rectangles can be oriented either horizontally or vertically. The horizontal layout is considered standard and requires no addition to the standard name. The vertical layout is designated in the name by adding the word *up* after the size. Thus, the name **Sudoku-6** indicates a puzzle that has six 3x2 horizontal rectangle constraint groups and a **Sudoku-6** puzzle has six 2x3 vertical rectangles. A more common name for a Sudoku-6 puzzle is **Sudoku-Junior** just

Sudoku-	-6up				
1	2	3	4	5	6
6					
5					
4					
3					
2					

as the common name for a Sudoku-9 puzzle is just Sudoku. Some group

Sudoku-	Junior				
1	2	3	4	5	6
6					
5					
4					
3					
2					

sizes, such as 12, can be divided into either 2x6 or 3x4 rectangles. Puzzles with narrow rectangles are usually more difficult to create and solve, so the more square-like shapes are favored in the standard naming. The name **Sudoku-12up**, therefore, refers to a puzzle with 12 vertical 3x4 rectangles.

SuperSu	doku-8						
1	2	3	4	5	6	7	8
8							
7							
6							
5							
4							
3							
2							

There is no logical limitation on creating Group Puzzles with both horizontal and vertical rectangles as constraint groups. The primary limitation is how to display the puzzles in such a way so as to *show* both the horizontal and vertical rectangles as constraint groups. The compromise described here appears to be the best solution: display the puzzle with the vertical rectangles outlined and the horizontal rectangles alternately shaded. If all of the horizontal rectangles were shaded, the entire puzzle would be shaded. By shading them in a checker board fashion, the horizontal rectangles are fairly clearly marked. The standard naming convention for puzzles in which both the horizontal and vertical rectangles are constraint groups is to attach the prefix "Super." to the standard name. Thus, a Group Puzzle of size 8 with both the 2x4 and 4x2 rectangles as constraint groups would be called **SuperSudoku-8**.

Group Puzzle Jigsaw Shapes.

Group sizes that are neither integer squares nor even integers cannot be divided into N identical rectangles, so some other shapes must be devised. The simplest solution is to use irregular contiguous jigsaw-puzzle shapes. There are many ways to divide squares into jigsaw shaped pieces of size N. One possible set of jigsaw puzzle shapes is illustrated for the **Sudoku-5** puzzle shown here.

Sudoku-	5			
1	2	თ	4	5
5				
4				
3				
2				

Not all possible divisions into jigsaw-puzzle type shapes, however, result in puzzle types that have any solutions. In general, the shapes cannot overlap any particular row or column in too many cells, or the resulting puzzle definition has few or no solutions that can be turned into puzzles. Because there are so many possible jigsaw puzzle shapes, multiple types of jigsaw puzzles may be defined for a particular group size. The naming convention for these additional puzzles of the same size is to add an additional letter following the standard name. For example, the following **Sudoku-5B** puzzle has a different set of jigsaw puzzle shapes from the previous Sudoku-5 puzzle as shown here. The letter 'B' is used in this name because it is assumed that the initial jigsaw puzzle of the particular size is the 'A' puzzle. The third variant of size 5 would be named **Sudoku-5C**, etc.

Sudoku-	5B			
1	2	3	4	5
5				
4				
3				
2				

Group Puzzle Diagonal Constraints.

One fairly common addition to the the standard row, column, and rectangular constraint groups is to add the diagonals of a square of size N as constraints. The two diagonals represent constraints in addition to the other constraints, even though there are only two diagonals and not every cell is a member of a diagonal constraint. The standard naming convention is to add the suffix "-X" to a base puzzle type. For example, a Sudoku-9-X or Sudoku-X puzzle is a standard Sudoku puzzle of size 9 with the addition of both diagonals as constraint groups. In order to visually show the presence of the diagonals as a constraint group, they are usually shaded, as shown below. The naming convention of adding an 'X' to the puzzle name is because the two shaded diagonals look like the letter X. Adding both diagonals to many puzzles smaller than size 8 results in a puzzle definition that has no valid answer grids that can be made into puzzles. For some of these, a single diagonal can be added to produce puzzles. The standard naming convention for puzzles with a single diagonal rather than both diagonals is to append a 'D' to the name rather than an 'X'.

Additional Group Puzzle Rectangular Constraints.

Another way to define puzzles with additional group constraints is to have interior shapes that overlay several of the standard rectangles or squares of an existing puzzle. These puzzles are named by adding a prefix of "Hyper" to the standard puzzle name, following the pattern set by the most common

1	2	3	4	5	6	7	8	9
9								
8								
7								
6								
5								
4								
3								
2								

Sudoku-X

puzzle of this type, the **HyperSudoku** puzzle. The HyperSudoku puzzle, shown below, derives its name from the fact that it adds a fourth constraint group to the usual three constraint groups of a traditional Sudoku puzzle, just as a hypercube adds a fourth dimension to the normal three dimensional of a traditional cube.

There are many different types of interior shapes that can be chosen for various types of Hyper-Sudoku puzzles. As usual, the most difficult part is to design the puzzle in a way that clearly indicates which cells are in a group. Most often this is done using shading. For example, the **HyperSudoku-12** puzzle has four 4x3 interior rectangles and one 6x2 rectangle, all shaded gray to show their location. Like diagonals, adding too many interior rectangular constraints or not overlapping the interior shapes over enough other puzzle constraint groups can severely limit or eliminate the number of possible completed grids that can be turned into puzzles.

Overlapping interior shapes can be logically defined and implemented, but the problem is finding ways to express the constraint groups clearly to the solver. One way to show an additional overlapping set of interior

1	2	3	4	5	6	7	8	9
9								
8								
7								
6								
5								
4								
3								
2								

shapes, is to use an additional shade of gray, another color, or a shading pattern for the second set of constraint groups. All such indicators, however, must be clearly distinguishable by the solver even when the groups overlap. The **HyperSudoku-X** puzzle is one such puzzle with two different overlapping shaded constraint groups. A HyperSudoku-X puzzle combines the constraint groups of a HyperSudoku and a Sudoku-X puzzle, as the name implies.

Non-Contiguous Group Puzzle Constraints.

A non-contiguous constraint group has group elements that are not immediately next to each other in the puzzle, such as the outside corners of a Sudoku-4 puzzle. In this puzzle, the non-contiguous outside corners of the puzzle form a constraint group in addition to the contiguous 4-element rows, columns, and 2x2 squares. No standard naming convention for noncontiguous groups has been defined, as yet, and ad-hoc abbreviations for the non-contiguous groups is recommended. Thus, the Sudoku-4 puzzle


HyperSudoku-12

0	1	2	3	4	5	6	7	8	9	Α	В
В											
Α											
9											
8											
7											
6											
5											
4											
3											
2											
1											

in which the outside corners also make up a constraint group, the name is chosen to be **Sudoku-4-OC**. The most common way to show this is to use a single color or shade of gray to indicate that the cells of the same shade belong to the same group. In cases where the non-contiguous group follows a clear enough pattern, such as the upper right corners of every rectangle, the group members may be outlined rather than shaded. For example, the following puzzle is named **Sudoku-6up-UR-D** because the base puzzle is a Sudoku-6up with the additional constraints that the upper-right corners of the rectangles are a constraint group, as is the single descending diagonal.

HyperSudoku-X

1	2	3	4	5	6	7	8	9
9								
8								
7								
6								
5								
4								
3								
2								




Signature Puzzles.

A signature puzzle is a standard Group Puzzle type in which the usual sequence of numbers, or letters for the larger puzzles, are replaced with a specific set of letters or numbers that spell out a word or message. One singularly appropriate signature puzzle for educational purposes, is one that is created using a traditional Sudoku puzzle and substituting the letters


Sudoku-6up-UR-D

1	2	3	4	5	6
6					
5					
4					
3					
2					



that make up the word "EDUCATION" for the digits 1 through 9. If a puzzle were created randomly using these letters, however, there is little chance of the word "education" appearing anywhere in the puzzle. So,

for a signature puzzle to be recognized as such, the word should appear in order in one of the constraint groups. The first row of the puzzle is the most prominent location to place the word or phrase when creating a signature puzzle.



The *signature*, however, can be placed in other prominent places, such as the first column, or any constraint group of any type of puzzle.

In fact, a signature can be place in more than one spot in a puzzle. Placing the signature in more than one spot in a puzzle, however, can be challenging for two reason. First, it is difficult in most puzzles to place a signature that is readable in two different constraint groups that does not violate the group constraints of the puzzle. For example, you may want to place the signature in both the first column and the first row. This is not possible using any of the Group Puzzles that have the traditional Sudoku constraint groups consisting of all rows and columns because it results in duplicate letters in the first rectangle. However, in some groups of certain types of puzzles, such as HyperSudoku puzzles, it can be done.


Quilted Puzzles.

New types of Group Puzzles can be created by overlapping more than one of the smaller Group Puzzles. By overlapping smaller compatible puzzle types these larger puzzles are *quilted together*. The simplest way to ensure that the smaller quilted puzzles types are compatible is to make sure that they all use the same set of symbols as the constraint group for the quilted puzzle. The most common type of quilted puzzle is the set of five overlapping traditional Sudoku puzzles often found in the Sunday newspapers under a variety of different names. In the standard naming convention, HyperEducation С Ε D U I С Α Т Ν С I 0 Ε Ε U С D С Α Т L 0 Ν D D

it is called Sudoku-by5 because the base type of puzzle is a Sudoku and there are five overlapping puzzles. The smaller puzzles do not need to be the exact same type of puzzle, as illustrated by the Sudoku-Xtreme puzzle type which consists of 4 Sudoku-X puzzles linked together with a single traditional Sudoku puzzle. Signature puzzles can be derived from quilted puzzles as easily as from regular non-quilted puzzles with the added advantage that the signature word can easily be placed in at least one constraint group in each of the smaller Group Puzzles, enhancing the overall effect.

Sudo	ku-b	y5																		
1													8							3
8					2	6													1	
							1	5				5	2			1				
2	9			8				1				1			3					2
		7		1		2								8			9			
				7	4		6								4				9	
	2														8		5		4	
	1		4				9				6					7				1
3					5												6		5	
								5	6			7								
							1							3						
										2		5								
2			5						5	8		4								
				4	3					7					2					
															3		7		4	
1				3				5					6	5			1			
					9			4								6		4		8
	8		7									7					5	9		
				8	2	9										8				7
5			4			6							3						9	
		2												9			6	5		

Sudoku-by5



Education-Xtreme

Chapter 2

Solving Group Logic Puzzles

Help with those 'Simple Rules.'

The instructions for a traditional Sudoku puzzles are simple: Place all of the elements 1 through 9 exactly once in each row, column, and 3x3 square. The beauty, as well as the challenge, of all types of group logic puzzles like Sudoku is the minimalist nature of these rules. Knowing *how to check* for a correct solution, however, does not mean that the solution is easy to *logically deduce*.

In fact, the class of computer science problems that have a simple solution check but no known optimal algorithm are proven to be the most difficult class of problems to solve, with the optimal solutions requiring guessing correctly at every possible choice point. For these types of puzzles, there does not exist a single set of rules or algorithm that will always produce a set of solution steps that leads the solver deductively from puzzle to solution, for every possible puzzle that has a solution. Thus, computers and humans alike, must guess at solutions for certain Sudoku and Group Puzzles and check the group constraints to see whether the solution is in fact valid. Although computers can guess, check, and backtrack quickly if they are wrong, **puzzles designed to be worked by humans should not require guessing or backtracking if the purpose is to teach deductive logic.** For teaching purposes, puzzles should be selected only if there exists a sequence of deductive step-by-step moves that lead from the puzzle to the solution.

Although there does not exist a simple definitive set of rules for deductively solving all puzzles, there do exist general strategies, which computer scientists often call *heuristics*, that can be used to solve most puzzles. For Group Puzzles there are two basic strategies that encompass most of the strategies in common use: find the only spot in a particular group where a certain value can occur (given the group constraints) and find the only value that can be placed in a particular spot (given the group constraints).

Strategy 1.

The first and most common approach to solving these puzzles is to figure out all the spots in a constraint group where a particular value cannot be placed, and when there is only one spot left in the group where it is allowed, you have found the spot where the value must be put. To do this, check if one value in the puzzle appears in several places and constrains where that value can appear in another group. In example 1, the value 4 must appear at the top of the first column at coordinates (1, 1) because the value 4 appears

Example	e 1							
	*	*						
*	*	*	*	*	*	*	*	4
*	*	*	*	*	4			
	4	*						
		*						
		*						
		*						
		4						

outside the 1st 3x3 square (top left 3x3 square) in rows 2 and 3 as well as columns 2 and 3. So, *the only spot left for 4 in the 1st 3x3 square is at*

(1, 1).

Although the application of this technique to 3x3 squares is by far the most common way for people to work towards a puzzle solution, the same logic applies to rows and columns as well. In the next puzzle, the value 5 must appear at (1, 1) because the 5 in the second row means that 5 cannot appear in the last 3 columns of row 1, and the 5 in the fifth row means that it cannot appear in column 5 of row 1. Furthermore, the 5 in the last row rules out a 5 in column 3, and there are already values of 2, 3, and 4 in the second, fourth, and sixth columns of row 1. Thus, *the only spot left for 5*

Example 2								
	2	*	3	*	4	*	*	*
		*		*		*	5	*
		*		*		*	*	*
		*		*				
		*		5				
		*						
		*						
		*						
		5						

in the 1st row is at (1,1).

The values in columns can be similarly deduced. In the puzzle below, a 6 must be placed at (1, 1) because the value 6 in the third column eliminates the last three rows as spots for a 6 in column 1, and the values 1, 2, and 3 in column 1, as well as the 6s in columns 5 and 9, rule out the remaining spots. Thus, *the only spot left for 6 in the 1st column is at* (1,1).

This same strategy can be used to deduce values in other types of Group Puzzles as well. In the HyperSudoku puzzle below, the four inner squares

Example	23							
2								
*	*	*	*	*	*	*	*	6
*	*	*	*	6				
3								
1								
*	*	6						
*	*	*						
*	*	*						

that are colored gray are additional groups that must also contain the values 1 through 9. Here, *the only spot left for a 4 in the 1st 3x3 square is at* (2, 1), because the 4 in the last row rules out all of the spots in the first column, and the 4 in the fourth row rules out all of the gray squares and the third column of the 1st 3x3 square. Additional groups, like the inner 3x3 squares, provide additional constraints that make this strategy more effective with fewer givens; only two 4s outside the completely empty 1st 3x3 square were required to determine where in the 1st 3x3 square the 4 must be placed.

Strategy 2.

Another strategy that is useful in some puzzles is to determine what values cannot possibly be placed in a particular spot, and if there is only one possible value left, then the spot must hold that value. The values that cannot appear in a spot can be determined by finding all the values that already appear in any of the groups that include the spot. Thus, in example

Example 4								
*		*						
*	*	*	*					
*	*	*	*					
*	*	4	*					
*								
*								
*								
*								
4								

5 below, a 9 must be placed at (1, 1) because it is the only value left that is not already in the 1st 3x3 square, the 1st column or the 1st row. A 1, 2, or 3 placed at (1, 1) would conflict with the values in row 1. Similarly, a 6, 7, or 8 would conflict with the values in column 1 and both a 4 and 5 can already be found in the 1st 3x3 square. This strategy is often called *counting* in Sudoku puzzle solving guides.

Strategy 3.

One deterministic strategy that is often found in advanced Sudoku puzzle solving guides under a wide variety of names is illustrated in the puzzle below. Since only 8 and 9 are missing from the second 3x3 square, they must both be located in the third row, even though which number goes where in the two empty spots cannot yet be determined. This, however, implies that there must be an 8 in the third row in the 2nd 3x3 square, and that 8, therefore, cannot appear in the third row of either the 1st or 3rd 3x3 squares. Additional constraints shown in the puzzle imply that 8 cannot be placed

Example	, ,		1	1		1	
		-	1	2	3		
-	-	-					
-	5	4					
-							
-							
-							
6							
7							
8							

Example 5

anywhere in the 1st 3x3 square other than at (1, 1). Unlike the previous techniques that apply equally to rows and columns, this one can only be used when there are two groups that overlap in at least two spots. Thus it can only be applied to 3x3 squares and rows or 3x3 squares and columns in a traditional Sudoku puzzle, because any two rows and columns overlap only in one spot. In the published puzzles that have been evaluated to date, this deterministic strategy has not proven necessary to solve puzzles when the first two deterministic methods are combined. Any moves determined by this strategy can almost always be determined by using only the first two methods, although each empty spot cannot necessarily be determined at the same point in the solution. For this reason, this third strategy is not currently used in the puzzle difficulty key algorithm used to rate puzzles. If a puzzle were designed so that this strategy was required when the first two were insufficient to make progress toward the solution, the current puzzle difficulty algorithm would search for a nondeterministic guess that would allow for a solution. Thus, in effect, the puzzle rating system would rate this or any other type of deterministic strategy that was not implemented in

Example 5

	*	*	1	2	3		
1	*	*	4	5	6		
*	*	*	7				
	8	*					
		*					
		*					
		8					

the rating algorithm as a nondeterministic step.

Nondeterministic Strategies.

The strategies listed so far are all *deterministic* because they allow the value to be logically determined without any question or doubt so long as no mistakes have been made in the puzzle. Another technique is called *nondeterministic* or more colloquially, "guess and check," because it requires guessing that a step is correct without any logical guarantees that it is correct. Nondeterministic steps may not lead to a solution and may in fact lead to a contradiction in the sense that you may reach a point where no value is valid for a spot. If all of your other steps before and after your guess were deterministic and based solely on logic, then by reaching a contradiction you have logically shown that your guess was incorrect and that the value cannot be placed in the spot specified by your guess. Multiple guesses are much more complex and require negative results on all possible combinations to draw any conclusions about the validity of the initial guess. Nondeterministic algorithms that check all possible guesses are often used by computers to solve these puzzles. This technique, however, often proves difficult and error prone for most human solvers. Nevertheless, some puzzles are published that require a nondeterministic step (or guess) and if you reach a point in the solution of a puzzle where it seems that you cannot make any further deterministic progress, you may need to make a guess at that spot and backtrack to the exact same puzzle where you made your guess if you eventually reach a contradiction. Multiple levels of guesses have never proven necessary to solve and rate any published puzzles tested to date. Indeed, many argue that it is not a valid Sudoku puzzle unless there exists a deterministic solution that does not require guessing.

Although there are many other types of deterministic and nondeterministic strategies that can be used to solve these types of puzzles, the two deterministic strategies described above and in the section on computing difficulty keys have been found to be sufficient to solve the vast majority of the published puzzles tested so far. By allowing a single guess (nondeterministic step), all published puzzles tested have been solved. This indicates that these two deterministic strategies are general enough to replace all of the rules and patterns that make up most Sudoku strategy guides.

Puzzle Difficulty Levels Explained.

Puzzle difficulty is ranked using the number of deductive steps required to solve the puzzle. Each deductive step consists of one or more logically independent deductions of empty cell values. Each empty cell value can be determined based only on the puzzle information from the previous steps. None of the values deduced in the current step are required to determine other moves in the current step.

Puzzles that are too hard, or too easy, can be one of the most frustrating aspects of puzzle solving for both serious and casual solvers. For this reason, rating puzzles is one of the most important parts of creating Group Puzzles. It is also, however, one of the most difficult. Even apparently simple rating systems, like one to five stars, or "easy," "medium," and "hard," often make assumptions about whether the reader is a serious or casual puzzle solver. The wide variety of Group Puzzles types makes ranking puzzles even more complex. The difficulty ranking system used here is designed to help both casual and serious solvers understand the difficulty of a particular puzzle before attempting a solution. This difficulty ranking system is not just a simple set of group labels. The "Difficulty Key" or *DiffKey* is a string of digits and the letters A-D that is derived directly from the deductive solution steps, one character for each step in the solution. The meaning of each character for the step is described in detail in the remainder of this section. The "Difficulty" of a puzzle is just the length of this string, and is, therefore, the number of steps in the deductive solution. This single number provides less information than the DiffKey, but more than a simple rating word. Labels like "Medium" or "Challenging" can then also be used to describe ranges of difficulty levels of puzzles for the purposes of grouping puzzles in book sections. The following names have been chosen for each indicated range of solution steps: With rare exceptions, only puzzles larger than a traditional Sudoku

Difficulty Level:	Number of Deductive Steps
Easiest :	1 or 2 steps
Easy:	3 or 4 steps
Medium:	5 to 8 steps
Difficult:	9 to 14 steps
Challenging:	15 to 20 steps
Tournament:	21 to 29 steps
TournamentPlus:	30 to 45 steps
Perplexing:	46 or more steps

9x9 puzzle grid require more than 30 steps.

When the character in the DiffKey string for a particular step is a digit from 1 to 8, there are 1 to 8 empty locations that can be deduced directly from just the information given in the puzzle before the step. Thus, a DiffKey of "1" means that the puzzle has only one open empty location, and that location can be filled in based on the information in the puzzle. The digit 9 indicates that nine or more moves are possible in the particular step. Thus, a DiffKey of "9" means that there are nine or more empty locations in the puzzle being rated and that they can all be filled in independently of one another to complete the puzzle. The DiffKey of "993" computed for the puzzle in the indicated figure means that there are two different groups of nine or more empty locations and that, once the first group (marked with a 1 in the upper right corner) that can be deduced directly from the puzzle are filled in, the second group of empty locations (marked with a 2) can all be figured out. The 3 at the end of the DiffKey refers to the last three empty cells that cannot be filled in using strategy one or two without first filling in some of the ones marked as 2. Note, however,

DiffKey	= 993							
1	3	1	9	4	1	7	2	3
9	2	2	3	7	2	8	1	1
1	2	4	5	1	2	3	2	9
8	4	2	1	1	7	2	3	1
6	1	9	2	2	1	2	4	1
2	2	1	1	3	4	1	8	7
1	8	1	7	5	3	1	9	2
5	1	7	1	6	1	2	1	1
2	9	1	2	1	1	4	7	5

that some of the second group can often be deduced once some of the first group are found, but all of the second cannot generally be completed until all of the first are done. Conversely, a DiffKey that begins "112..." means that there is only one empty location in the given puzzle that can be filled in deductively by this algorithm, and once that single filled in location is deduced, one more empty location can be figured out and filled in, but then two additional moves can be determined using both of those filled in locations, *etc*.

Moves within a step are deduced by the software using one of two methods. The first method works by eliminating all of the other locations within a group for a particular value, *i.e.*, "*The only spot left for a 5 in row N is* ..." This method is always tried first for a step and if there are 1 to 8 possible moves using this method, the corresponding digit between 1 to 8 is added to the DiffKey; if there are nine or more moves, a 9 is added to

the key for the step.

The second method is only used when no deductions are possible using the first method. This method deduces the value for a location by checking if all other possible values for the location already exist in one or more of the other groups (such as a row or column) that include the location, *i.e.*, "5 must be place at (X, Y) because it is the only value left that is not in the 1st column, 6th row, or ..." The letter A is added to the DiffKey if there is only one move of this type possible at that step. B is used if there are two possible moves of this type, and so on, with D representing 4 or more possible moves.

A quick glance at a DiffKey gives a lot of information about the solution. Puzzles are simpler to solve when there are fewer steps (*i.e.*, the DiffKey is shorter). Puzzles are also simpler to solve when there are more moves within each step. For example, a DiffKey that begins "999975" indicates that there are many moves available in each of the first four steps before moves become more restricted in the subsequent two steps. The simplest puzzles have short DiffKey values of all 9s. The most difficult puzzles have long strings of low value digits, from 1 to 3 or so, that indicate deductive bottlenecks. Moves that use deductive method 1, and are represented with digits in the DiffKey, are typically easier for most people to find than deductive moves found using method 2, which are represented using the letters A-D.

There exist many other possible deductive methods to solve Sudokulike Group Puzzles beyond the two used to construct DiffKeys. Indeed, the only method that is guaranteed to eventually solve all possible puzzles that can be solved (*i.e.*, they have a single unique solution), is the nondeterministic guess-and-check method with backtracking. Puzzles without deterministic deductive solutions, however, are typically much harder to solve (at least for humans) and can take much more time (for computers and humans alike) because each guess requires backtracking to the point of the guess if a logical inconsistency is ever encountered after the guess. An asterisk, "*" is added to the DiffKey if neither of the deterministic methods yields a solution and a guess is required to solve the puzzle. The DiffKey algorithm currently rates the puzzle as having no solution DiffKey if a solution cannot be found that requires only a single guess. For this reason, a DiffKey will not contain more than one asterisk. The DiffKey puzzle rating system may be extended in the future to include specific types of non-deterministic steps, as well as other types of deductive deterministic

reasoning steps, by defining additional character codes for DiffKey strings which indicate that these types of steps are required at that particular point in the solution.

Detailed Instructions for Sudoku-8 puzzles

There are eight elements in each group of a Sudoku-8 puzzle. The elements are: 1, 2, 3, 4, 5, 6, 7, and 8. Every group in the puzzle must contain *exactly* this set of elements.

Sudoku-8	-						
1st	1st	1st	1st	1st	1st	1st	1st
2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	3rd	3rd	3rd	3rd
4th	4th	4th	4th	4th	4th	4th	4th
5th	5th	5th	5th	5th	5th	5th	5th
6th	6th	6th	6th	6th	6th	6th	6th
7th	7th	7th	7th	7th	7th	7th	7th
8th	8th	8th	8th	8th	8th	8th	8th

In a Sudoku-8 puzzle, each row is a group numbered as shown in the figure above.

Sudoku-8

1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th

In a Sudoku-8 puzzle, each column is a group numbered as shown in the figure above.

Sudoku-8

1st	1st	1st	1st	2nd	2nd	2nd	2nd
1st	1st	1st	1st	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	4th	4th	4th	4th
3rd	3rd	3rd	3rd	4th	4th	4th	4th
5th	5th	5th	5th	6th	6th	6th	6th
5th	5th	5th	5th	6th	6th	6th	6th
7th	7th	7th	7th	8th	8th	8th	8th
7th	7th	7th	7th	8th	8th	8th	8th

In a Sudoku-8 puzzle, each $4x^2$ rectangle is a group numbered as shown in the figure above.

Detailed Instructions for Sudoku-8-X puzzles

There are eight elements in each group of a Sudoku-8-X puzzle. The elements are: 1, 2, 3, 4, 5, 6, 7, and 8. Every group in the puzzle must contain *exactly* this set of elements.

Sudoku-8-	Х						
1st	1st	1st	1st	1st	1st	1st	1st
2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	3rd	3rd	3rd	3rd
4th	4th	4th	4th	4th	4th	4th	4th
5th	5th	5th	5th	5th	5th	5th	5th
6th	6th	6th	6th	6th	6th	6th	6th
7th	7th	7th	7th	7th	7th	7th	7th
8th	8th	8th	8th	8th	8th	8th	8th

In a Sudoku-8-X puzzle, each row is a group numbered as shown in the figure above.

Sudoku-8-X

1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th

In a Sudoku-8-X puzzle, each column is a group numbered as shown in the figure above.

Sudok	u-8-X

1st	1st	1st	1st	2nd	2nd	2nd	2nd
1st	1st	1st	1st	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	4th	4th	4th	4th
3rd	3rd	3rd	3rd	4th	4th	4th	4th
5th	5th	5th	5th	6th	6th	6th	6th
5th	5th	5th	5th	6th	6th	6th	6th
7th	7th	7th	7th	8th	8th	8th	8th
7th	7th	7th	7th	8th	8th	8th	8th

In a Sudoku-8-X puzzle, each $4x^2$ rectangle is a group numbered as shown in the figure above.

1st							2nd
	1st					2nd	
		1st			2nd		
			1st	2nd			
			2nd	1st			
		2nd			1st		
	2nd					1st	
2nd							1st

Sudoku-8-X

In a Sudoku-8-X puzzle, each diagonal is a group numbered as shown in the figure above.

Detailed Instructions for HyperSudoku-8 puzzles

There are eight elements in each group of a HyperSudoku-8 puzzle. The elements are: 1, 2, 3, 4, 5, 6, 7, and 8. Every group in the puzzle must contain *exactly* this set of elements.

HyperSudoku-8									
1st	1st	1st	1st	1st	1st	1st	1st		
2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd		
3rd	3rd	3rd	3rd	3rd	3rd	3rd	3rd		
4th	4th	4th	4th	4th	4th	4th	4th		
5th	5th	5th	5th	5th	5th	5th	5th		
6th	6th	6th	6th	6th	6th	6th	6th		
7th	7th	7th	7th	7th	7th	7th	7th		
8th	8th	8th	8th	8th	8th	8th	8th		

In a HyperSudoku-8 puzzle, each row is a group numbered as shown in the figure above.

• •							
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th

HyperSudoku-8

In a HyperSudoku-8 puzzle, each column is a group numbered as shown in the figure above.

1st	1st	1st	1st	2nd	2nd	2nd	2nd
1st	1st	1st	1st	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	4th	4th	4th	4th
3rd	3rd	3rd	3rd	4th	4th	4th	4th
5th	5th	5th	5th	6th	6th	6th	6th
5th	5th	5th	5th	6th	6th	6th	6th
7th	7th	7th	7th	8th	8th	8th	8th
7th	7th	7th	7th	8th	8th	8th	8th

HyperSudoku-8

In a HyperSudoku-8 puzzle, each $4x^2$ rectangle is a group numbered as shown in the figure above.

71						
	1st	1st				
	1st	1st				
	1st	1st		2nd	2nd	
	1st	1st		2nd	2nd	
				2nd	2nd	
				2nd	2nd	

HyperSudoku-8

In a HyperSudoku-8 puzzle, each 2x4 inner rectangle is a group numbered as shown in the figure above.

Detailed Instructions for HyperSudoku-8up puzzles

There are eight elements in each group of a HyperSudoku-8up puzzle. The elements are: 1, 2, 3, 4, 5, 6, 7, and 8. Every group in the puzzle must contain *exactly* this set of elements.

HyperSudoku-8up									
1st	1st	1st	1st	1st	1st	1st	1st		
2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd		
3rd	3rd	3rd	3rd	3rd	3rd	3rd	3rd		
4th	4th	4th	4th	4th	4th	4th	4th		
5th	5th	5th	5th	5th	5th	5th	5th		
6th	6th	6th	6th	6th	6th	6th	6th		
7th	7th	7th	7th	7th	7th	7th	7th		
8th	8th	8th	8th	8th	8th	8th	8th		

In a HyperSudoku-8up puzzle, each row is a group numbered as shown in the figure above.

1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th

HyperSudoku-8up

In a HyperSudoku-8up puzzle, each column is a group numbered as shown in the figure above.

1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th

HyperSudoku-8up

In a HyperSudoku-8up puzzle, each 2x4 rectangle is a group numbered as shown in the figure above.

1st	1st	1st	1st			
1st	1st	1st	1st			
		2nd	2nd	2nd	2nd	
		2nd	2nd	2nd	2nd	

HyperSudoku-8up

In a HyperSudoku-8up puzzle, each 4x2 inner rectangle is a group numbered as shown in the figure above.

Detailed Instructions for Super-Birthday puzzles

There are eight elements in each group of a Super-Birthday puzzle. The elements are: **B**, **I**, **R**, **T**, **H**, **D**, **A**, and **Y**. Every group in the puzzle must contain *exactly* this set of elements.

Super-Birthday									
1st	1st	1st	1st	1st	1st	1st	1st		
2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd		
3rd	3rd	3rd	3rd	3rd	3rd	3rd	3rd		
4th	4th	4th	4th	4th	4th	4th	4th		
5th	5th	5th	5th	5th	5th	5th	5th		
6th	6th	6th	6th	6th	6th	6th	6th		
7th	7th	7th	7th	7th	7th	7th	7th		
8th	8th	8th	8th	8th	8th	8th	8th		

In a Super-Birthday puzzle, each row is a group numbered as shown in the figure above.

1	2						
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th
1st	2nd	3rd	4th	5th	6th	7th	8th

Super-Birthday

In a Super-Birthday puzzle, each column is a group numbered as shown in the figure above.

1st	1st	1st	1st	2nd	2nd	2nd	2nd
1st	1st	1st	1st	2nd	2nd	2nd	2nd
3rd	3rd	3rd	3rd	4th	4th	4th	4th
3rd	3rd	3rd	3rd	4th	4th	4th	4th
5th	5th	5th	5th	6th	6th	6th	6th
5th 5th		5th 5th		6th 6th	6th 6th	6th 6th	6th 6th
	5th	5th		6th		6th	

Super-Birthday

In a Super-Birthday puzzle, each $4x^2$ rectangle is a group numbered as shown in the figure above.

	•						
1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
1st	1st	2nd	2nd	3rd	3rd	4th	4th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th
5th	5th	6th	6th	7th	7th	8th	8th

Super-Birthday

In a Super-Birthday puzzle, each 2x4 rectangle is a group numbered as shown in the figure above.

Chapter 3

Four Easy Sudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from three to four. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 1	(29/64)	DiffKey 3 / 995
Puzzle 2	(31/64)	DiffKey 3 / 991
Puzzle 3	(33/64)	DiffKey 3 / 991
Puzzle 4	(32/64)	DiffKey 4 / 9963

Sudoku-8 Puzzle 1, Easy/3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	4	3	5				7
		7	2	4	5	3	
	6		8	1		2	3
	3		1		8		5
3		4	7			1	
2	8			3	7	5	
1				5	6		2
	2	6		7		8	

Easy

Diff: 3/995

29/64

Next; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 1

3		3	5	2	1	2	29/64 7
3	1	7	2	4	5	3	3
1	6	1	8	1	2	2	3
2	3	1	1	2	8	1	5
3	1	4	7	3	2	1	3
2	8	1	1	3	7	5	1
1	1	1	1	5	6	2	2

Easy

Diff: 3/995

20/6/

Next; TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 1

ariations on 3	Sudoku Eig	ht Logic Pu	zzles (Vol 1)	2	1	2	29
3	4	3	5	2	1	2	7
3	1	7	2	4	5	3	3
1	6	1	8	1	2	2	3
2	3	1	1	2	8	1	5
3	1	4	7	3	2	1	3
2	8	1	1	3	7	5	1
1	1	1	1	5	6	2	2
1	2	6	2	7	1	8	2
1 asy			1	5	1	1	Diff: 3/9

Next; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 15 independent moves.

- * The only spot for 1 in the 1st row is (6, 1).
- * The only spot for 7 in the 3rd row is (1, 3).
- * The only spot for 3 in the 7th row is (4, 7).
- * The only spot for 5 in the 3rd column is (3, 3).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for 2 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 7 in the 4th $4x^2$ rectangle is (7, 4).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 5 in the 7th 4x2 rectangle is (1, 8).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 3 in the 8th $4x^2$ rectangle is (6, 8).

Step 2: There are 9 independent moves.

- * The only spot for 2 in the 6th column is (6, 5).
- * The only spot for 6 in the 7th column is (7, 1).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (5, 4).
- * The only spot for 4 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 1 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (7, 7).

Step 3: There are 5 independent moves.

* The only spot for 8 in the 1st row is (1, 1).

* The only spot for 8 in the 5th column is (5, 5).

- * The only spot for 6 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (8, 5).

Solution for Puzzle 1

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	4	3	5	2	1	6	7
6	1	7	2	4	5	3	8
7	6	5	8	1	4	2	3
4	3	2	1	6	8	7	5
3	5	4	7	8	2	1	6
2	8	1	6	3	7	5	4
1	7	8	3	5	6	4	2
5	2	6	4	7	3	8	1

Easy

Next; TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 2, Easy/3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3			zzles (Vol 1)				31/64 8
		6	8	7			2
7	2				3		
	8		1		6	7	5
2		1		5	8	6	
6			7	3	1		
	3		4	8	2	5	
8	6		5			4	3

Easy

Diff: 3/991

31/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 2

Variations on	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				31/64
3	1	2	1	1	2	2	8
1	2	6	8	7	3	1	2
7	2	1	1	2	3	1	2
2	8	1	1	1	6	7	5
2	2	1	1	5	8	6	1
6	2	1	7	3	1	1	2
1	3	2	4	8	2	5	1
8	6	1	5	1	1	4	3

Easy

Diff: 3/991

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 2

Variations or	n Sudoku Eig	tht Logic Puz	zles (Vol 1)				31	/64
3	1	2	1	1	2	2	8	1
1	2	6	8	7	3	1	2	
7	2	1	1	2	3	1	2	3
2	8	1	1	1	6	7	5	
2	2	1	1	5	8	6	1	5
6	2	1	7	3	1	1	2	
1	3	2	4	8	2	5	1	7
8	6	1	5	1	1	4	3	
1		L 1		5				- 991

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 19 independent moves.

- * The only spot for 1 in the 8th row is (5, 8).
- * The only spot for 5 in the 1st column is (1, 2).
- * The only spot for 7 in the 2nd column is (2, 1).
- * The only spot for 2 in the 4th column is (4, 1).
- * The only spot for 7 in the 6th column is (6, 8).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 5 in the 3rd 4x2 rectangle is (3, 3).
- * The only spot for 2 in the 4th $4x^2$ rectangle is (5, 4).
- * The only spot for 8 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (7, 6).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 2 in the 7th 4x2 rectangle is (3, 8).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (8, 7).

Step 2: There are 11 independent moves.

* The only spot for 4 in the 5th row is (2, 5).

- * The only spot for 4 in the 3rd column is (3, 1).
- * The only spot for 4 in the 5th column is (5, 3).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for 1 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 1 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 4 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (3, 7).

Step 3: There is 1 independent move.

* The only spot for 4 in the 2nd $4x^2$ rectangle is (6, 2).

Solution for Puzzle 2

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	7	4	2	6	5	1	8
5	1	6	8	7	4	3	2
7	2	5	6	4	3	8	1
4	8	3	1	2	6	7	5
2	4	1	3	5	8	6	7
6	5	8	7	3	1	2	4
1	3	7	4	8	2	5	6
8	6	2	5	1	7	4	3

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 3, Easy/3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	2			8			7
8		6	5	2			
	4	3			8		6
	1					4	3
		2			4	1	5
3	5					7	
	8		2		3	5	
1		5	4	7			2

Easy

Diff: 3/991

33/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 3 steps required to solve the puzzle above with a total of 33 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	2	2	1	8	1	2	7
8	1	6	5	2	2	2	1
2	4	3	2	1	8	1	6
2	1	2	3	2	1	4	3
2	2	2	1	1	4	1	5
3	5	1	2	2	1	7	1
2	8	2	2	1	3	5	2
1	1	5	4	7	2	1	2

Easy

Diff: 3/991

33/6/

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 33 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 3

riations on	Sudoku Eig	ht Logic Puz					33
4	2	2	1	8	1	2	7
8	1	6	5	2	2	2	1
2	4	3	2	1	8	1	6
2	1	2	3	2	1	4	3
2	2	2	1	1	4	1	5
3	5	1	2	2	1	7	1
2	8	2	2	1	3	5	2
1	1	5	4	7	2	1	2
1 sy		I		5			Diff: 3/

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 33 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 15 independent moves.

- * The only spot for 8 in the 5th row is (4, 5).
- * The only spot for 3 in the 4th column is (4, 1).
- * The only spot for 4 in the 5th column is (5, 7).
- * The only spot for 2 in the 7th column is (7, 3).
- * The only spot for 7 in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 5 in the 2nd 4x2 rectangle is (6, 1).
- * The only spot for 7 in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for 1 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 4 in the 5th 4x2 rectangle is (3, 6).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (6, 6).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 3 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (7, 8).

Step 2: There are 17 independent moves.

- * The only spot for 5 in the 3rd row is (1, 3).
- * The only spot for 6 in the 2nd column is (2, 5).
- * The only spot for 7 in the 3rd column is (3, 7).
- * The only spot for 7 in the 4th column is (4, 3).
- * The only spot for 1 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 1 in the 2nd 4x2 rectangle is (6, 2).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 2 in the 3rd 4x2 rectangle is (1, 4).
- * The only spot for 5 in the 4th 4x2 rectangle is (5, 4).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (6, 8).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (8, 7).

Step 3: There is 1 independent move.

* The only spot for 6 in the 3rd $4x^2$ rectangle is (4, 4).

Solution for Puzzle 3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	2	1	3	8	5	6	7
8	7	6	5	2	1	3	4
5	4	3	7	1	8	2	6
2	1	8	6	5	7	4	3
7	6	2	8	3	4	1	5
3	5	4	1	6	2	7	8
6	8	7	2	4	3	5	1
1	3	5	4	7	6	8	2

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 4, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	n Sudoku Eig	2					32/64
6	4			2		7	8
5	1				8	2	7
8	2			5		3	
2				7	6		3
		8	6		5		
	6	7	3	8			5
1		5		3		6	

Easy

Diff: 4 / 9963

32/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 4

	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				32/64
2	7	2	1			1	3
6	4	2	1	2	2	7	8
5	1	1	3	2	8	2	7
8	2	2	1	5	3	3	
2	1	3	2	7	6	1	3
1	1	8	6	3	5	3	1
2	6	7	3	8	1	2	5
1	1	5	1	3	1	6	2

Easy

Diff: 4 / 9963

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 4

	1 Sudoku Eig	ht Logic Puz					32
2	7	2	1	4	4	1	3
6	4	2	1	2	2	7	8
5	1	1	3	2	8	2	7
8	2	2	1	5	3	3	4
2	1	3	2	7	6	1	3
1	1	8	6	3	5	3	1
2	6	7	3	8	1	2	5
1	1	5	1	3	1	6	2
1 asy	1			5			Diff: 4/9

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 14 independent moves.

- * The only spot for 5 in the 2nd row is (4, 2).
- * The only spot for 2 in the 7th row is (6, 7).
- * The only spot for 8 in the 2nd column is (2, 8).
- * The only spot for 3 in the 2nd column is (2, 6).
- * The only spot for 5 in the 2nd column is (2, 5).
- * The only spot for 8 in the 1st 4x2 rectangle is (4, 1).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (4, 4).
- * The only spot for 3 in the 3rd 4x2 rectangle is (3, 3).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 2 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (6, 8).

Step 2: There are 9 independent moves.

- * The only spot for 3 in the 2nd row is (6, 2).
- * The only spot for 6 in the 3rd row is (5, 3).
- * The only spot for 4 in the 8th row is (8, 8).
- * The only spot for 1 in the 4th column is (4, 5).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 3 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 6 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (7, 7).

Step 3: There are 6 independent moves.

- * The only spot for 4 in the 7th column is (7, 6).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (8, 1).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 4 in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (5, 6).

Step 4: There are 3 independent moves.

- * The only spot for 1 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 1 in the 4th $4x^2$ rectangle is (8, 4).

Solution for Puzzle 4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	7	2	8	4	1	5	6
6	4	1	5	2	3	7	8
5	1	3	4	6	8	2	7
8	2	6	7	5	4	3	1
2	5	4	1	7	6	8	3
7	3	8	6	1	5	4	2
4	6	7	3	8	2	1	5
1	8	5	2	3	7	6	4

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 4

Four Medium Sudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from five to eight. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*).

See page 39 for an explaination of the DiffKey ratings.

Puzzle 5	(38/64)	DiffKey 5 / 9.9922
Puzzle 6	(37/64)	DiffKey 7 / 835.9442
Puzzle 7	(42/64)	DiffKey 7 / 985.5632
Puzzle 8	(43/64)	DiffKey 8 / 7657.7632

Sudoku-8 Puzzle 5, Medium/5

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	3					8	
	2				7		5
5						7	
2			7	6	4		
			6			3	4
	8		4			6	7
6			5	7	3		
	7	3					1

Medium

Diff: 5 / 9.9922

38/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 5 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 5

Variations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				38/64
7	3	1	3	2	3	8	1
2	2	1	2	1	7	2	5
5	1	2	1			7	3
2	3	2	7	6	4	1	1
3	1	1	6			3	4
1	8	2	4	3	2	6	7
6	2	3	5	7	3	2	3
3	7	3	1	2	1	3	1

Medium

Diff: 5 / 9.9922

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 5

Variations on	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				3	8/64
7	3	1	3	2	3	8]	l 1
2	2	1	2	1	7	2	5	
5	1	2	1	5	4	7		3 3
2	3	2	7	6	4	1]	1
3	1	1	6	4	5	3	4	5
1	8	2	4	3	2	6	7	
6	2	3	5	7	3	2		3
3	7	3	1	2	1	3	1	
1 Medium		1		5]	Diff: 5/9.9	922

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

All 5 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for 6 in the 2nd row is (3, 2).
- * The only spot for 3 in the 4th row is (8, 4).
- * The only spot for 5 in the 2nd column is (2, 5).
- * The only spot for 6 in the 2nd column is (2, 3).
- * The only spot for 2 in the 4th column is (4, 8).
- * The only spot for 6 in the 8th column is (8, 1).
- * The only spot for 5 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 3 in the 2nd 4x2 rectangle is (5, 2).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 5 in the 4th 4x2 rectangle is (7, 4).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 7 in the 5th 4x2 rectangle is (3, 5).
- * The only spot for 6 in the 8th 4x2 rectangle is (6, 8).

Step 2: There are 11 independent moves.

- * The only spot for 4 in the 1st row is (5, 1).
- * The only spot for 8 in the 4th row is (3, 4).
- * The only spot for 4 in the 2nd column is (2, 7).
- * The only spot for 8 in the 4th column is (4, 2).
- * The only spot for 5 in the 6th column is (6, 6).
- * The only spot for 2 in the 7th column is (7, 7).
- * The only spot for 1 in the 7th column is (7, 2).
- * The only spot for 4 in the 1st 4x2 rectangle is (1, 2).
- * The only spot for 4 in the 3rd 4x2 rectangle is (3, 3).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (5, 8).

Step 3: There are 10 independent moves.

* The only spot for 1 in the 6th row is (5, 6).

* The only spot for 2 in the 8th column is (8, 3).

- * The only spot for 1 in the 1st 4x2 rectangle is (4, 1).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 1 in the 3rd 4x2 rectangle is (2, 4).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 8 in the 7th 4x2 rectangle is (1, 8).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (7, 8).

* The only spot for 8 in the 8th $4x^2$ rectangle is (8, 7).

Step 4: There are 2 independent moves.

- * The only spot for 1 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (5, 5).

Step 5: There are 2 independent moves.

- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (6, 5).

Solution for Puzzle 5

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	3	5	1	4	2	8	6
4	2	6	8	3	7	1	5
5	6	4	3	8	1	7	2
2	1	8	7	6	4	5	3
1	5	7	6	2	8	3	4
3	8	2	4	1	5	6	7
6	4	1	5	7	3	2	8
8	7	3	2	5	6	4	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 6, Medium/7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	7				3	5	4
	4		2	6			
2				5	6		
			3	1			2
7		8				6	
			6	8	7		5
3		1			5	8	
	6	5				2	

Medium

Diff: 7 / 835.9442

37/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 7 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 6

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations on 3	2			1			37/04
	7				3	5	4
1	4	1	2	6			
2	3			5	6		
	2		3	1			2
7		8	1	2	1	6	
2		1	6	8	7		5
3	1	1	3		5	8	1
	6	5		3	3	2	

Medium

Diff: 7 / 835.9442

37/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 6

3		4	zles (Vol 1)	1			
5	7		Ţ	1	3	5	4
1	4	1	2	6	4	5	4
2	3	7	4	5	6	6	5
4	2	6	3	1	4	7	2
7	5	8	1	2	1	6	6
2	6	1	6	8	7	5	5
3	1	1	3	4	5	8	1
4	6	5	4	3	3	2	4

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 8 independent moves.

- * The only spot for 2 in the 3rd column is (3, 6).
- * The only spot for 5 in the 4th column is (4, 5).
- * The only spot for 2 in the 6th column is (6, 5).
- * The only spot for 3 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 2 in the 2nd 4x2 rectangle is (5, 1).
- * The only spot for 2 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (8, 7).

Step 2: There are 3 independent moves.

- * The only spot for 4 in the 5th row is (5, 5).
- * The only spot for 5 in the 3rd 4x2 rectangle is (2, 4).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (1, 6).

Step 3: There are 5 independent moves.

- * The only spot for 4 in the 7th row is (4, 7).
- * The only spot for 1 in the 1st column is (1, 1).
- * The only spot for 8 in the 2nd column is (2, 3).
- * The only spot for 3 in the 5th column is (5, 8).
- * The only spot for 4 in the 8th 4x2 rectangle is (6, 8).

Step 4: There are 11 independent moves.

- * The only spot for 8 in the 1st column is (1, 8).
- * The only spot for 6 in the 1st column is (1, 4).
- * The only spot for 7 in the 5th column is (5, 7).
- * The only spot for 1 in the 6th column is (6, 2).
- * The only spot for 8 in the 8th column is (8, 2).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (3, 1).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (8, 8).

Step 5: There are 4 independent moves.

* The only spot for 1 in the 5th row is (2, 5).

- * The only spot for 7 in the 8th column is (8, 3).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (7, 6).

Step 6: There are 4 independent moves.

- * The only spot for 7 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 3 in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (8, 5).

Step 7: There are 2 independent moves.

- * The only spot for 4 in the 3rd $4x^2$ rectangle is (3, 3).
- * The only spot for 4 in the 4th $4x^2$ rectangle is (7, 4).

Solution for Puzzle 6

Variations on Sudoku Eight Logic Puzzles (Vol 1)

1	7	6	8	2	3	5	4
5	4	3	2	6	1	7	8
2	8	4	1	5	6	3	7
6	5	7	3	1	8	4	2
7	1	8	5	4	2	6	3
4	3	2	6	8	7	1	5
3	2	1	4	7	5	8	6
8	6	5	7	3	4	2	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 7, Medium/7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		4	3	2			42/04
1						5	
5	8	1					
					1	4	5
6			7	1			
4			2		5		
						1	3
	6	2			4		

Medium

Diff: 7 / 985.5632

42/64

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 7 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

1	6	2	1	2	4		
	1		2	2	1	1	3
4	1	3	2		5		
6	3	2	7	1	3	2	1
1	2	3		1	1	4	5
5	8	1	1				2
1	1		3	1	2	5	
	1	4	3	2			1

Medium

Diff: 7 / 985.5632

12/61

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 7

5	1				~		
		4	3	2	5	4	1
1	1	4	3	1	2	5	5
5	8	1	1	7	6	6	2
1	2	3	4	1	1	4	5
6	3	2	7	1	3	2	1
4	1	3	2	6	5	7	5
4	1	5	2	2	1	1	3
1	6	2	1	2	4	5	4

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for 2 in the 1st column is (1, 4).
- * The only spot for 4 in the 2nd column is (2, 7).
- * The only spot for 4 in the 5th column is (5, 2).
- * The only spot for 2 in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 1 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 4).
- * The only spot for 1 in the 5th 4x2 rectangle is (2, 6).
- * The only spot for 4 in the 6th 4x2 rectangle is (8, 5).
- * The only spot for 1 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 3 in the 7th 4x2 rectangle is (1, 8).
- * The only spot for 2 in the 8th $4x^2$ rectangle is (6, 7).

Step 2: There are 8 independent moves.

- * The only spot for 5 in the 8th row is (5, 8).
- * The only spot for 7 in the 2nd column is (2, 4).
- * The only spot for 5 in the 4th column is (4, 7).
- * The only spot for 2 in the 8th column is (8, 3).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (5, 7).

Step 3: There are 5 independent moves.

- * The only spot for 8 in the 5th row is (6, 5).
- * The only spot for 3 in the 2nd column is (2, 5).
- * The only spot for 8 in the 4th column is (4, 2).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (3, 6).

Step 4: There are 5 independent moves.

- * The only spot for 8 in the 8th column is (8, 8).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 6 in the 3rd 4x2 rectangle is (4, 4).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (1, 7).

Step 5: There are 6 independent moves.

- * The only spot for 7 in the 2nd row is (8, 2).
- * The only spot for 6 in the 8th column is (8, 6).
- * The only spot for 7 in the 1st 4x2 rectangle is (1, 1).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 7 in the 8th 4x2 rectangle is (7, 8).

Step 6: There are 3 independent moves.

- * The only spot for 7 in the 6th column is (6, 3).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (5, 6).
- Step 7: There are 2 independent moves.
 - * The only spot for 3 in the 4th $4x^2$ rectangle is (5, 3).
 - * The only spot for 3 in the 6th $4x^2$ rectangle is (7, 6).

Solution for Puzzle 7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	5	4	3	2	6	8	1
1	2	6	8	4	3	5	7
5	8	1	4	3	7	6	2
2	7	3	6	8	1	4	5
6	3	5	7	1	8	2	4
4	1	8	2	7	5	3	6
8	4	7	5	6	2	1	3
3	6	2	1	5	4	7	8

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 8, Medium/8

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3							2
		8	4				
		1	8		6	7	
		3	6		1		
	6					3	5
	4			6			
1						4	
7				3	5		

Medium

Diff: 8 / 7657.7632

43/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 8 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 8

Variations on Sudoku Eight Logic Puzzles (Vol 1) 43/64									
3	3		3			2	2		
1	2	8	4		1				
3		1	8		6	7	1		
	1	3	6		1		2		
	6		2			3	5		
	4		1	6					
1	1	2	3			4			
7	2	1		3	5		3		

Medium

Diff: 8 / 7657.7632

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 8

uriations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				43/
3	3	4	3	7	8	2	2
1	2	8	4	4	1	5	5
3	4	1	8	4	6	7	1
4	1	3	6	5	1	6	2
6	6	6	2	8	7	3	5
5	4	7	1	6	6	5	5
1	1	2	3	6	5	4	6
7	2	1	4	3	5	4	3
<i>1</i> edium		I		5		Diff:	8 / 7657.76

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 7 independent moves.

- * The only spot for 6 in the 1st column is (1, 2).
- * The only spot for 3 in the 2nd column is (2, 7).
- * The only spot for 3 in the 6th column is (6, 2).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (2, 4).
- * The only spot for 3 in the 4th $4x^2$ rectangle is (8, 3).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (3, 8).

Step 2: There are 6 independent moves.

- * The only spot for 4 in the 8th column is (8, 4).
- * The only spot for 2 in the 1st 4x2 rectangle is (2, 2).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (3, 7).

Step 3: There are 5 independent moves.

- * The only spot for 7 in the 4th column is (4, 1).
- * The only spot for 1 in the 1st 4x2 rectangle is (2, 1).
- * The only spot for 4 in the 3rd 4x2 rectangle is (1, 3).
- * The only spot for 5 in the 7th 4x2 rectangle is (4, 7).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (8, 8).

Step 4: There are 7 independent moves.

- * The only spot for 2 in the 3rd row is (5, 3).
- * The only spot for 5 in the 2nd column is (2, 3).
- * The only spot for 1 in the 5th column is (5, 2).
- * The only spot for 5 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 2 in the 3rd 4x2 rectangle is (1, 4).
- * The only spot for 2 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (7, 8).

Step 5: There are 7 independent moves.

- * The only spot for 5 in the 5th column is (5, 4).
- * The only spot for 2 in the 7th column is (7, 6).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (8, 6).

* The only spot for 2 in the 8th $4x^2$ rectangle is (6, 7).

Step 6: There are 6 independent moves.

- * The only spot for 8 in the 6th row is (6, 6).
- * The only spot for 8 in the 8th column is (8, 7).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (7, 4).
- * The only spot for 2 in the 5th 4x2 rectangle is (3, 5).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 7 in the 8th 4x2 rectangle is (5, 7).

Step 7: There are 3 independent moves.

- * The only spot for 8 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (6, 5).

Step 8: There are 2 independent moves.

- * The only spot for 4 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (5, 5).

Solution for Puzzle 8

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	1	5	7	8	4	6	2
6	2	8	4	1	3	5	7
4	5	1	8	2	6	7	3
2	7	3	6	5	1	8	4
8	6	2	1	4	7	3	5
5	4	7	3	6	8	2	1
1	3	6	5	7	2	4	8
7	8	4	2	3	5	1	6

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 5

Four Difficult Sudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from nine to eleven. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 9	(41/64)	DiffKey 9 / 7.6232.5664
Puzzle 10	(42/64)	DiffKey 10 / 65.3232.4674
Puzzle 11	(42/64)	DiffKey 11 / 644.3412.1476
Puzzle 12	(45/64)	DiffKey 11 / 433.3744.3563

Sudoku-8 Puzzle 9, Difficult/9

Variations on Sudoku Eight Logic Puzzles (Vol 1)

						1	3
1			3	6			
	4	7					
		1	8	2		5	
		8	5	1			4
					5		6
8		2			1		
7					6		8

Difficult

Diff: 9 / 7.6232.5664

41/64

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 9 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 9

Variations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				41/64
		1		2		1	3
1			3	6		3	1
1	4	7	2		3	1	1
		1	8	2	1	5	2
		8	5	1	2		4
					5		6
8		2	2		1		2
7					6	1	8

Difficult

Diff: 9 / 7.6232.5664

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 9

indirono on		nt Logic Puz	zles (Vol 1)				41
7	8	1	6	2	8	1	3
1	8	9	3	6	7	3	1
1	4	7	2	4	3	1	1
7	7	1	8	2	1	5	2
7	6	8	5	1	2	6	4
8	9	7	8	5	5	4	6
8	6	2	2	4	1	5	2
7	9	8	9	6	6	1	8

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 9 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 7 independent moves.

- * The only spot for 6 in the 3rd column is (3, 1).
- * The only spot for 2 in the 8th column is (8, 2).
- * The only spot for 5 in the 3rd 4x2 rectangle is (1, 3).
- * The only spot for 4 in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for 1 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for 2 in the 8th $4x^2$ rectangle is (7, 8).

Step 2: There are 6 independent moves.

- * The only spot for 6 in the 4th column is (4, 7).
- * The only spot for 5 in the 8th column is (8, 7).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 7 in the 4th $4x^2$ rectangle is (8, 4).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (6, 5).

Step 3: There are 2 independent moves.

- * The only spot for 3 in the 6th column is (6, 3).
- * The only spot for 4 in the 2nd 4x2 rectangle is (7, 2).

Step 4: There are 3 independent moves.

- * The only spot for 4 in the 7th row is (5, 7).
- * The only spot for 8 in the 7th column is (7, 6).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).

Step 5: There are 2 independent moves.

- * The only spot for 7 in the 5th column is (5, 6).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (7, 7).

Step 6: There are 5 independent moves.

- * The only spot for 3 in the 7th row is (2, 7).
- * The only spot for 7 in the 4th column is (4, 1).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 3 in the 8th 4x2 rectangle is (5, 8).
- Step 7: There are 6 independent moves.
 - * The only spot for 6 in the 2nd column is (2, 4).
 - * The only spot for 3 in the 3rd column is (3, 6).
 - * The only spot for 4 in the 1st $4x^2$ rectangle is (1, 1).
 - * The only spot for 7 in the 2nd $4x^2$ rectangle is (6, 2).

- * The only spot for 3 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (1, 5).

Step 8: There are 6 independent moves.

- * The only spot for 8 in the 2nd row is (2, 2).
- * The only spot for 2 in the 1st column is (1, 6).
- * The only spot for 4 in the 3rd column is (3, 8).
- * The only spot for 2 in the 1st 4x2 rectangle is (2, 1).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (4, 6).

Step 9: There are 4 independent moves.

- * The only spot for 1 in the 4th column is (4, 8).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 5 in the 7th 4x2 rectangle is (2, 8).

Solution for Puzzle 9

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	2	6	7	5	8	1	3
1	8	5	3	6	7	4	2
5	4	7	2	8	3	6	1
3	6	1	8	2	4	5	7
6	7	8	5	1	2	3	4
2	1	3	4	7	5	8	6
8	3	2	6	4	1	7	5
7	5	4	1	3	6	2	8

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 10, Difficult/10

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		1			5		
	6			2			1
1				6	4		
5			2			7	3
			3	8			
8	7					5	
		7	1				
		2			6	1	

Difficult

Diff: 10/65.3232.4674

42/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 10 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 10

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Variations or	2				5		42/64
	6		3	2			1
1			1	6	4	2	1
5	2	1	2		3	7	3
2	1	2	3	8			
8	7	3	1			5	
1		7	1				
		2			6	1	

Difficult

Diff: 10/65.3232.4674

12/61

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 10 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 10

Variations on	i Sudoku Eig	ght Logic Puz	zles (Vol 1)				42	/64
7	2	1	8	10	5	9	10	1
7	6	8	3	2	6	8	1	
1	8	7	1	6	4	2	1	3
5	2	1	2	4	3	7	3	
2	1	2	3	8	7	10	9	5
8	7	3	1	5	4	5	5	
1	9	7	1	9	5	6	9	7
8	8	2	9	9	6	1	10	
1 Difficult				5		Diff: 10	/ 65.3232.46	- 674

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 10 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

All 10 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 6 in the 4th column is (4, 6).
- * The only spot for 6 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 5 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 1 in the 5th 4x2 rectangle is (2, 5).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (1, 7).

Step 2: There are 5 independent moves.

- * The only spot for 2 in the 2nd column is (2, 1).
- * The only spot for 4 in the 3rd 4x2 rectangle is (2, 4).
- * The only spot for 2 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (1, 5).

Step 3: There are 3 independent moves.

* The only spot for 5 in the 1st $4x^2$ rectangle is (4, 2).

* The only spot for 8 in the 4th $4x^2$ rectangle is (6, 4).

* The only spot for 4 in the 5th $4x^2$ rectangle is (3, 6).

Step 4: There are 2 independent moves.

- * The only spot for 1 in the 6th column is (6, 6).
- * The only spot for 1 in the 4th $4x^2$ rectangle is (5, 4).

Step 5: There are 3 independent moves.

- * The only spot for 2 in the 6th column is (6, 7).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (5, 6).

Step 6: There are 2 independent moves.

* The only spot for 3 in the 6th column is (6, 2).

* The only spot for 3 in the 8th $4x^2$ rectangle is (7, 7).

Step 7: There are 4 independent moves.

* The only spot for 7 in the 2nd row is (1, 2).

- * The only spot for 3 in the 3rd column is (3, 3).
- * The only spot for 7 in the 6th column is (6, 5).
- * The only spot for 3 in the 1st $4x^2$ rectangle is (1, 1).

Step 8: There are 6 independent moves.

- * The only spot for 4 in the 2nd row is (7, 2).
- * The only spot for 4 in the 1st column is (1, 8).
- * The only spot for 8 in the 3rd column is (3, 2).

- * The only spot for 4 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 8 in the 3rd 4x2 rectangle is (2, 3).

* The only spot for 3 in the 7th 4x2 rectangle is (2, 8).

Step 9: There are 7 independent moves.

* The only spot for 8 in the 7th row is (8, 7).

* The only spot for 5 in the 8th row is (5, 8).

* The only spot for 4 in the 5th column is (5, 7).

* The only spot for 8 in the 7th column is (7, 1).

- * The only spot for 4 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (2, 7).

Step 10: There are 4 independent moves.

- * The only spot for 7 in the 5th column is (5, 1).
- * The only spot for 6 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 7 in the 8th 4x2 rectangle is (8, 8).

Solution for Puzzle 10

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	2	1	4	7	5	8	6
7	6	8	5	2	3	4	1
1	8	3	7	6	4	2	5
5	4	6	2	1	8	7	3
2	1	5	3	8	7	6	4
8	7	4	6	3	1	5	2
6	5	7	1	4	2	3	8
4	3	2	8	5	6	1	7

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 11, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3						6	2
	6				7		
	1	5	6				
					6		
	7	3				4	8
		4	5			1	
			7	2	8		
8	3			6			

Difficult

Diff: 11/644.3412.1476

42/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 11 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations on		1	((011)				42/64
3						6	2
	6				7		
	1	5	6			3	
	2	2	1		6		
1	7	3	2		3	4	8
3	1	4	5	2	3	1	1
		1	7	2	8		
8	3			6			

Difficult

Diff: 11 / 644.3412.1476

12/61

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 11

I			zles (Vol 1)				42
3	10	1	5	8	9	6	2
11	6	10	9	5	7	4	10
6	1	5	6	4	7	3	5
7	2	2	1	9	6	11	11
1	7	3	2	4	3	4	8
3	1	4	5	2	3	1	1
10	9	1	7	2	8	5	11
8	3	11	10	6	10	11	10

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 42 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 6 in the 5th row is (1, 5).
- * The only spot for 6 in the 3rd column is (3, 7).
- * The only spot for 7 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 3 in the 3rd 4x2 rectangle is (4, 4).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (8, 6).

Step 2: There are 4 independent moves.

- * The only spot for 2 in the 2nd column is (2, 4).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (5, 6).

Step 3: There are 4 independent moves.

* The only spot for 2 in the 5th row is (6, 5).

* The only spot for 2 in the 7th column is (7, 3).

- * The only spot for 2 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (6, 6).

Step 4: There are 3 independent moves.

* The only spot for 8 in the 7th column is (7, 2).

* The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).

* The only spot for 5 in the 6th $4x^2$ rectangle is (5, 5).

Step 5: There are 4 independent moves.

- * The only spot for 3 in the 5th column is (5, 2).
- * The only spot for 3 in the 7th column is (7, 7).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 3 in the 4th $4x^2$ rectangle is (8, 3).

Step 6: There is 1 independent move.

* The only spot for 7 in the 3rd row is (1, 3).

Step 7: There are 2 independent moves.

* The only spot for 4 in the 3rd row is (6, 3).

- * The only spot for 4 in the 3rd $4x^2$ rectangle is (1, 4).
- Step 8: There is 1 independent move.

* The only spot for 4 in the 5th column is (5, 1).

Step 9: There are 4 independent moves.

* The only spot for 1 in the 1st row is (6, 1).

- * The only spot for 4 in the 2nd column is (2, 7).
- * The only spot for 1 in the 5th column is (5, 4).

* The only spot for 4 in the 1st $4x^2$ rectangle is (4, 2).

Step 10: There are 7 independent moves.

* The only spot for 5 in the 2nd column is (2, 1).

- * The only spot for 2 in the 4th column is (4, 8).
- * The only spot for 5 in the 6th column is (6, 8).
- * The only spot for 2 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 4 in the 8th 4x2 rectangle is (8, 8).

Step 11: There are 6 independent moves.

- * The only spot for 7 in the 8th column is (8, 4).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 5 in the 4th $4x^2$ rectangle is (7, 4).
- * The only spot for 1 in the 7th 4x2 rectangle is (3, 8).
- * The only spot for 7 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (8, 7).

Solution for Puzzle 11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	5	7	8	4	1	6	2
1	6	2	4	3	7	8	5
7	1	5	6	8	4	2	3
4	2	8	3	1	6	5	7
6	7	3	1	5	2	4	8
2	8	4	5	7	3	1	6
5	4	6	7	2	8	3	1
8	3	1	2	6	5	7	4

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8 Puzzle 12, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7						6	
		4					2
		2		5			
			6		4		
	7		3		2		
		5			1		
			7	1			
8	1			4			5

Difficult

Diff: 11 / 433.3744.3563

45/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, and each 4x2 rectangle.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 12

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	1			4			5
	3		7	1			
		5			1	2	
2	7	3	3		2	1	
		1	6	1	4		
		2	3	5			
		4				2	2
7						6	1
, and a set	I Sudoku Elg	, in Logic I uz	zles (Vol 1)				45/64

Difficult

Diff: 11/433.3744.3563

15/61

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 12

anations of	i Sudoku Elg	gnt Logic Puz	zles (Vol 1)				45
7	5	4	4	7	6	6	1
6	7	4	5	8	9	2	2
10	6	2	3	5	10	11	9
9	5	1	6	1	4	7	10
2	7	3	3	7	2	1	8
5	6	5	5	9	1	2	8
4	3	10	7	1	9	5	10
8	1	11	5	4	11	10	5

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 4 independent moves.

- * The only spot for 2 in the 5th column is (5, 4).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (8, 1).
- * The only spot for 7 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 5 in the 6th $4x^2$ rectangle is (7, 5).

Step 2: There are 3 independent moves.

* The only spot for 4 in the 5th row is (1, 5).

* The only spot for 1 in the 2nd $4x^2$ rectangle is (7, 2).

* The only spot for 4 in the 6th $4x^2$ rectangle is (7, 6).

Step 3: There are 3 independent moves.

- * The only spot for 4 in the 4th column is (4, 3).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (2, 7).

Step 4: There are 3 independent moves.

* The only spot for 8 in the 3rd column is (3, 1).

* The only spot for 1 in the 1st $4x^2$ rectangle is (4, 1).

* The only spot for 5 in the 7th $4x^2$ rectangle is (1, 7).

Step 5: There are 7 independent moves.

* The only spot for 2 in the 7th row is (7, 7).

- * The only spot for 2 in the 1st column is (1, 6).
- * The only spot for 8 in the 4th column is (4, 6).
- * The only spot for 5 in the 4th column is (4, 2).
- * The only spot for 2 in the 1st 4x2 rectangle is (2, 1).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (2, 4).
- * The only spot for 2 in the 7th 4x2 rectangle is (4, 8).

Step 6: There are 4 independent moves.

* The only spot for 6 in the 1st column is (1, 2).

* The only spot for 5 in the 2nd $4x^2$ rectangle is (6, 1).

* The only spot for 8 in the 3rd $4x^2$ rectangle is (2, 3).

* The only spot for 6 in the 5th $4x^2$ rectangle is (2, 6).

Step 7: There are 4 independent moves.

* The only spot for 3 in the 1st row is (5, 1).

- * The only spot for 6 in the 5th column is (5, 5).
- * The only spot for 8 in the 7th column is (7, 4).
- * The only spot for 3 in the 1st $4x^2$ rectangle is (2, 2).

Step 8: There are 3 independent moves.

- * The only spot for 8 in the 5th column is (5, 2).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (8, 5).

Step 9: There are 5 independent moves.

- * The only spot for 3 in the 4th row is (1, 4).
- * The only spot for 7 in the 8th column is (8, 3).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (6, 7).

Step 10: There are 6 independent moves.

- * The only spot for 3 in the 7th row is (3, 7).
- * The only spot for 6 in the 8th column is (8, 7).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 1 in the 4th $4x^2$ rectangle is (8, 4).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (7, 8).

Step 11: There are 3 independent moves.

- * The only spot for 3 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for 3 in the 8th 4x2 rectangle is (6, 8).

Solution for Puzzle 12

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	2	8	1	3	5	6	4
6	3	4	5	8	7	1	2
1	8	2	4	5	6	3	7
3	5	7	6	2	4	8	1
4	7	1	3	6	2	5	8
2	6	5	8	7	1	4	3
5	4	3	7	1	8	2	6
8	1	6	2	4	3	7	5

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 6

Four Easy Sudoku-8-X Puzzles

There are four puzzles in this section ranging in difficulty from three to four. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 13	(28/64)	DiffKey 3 / 953
Puzzle 14	(29/64)	DiffKey 3 / 993
Puzzle 15	(37/64)	DiffKey 4 / 9993
Puzzle 16	(37/64)	DiffKey 4 / 9991

Sudoku-8-X Puzzle 13, Easy/3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	3	5		7	6		2
6	7				1		3
	1	8					6
5	6	4		1	8	3	
2	5	3				1	
			1	2	3	7	
8		7		3	2	5	1
3		1	5				4

Easy

Diff: 3/953

28/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 3 steps required to solve the puzzle above with a total of 28 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 13

Variations or	ı Sudoku Eig	ht Logic Puz	zzles (Vol 1)				28/64
1	3	5	3	7	6	3	2
6	7	1	3	1	1	2	3
1	1	8	1	2	1	1	6
5	6	4	1	1	8	3	1
2	5	3	1	1	1	1	2
1	1	1	1	2	3	7	1
8	2	7	1	3	2	5	1
3	1	1	5	2	1	1	4

Easy

Diff: 3/953

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 28 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 13

Variations or	n Sudoku Eig	tt Logic Puz	zzles (Vol 1)				28	/64
1	3	5	3	7	6	3	2	1
6	7	1	3	1	1	2	3	
1	1	8	1	2	1	1	6	3
5	6	4	1	1	8	3	1	
2	5	3	1	1	1	1	2	5
1	1	1	1	2	3	7	1	
8	2	7	1	3	2	5	1	7
3	1	1	5	2	1	1	4	
1 Easy				5		-	Diff: 3/9	9 53

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 28 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 20 independent moves.

- * The only spot for 4 in the 1st column is (1, 6).
- * The only spot for 7 in the 1st column is (1, 3).
- * The only spot for 8 in the 2nd column is (2, 6).
- * The only spot for 6 in the 3rd column is (3, 6).
- * The only spot for 2 in the 3rd column is (3, 2).
- * The only spot for 6 in the 7th column is (7, 8).
- * The only spot for 7 in the 8th column is (8, 4).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 2 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 5 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 2 in the 7th 4x2 rectangle is (2, 8).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 7 in the 8th 4x2 rectangle is (6, 8).
- * The only spot for 6 in the 1st diagonal is (5, 5).
- * The only spot for 2 in the 1st diagonal is (4, 4).
- * The only spot for 1 in the 1st diagonal is (1, 1).
- * The only spot for 5 in the 2nd diagonal is (6, 3).

Step 2: There are 5 independent moves.

- * The only spot for 4 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 8 in the 8th 4x2 rectangle is (5, 8).
- * The only spot for 8 in the 2nd diagonal is (7, 2).

Step 3: There are 3 independent moves.

- * The only spot for 4 in the 2nd row is (4, 2).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 4 in the 2nd 4x2 rectangle is (7, 1).

Solution for Puzzle 13

Variations on Sudoku Eight Logic Puzzles (Vol 1)

1	3	5	8	7	6	4	2
6	7	2	4	5	1	8	3
7	1	8	3	4	5	2	6
5	6	4	2	1	8	3	7
2	5	3	7	6	4	1	8
4	8	6	1	2	3	7	5
8	4	7	6	3	2	5	1
3	2	1	5	8	7	6	4

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 14, Easy/3

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		2	7		5	6	
	6	5				8	7
	8		5	4	2		6
	2		4	7	8		
2				5	6		
5	7		8	1		4	
7	5	1		8		2	3
		8	2		7		1

Easy

Diff: 3 / 993

29/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 14

Variations or 1	1	2	7	2	5	6	29/64
2	6	5	2	1	1	8	7
3	8	1	5	4	2	3	6
2	2	2	4	7	8	3	1
2	2	1	1	5	6	1	1
5	7	1	8	1	2	4	1
7	5	1	1	8	1	2	3
2	2	8	2	1	7	1	1

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Easy

Diff: 3 / 993

20/6/

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 14

Variations on	i Sudoku Eig	tt Logic Puz	zles (Vol 1)				29	9/64
1	1	2	7	2	5	6	1	1
2	6	5	2	1	1	8	7	
3	8	1	5	4	2	3	6	3
2	2	2	4	7	8	3	1	
2	2	1	1	5	6	1	1	5
5	7	1	8	1	2	4	1	
7	5	1	1	8	1	2	3	7
2	2	8	2	1	7	1	1	
1 Easy				5			Diff: 3/	9 93

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 17 independent moves.

- * The only spot for 1 in the 1st row is (2, 1).
- * The only spot for 4 in the 3rd column is (3, 5).
- * The only spot for 6 in the 4th column is (4, 7).
- * The only spot for 5 in the 8th column is (8, 4).
- * The only spot for 4 in the 8th column is (8, 1).
- * The only spot for 1 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 2 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 5 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 6 in the 8th 4x2 rectangle is (5, 8).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (6, 7).
- * The only spot for 7 in the 1st diagonal is (3, 3).
- * The only spot for 8 in the 1st diagonal is (1, 1).
- * The only spot for 1 in the 2nd diagonal is (4, 5).

Step 2: There are 9 independent moves.

- * The only spot for 3 in the 3rd column is (3, 4).
- * The only spot for 3 in the 4th column is (4, 2).
- * The only spot for 4 in the 1st 4x2 rectangle is (1, 2).
- * The only spot for 3 in the 2nd 4x2 rectangle is (5, 1).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 4 in the 7th 4x2 rectangle is (2, 8).
- * The only spot for 3 in the 1st diagonal is (6, 6).
- * The only spot for 3 in the 2nd diagonal is (1, 8).

Step 3: There are 3 independent moves.

- * The only spot for 1 in the 4th row is (7, 4).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 3 in the 4th 4x2 rectangle is (7, 3).

Solution for Puzzle 14

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	1	2	7	3	5	6	4
4	6	5	3	2	1	8	7
1	8	7	5	4	2	3	6
6	2	3	4	7	8	1	5
2	3	4	1	5	6	7	8
5	7	6	8	1	3	4	2
7	5	1	6	8	4	2	3
3	4	8	2	6	7	5	1

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 15, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4				7		8	
	8	7			3		
	3			2		5	
	6		2				8
3		2	8			1	
	7			8	5		2
5			3				4
		6		5	8	2	

Easy

Diff: 4 / 9993

37/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 15

Variations on	i Sudoku Eig	tht Logic Puz	zles (Vol 1)				37/64
4	3	1	2	7	1	8	1
1	8	7	2	2	3	3	3
1	3	2	2	2		5	
3	6	1	2	1	3	3	8
3	1	2	8	3	2	1	3
2	7	2	3	8	5	1	2
5	1	1	3	3		2	4
3	2	6	3	5	8	2	1

Easy

Diff: 4 / 9993

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 15

Variations on	i Sudoku Eig	tht Logic Puz	zies (vol 1)				37/0	64
4	3	1	2	7	1	8	1	1
1	8	7	2	2	3	3	3	
1	3	2	2	2	4	5	4	3
3	6	1	2	1	3	3	8	
	1			3	2		3	
3		2	8	, e	2	1		5
3	7	2	8	8	5	1		5
	7					1 ¹ ²	2	5 7
2	7	2	3	8	5		2	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 12 independent moves.

- * The only spot for 2 in the 1st column is (1, 2).
- * The only spot for 3 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 2 in the 2nd 4x2 rectangle is (6, 1).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (7, 6).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 3 in the 1st diagonal is (8, 8).
- * The only spot for 2 in the 2nd diagonal is (2, 7).
- * The only spot for 3 in the 2nd diagonal is (5, 4).
- * The only spot for 5 in the 2nd diagonal is (8, 1).

Step 2: There are 10 independent moves.

* The only spot for 6 in the 1st row is (4, 1).

- * The only spot for 6 in the 1st column is (1, 6).
- * The only spot for 4 in the 2nd column is (2, 8).
- * The only spot for 4 in the 3rd column is (3, 6).
- * The only spot for 4 in the 5th column is (5, 2).
- * The only spot for 5 in the 1st 4x2 rectangle is (4, 2).
- * The only spot for 4 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 7 in the 1st diagonal is (7, 7).

* The only spot for 1 in the 1st diagonal is (3, 3).

Step 3: There are 12 independent moves.

- * The only spot for 7 in the 4th column is (4, 8).
- * The only spot for 1 in the 5th column is (5, 7).
- * The only spot for 6 in the 7th column is (7, 2).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 1 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 4 in the 4th 4x2 rectangle is (7, 4).
- * The only spot for 1 in the 4th 4x2 rectangle is (6, 4).
- * The only spot for 1 in the 5th 4x2 rectangle is (4, 6).
- * The only spot for 7 in the 6th 4x2 rectangle is (8, 5).
- * The only spot for 6 in the 1st diagonal is (5, 5).

* The only spot for 1 in the 2nd diagonal is (1, 8).

Step 4: There are 3 independent moves.

- * The only spot for 6 in the 4th $4x^2$ rectangle is (8, 3).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (6, 7).
- * The only spot for 7 in the 2nd diagonal is (6, 3).

Solution for Puzzle 15

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	1	3	6	7	2	8	5
2	8	7	5	4	3	6	1
8	3	1	4	2	7	5	6
7	6	5	2	3	1	4	8
3	5	2	8	6	4	1	7
6	7	4	1	8	5	3	2
5	2	8	3	1	6	7	4
1	4	6	7	5	8	2	3

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 16, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		2			4		3//62
7			3			5	
		6	4			8	
	7		2		5		6
6				3		2	
2				6		4	
4	6			2	1		
	2	8			3		4

Easy

Diff: 4/9991

37/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 16

Variations on	Sudoku	Eight I	Logic	Puzzles	(Vol 1)

Variations or	Variations on Sudoku Eight Logic Puzzles (Vol 1) 37/64								
1	3	2	1	3	4	2	3		
7	2	1	3	3	1	5	2		
2	2	6	4	3	1	8			
1	7	2	2	1	5	1	6		
6	1	2	1	3	3	2	3		
2	1	2	3	6	2	4	3		
4	6	1	2	2	1	2	1		
3	2	8	2	1	3	1	4		

Easy

Diff: 4 / 9991

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 16

Variations on Sudoku Eight Logic Puzzles (Vol 1) 37/64									
1	3	2	1	3	4	2	3	1	
7	2	1	3	3	1	5	2		
2	2	6	4	3	1	8	4	3	
1	7	2	2	1	5	1	6		
6	1	2	1	3	3	2	3	5	
2	1	2	3	6	2	4	3		
4	6	1	2	2	1	2	1	7	
3	2	8	2	1	3	1	4		
1 Easy				5			Diff: 4/99	991	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 15 independent moves.

- * The only spot for 4 in the 2nd column is (2, 5).
- * The only spot for 5 in the 5th column is (5, 8).
- * The only spot for 6 in the 6th column is (6, 2).
- * The only spot for 4 in the 1st 4x2 rectangle is (3, 2).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 3 in the 4th 4x2 rectangle is (7, 4).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 3 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 6 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (8, 7).
- * The only spot for 5 in the 1st diagonal is (1, 1).
- * The only spot for 8 in the 2nd diagonal is (4, 5).
- * The only spot for 4 in the 2nd diagonal is (5, 4).
- * The only spot for 2 in the 2nd diagonal is (6, 3).

Step 2: There are 12 independent moves.

- * The only spot for 1 in the 4th row is (3, 4).
- * The only spot for 7 in the 8th row is (4, 8).
- * The only spot for 5 in the 3rd column is (3, 5).
- * The only spot for 1 in the 7th column is (7, 1).
- * The only spot for 2 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 5 in the 3rd 4x2 rectangle is (2, 3).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (6, 6).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (7, 7).
- * The only spot for 1 in the 1st diagonal is (2, 2).
- * The only spot for 7 in the 2nd diagonal is (3, 6).

Step 3: There are 9 independent moves.

- * The only spot for 8 in the 2nd row is (5, 2).
- * The only spot for 1 in the 5th row is (8, 5).
- * The only spot for 1 in the 5th column is (5, 3).
- * The only spot for 7 in the 6th column is (6, 5).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (5, 1).

- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 5 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 1 in the 2nd diagonal is (1, 8).

Step 4: There is 1 independent move.

* The only spot for 7 in the 4th 4x2 rectangle is (8, 3).

Solution for Puzzle 16

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	8	2	6	7	4	1	3
7	1	4	3	8	6	5	2
3	5	6	4	1	2	8	7
8	7	1	2	4	5	3	6
6	4	5	8	3	7	2	1
2	3	7	1	6	8	4	5
4	6	3	5	2	1	7	8
1	2	8	7	5	3	6	4

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 7

Four Medium Sudoku-8-X Puzzles

There are four puzzles in this section ranging in difficulty from six to eight. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 17	(43/64)	DiffKey 6 / 97.7954
Puzzle 18	(44/64)	DiffKey 6 / 64.9974
Puzzle 19	(44/64)	DiffKey 7 / 634.5896
Puzzle 20	(44/64)	DiffKey 8 / 7564.6358

Sudoku-8-X Puzzle 17, Medium/6

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	6			1			
	4	3			5	6	
5				3			
8						4	
1	5					3	
		7			8		5
		1	6				
4				6		2	

Medium

Diff: 6/97.7954

43/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 6 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 17

variations of	i Suuoku Eig	in Logic I u. 3	zzles (Vol 1)		1		43/64
	6	5		1	1		2
	4	3	1		5	6	
5		1	1	3	1		
8	2		3	1		4	
1	5	1	2			3	
1	3	7		2	8	1	5
2	3	1	6	3		1	2
4	3			6	3	2	2

Medium

Diff: 6/97.7954

43/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 17

Variations on Sudoku Eight Logic Puzzles (Vol 1) 43/64								
5	6	3	4	1	1	5	2	
6	4	3	1	5	5	6	4	
5	4	1	1	3	1	4	4	
8	2	4	3	1	6	4	5	
1	5	1	2	6	5	3	6 5	
1	3	7	4	2	8	1	5	
2	3	1	6	3	4	1	2 7	
4	3	4	4	6	3	2	2	
<i>1</i> Medium				5		D	iff: 6/97.7954	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

All 6 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 10 independent moves.

- * The only spot for 6 in the 1st column is (1, 6).
- * The only spot for 4 in the 3rd column is (3, 5).
- * The only spot for 1 in the 1st 4x2 rectangle is (4, 2).
- * The only spot for 4 in the 2nd 4x2 rectangle is (6, 1).
- * The only spot for 4 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (7, 6).
- * The only spot for 5 in the 1st diagonal is (7, 7).
- * The only spot for 6 in the 1st diagonal is (3, 3).
- * The only spot for 5 in the 2nd diagonal is (5, 4).
- * The only spot for 1 in the 2nd diagonal is (6, 3).

Step 2: There are 7 independent moves.

- * The only spot for 3 in the 1st column is (1, 7).
- * The only spot for 4 in the 8th column is (8, 7).
- * The only spot for 3 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 1 in the 3rd 4x2 rectangle is (2, 4).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 1 in the 1st diagonal is (8, 8).

Step 3: There are 7 independent moves.

- * The only spot for 8 in the 2nd column is (2, 8).
- * The only spot for 3 in the 2nd column is (2, 6).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (3, 1).
- * The only spot for 3 in the 8th 4x2 rectangle is (6, 8).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (5, 7).
- * The only spot for 3 in the 1st diagonal is (4, 4).
- * The only spot for 2 in the 2nd diagonal is (2, 7).

Step 4: There are 10 independent moves.

- * The only spot for 2 in the 3rd row is (8, 3).
- * The only spot for 5 in the 3rd column is (3, 8).
- * The only spot for 8 in the 7th column is (7, 3).
- * The only spot for 5 in the 1st 4x2 rectangle is (4, 1).
- * The only spot for 8 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 2 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (2, 3).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (4, 6).

- * The only spot for 7 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (6, 7).

Step 5: There are 5 independent moves.

- * The only spot for 2 in the 1st row is (1, 1).
- * The only spot for 2 in the 6th column is (6, 5).
- * The only spot for 7 in the 7th column is (7, 1).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 7 in the 4th 4x2 rectangle is (8, 4).

Step 6: There are 4 independent moves.

- * The only spot for 7 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 6 in the 4th 4x2 rectangle is (6, 4).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 7 in the 1st diagonal is (5, 5).

Solution for Puzzle 17

Variations on Sudoku Eight Logic Puzzles (Vol 1)

2	6	8	5	1	4	7	3
7	4	3	1	2	5	6	8
5	7	6	4	3	1	8	2
8	1	2	3	5	6	4	7
1	5	4	8	7	2	3	6
6	3	7	2	4	8	1	5
3	2	1	6	8	7	5	4
4	8	5	7	6	3	2	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 18, Medium/6

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	-			6		2	++/0-
	4	6	7			5	
					8		
	5				2		1
					7		6
						3	
				4	5		2
4	2	8	5				

Medium

Diff: 6 / 64.9974

44/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 18

Variations on Sudoku Eight Logic Puzzles (Vol 1)

				•	1	•	1
				6		2	
1	4	6	7	3	2	5	
		2	3		8	3	
2	5		2		2	3	1
	3			3	7		6
3	3				3	3	
3	1			4	5	1	2
4	2	8	5	3	1		

Medium

Diff: 6 / 64.9974

44/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 18

Variations on	i Sudoku Eig	tt Logic Puz	zles (Vol 1)				44/	/64
4	6	6	4	6	1	2	1	1
1	4	6	7	3	2	5	4	
5	6	2	3	5	8	3	4	3
2	5	4	2	5	2	3	1	
6	3	5	4	3	7	4	6	5
3	3	4	4	4	3	3	5	
3	1	5	5	4	5	1	2	7
4	2	8	5	3	1	4	4	
<i>1</i> Medium				5		D	iff: 6 / 64.99	974

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

All 6 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 6 in the 6th column is (6, 8).
- * The only spot for 2 in the 1st 4x2 rectangle is (1, 2).
- * The only spot for 7 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 4 in the 2nd 4x2 rectangle is (6, 1).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (7, 7).
- * The only spot for 6 in the 2nd diagonal is (2, 7).

Step 2: There are 4 independent moves.

- * The only spot for 3 in the 6th column is (6, 2).
- * The only spot for 8 in the 3rd 4x2 rectangle is (1, 4).
- * The only spot for 6 in the 1st diagonal is (4, 4).
- * The only spot for 7 in the 1st diagonal is (3, 3).

Step 3: There are 11 independent moves.

* The only spot for 8 in the 5th row is (2, 5).

- * The only spot for 7 in the 2nd column is (2, 6).
- * The only spot for 7 in the 5th column is (5, 8).
- * The only spot for 1 in the 6th column is (6, 6).
- * The only spot for 1 in the 2nd 4x2 rectangle is (5, 2).
- * The only spot for 2 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 7 in the 4th 4x2 rectangle is (7, 4).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 2 in the 1st diagonal is (5, 5).

Step 4: There are 12 independent moves.

- * The only spot for 4 in the 4th column is (4, 6).
- * The only spot for 8 in the 5th column is (5, 6).
- * The only spot for 4 in the 7th column is (7, 5).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 8 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 4 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 3 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 1 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 5 in the 1st diagonal is (1, 1).
- * The only spot for 2 in the 2nd diagonal is (3, 6).

* The only spot for 1 in the 2nd diagonal is (4, 5).

Step 5: There are 7 independent moves.

- * The only spot for 1 in the 1st column is (1, 3).
- * The only spot for 3 in the 4th column is (4, 7).
- * The only spot for 5 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 5 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 3 in the 2nd diagonal is (5, 4).

Step 6: There are 4 independent moves.

- * The only spot for 3 in the 3rd column is (3, 1).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (2, 3).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (1, 5).

Solution for Puzzle 18

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	1	3	8	6	4	2	7
2	4	6	7	1	3	5	8
1	3	7	2	5	8	6	4
8	5	4	6	3	2	7	1
3	8	5	1	2	7	4	6
6	7	2	4	8	1	3	5
7	6	1	3	4	5	8	2
4	2	8	5	7	6	1	3

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 19, Medium/7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	i Suuoku Eig	sin Dogie i u					44/04
	8				1	5	
1	5						2
				5			
8				1		2	7
			8				
		2	5	6	8		
		1	3			6	
					3		

Medium

Diff: 7 / 634.5896

44/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 19

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	I SUGOKU EIg	gnt Logic Puz	zzles (Vol 1)				44/64
	8				1	5	
1	5			1			2
			1	5		2	3
8	2	1		1	3	2	7
			8				3
		2	5	6	8		
		1	3		3	6	2
1		1			3		1

Medium

Diff: 7 / 634.5896

11/61

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 19

Variations on	i Sudoku Eig	ht Logic Puz	zzles (Vol 1)				44/	/64
5	8	6	6	5	1	5	4	1
1	5	5	6	1	5	4	2	
7	6	6	1	5	4	2	3	3
8	2	1	4	1	3	2	7	
7	7	6	8	5	4	7	3	5
5	7	2	5	6	8	6	5	
6	5	1	3	6	3	6	2	7
1	7	1	6	6	3	6	1	
<i>1</i> Medium				5		Dit	ff: 7 / 634.58	396

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 1 in the 4th column is (4, 3).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 5 in the 3rd 4x2 rectangle is (3, 4).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for 1 in the 1st diagonal is (8, 8).
- * The only spot for 5 in the 2nd diagonal is (1, 8).

Step 2: There are 3 independent moves.

- * The only spot for 3 in the 4th row is (2, 4).
- * The only spot for 8 in the 7th column is (7, 3).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (8, 7).

Step 3: There are 4 independent moves.

- * The only spot for 6 in the 4th row is (6, 4).
- * The only spot for 5 in the 8th column is (8, 5).
- * The only spot for 3 in the 4th $4x^2$ rectangle is (8, 3).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (6, 7).

Step 4: There are 5 independent moves.

- * The only spot for 4 in the 4th row is (4, 4).
- * The only spot for 2 in the 6th column is (6, 5).
- * The only spot for 4 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 3 in the 2nd diagonal is (7, 2).
- * The only spot for 6 in the 2nd diagonal is (8, 1).

Step 5: There are 8 independent moves.

- * The only spot for 4 in the 2nd row is (3, 2).
- * The only spot for 3 in the 6th row is (1, 6).
- * The only spot for 7 in the 6th column is (6, 2).
- * The only spot for 4 in the 8th column is (8, 6).
- * The only spot for 4 in the 2nd 4x2 rectangle is (5, 1).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 2 in the 1st diagonal is (1, 1).
- * The only spot for 7 in the 2nd diagonal is (2, 7).

Step 6: There are 12 independent moves.

- * The only spot for 7 in the 6th row is (7, 6).
- * The only spot for 2 in the 7th row is (5, 7).
- * The only spot for 4 in the 7th row is (1, 7).
- * The only spot for 6 in the 3rd column is (3, 5).

- * The only spot for 2 in the 4th column is (4, 8).
- * The only spot for 7 in the 4th column is (4, 1).
- * The only spot for 7 in the 5th column is (5, 8).
- * The only spot for 6 in the 1st 4x2 rectangle is (4, 2).
- * The only spot for 3 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 2 in the 3rd 4x2 rectangle is (2, 3).
- * The only spot for 4 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 7 in the 1st diagonal is (3, 3).

Step 7: There are 6 independent moves.

- * The only spot for 1 in the 6th row is (2, 6).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 6 in the 7th 4x2 rectangle is (2, 8).

Solution for Puzzle 19

Variations on Sudoku Eight Logic Puzzles (Vol 1)

2	8	3	7	4	1	5	6
1	5	4	6	8	7	3	2
6	2	7	1	5	4	8	3
8	3	5	4	7	6	2	7
7	4	6	8	3	2	1	5
3	1	2	5	6	8	7	4
4	7	1	3	2	5	6	8
5	6	8	2	7	3	4	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 20, Medium/8

Variations on Sudoku Eight Logic Puzzles (Vol 1)

			7			3	
			1	5	2		
				6		1	
	7	1				2	
			6				
1		5		4			
7		6					2
2					3		1

Medium

Diff: 8 / 7564.6358

44/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 8 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 20

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	I Duuoku Eig	giit Logic Puz					44/04
		2	7	1	3	3	
	3		1	5	2	3	
				6		1	3
1	7	1		2		2	
		1	6	1	1		
1		5		4	2		3
7	1	6	2	3			2
2				2	3	1	1

Medium

Diff: 8 / 7564.6358

44/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 20

Variations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				44/	64
6	8	2	7	1	3	3	7	1
5	3	8	1	5	2	3	8	
8	5	4	7	6	7	1	3	3
1	7	1	7	2	6	2	5	
8	8	1	6	1	1	5	4	5
1	4	5	5	4	2	6	3	
7	1	6	2	3	5	4	2	7
2	7	8	8	2	3	1	1	
<i>1</i> Medium	-			5		Diff	: 8 / 7564.63	58

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 7 independent moves.

- * The only spot for 1 in the 5th column is (5, 1).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 7 in the 5th 4x2 rectangle is (3, 5).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 2 in the 6th 4x2 rectangle is (5, 5).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for 1 in the 2nd diagonal is (2, 7).

Step 2: There are 5 independent moves.

- * The only spot for 2 in the 3rd column is (3, 1).
- * The only spot for 3 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 7 in the 8th 4x2 rectangle is (5, 8).
- * The only spot for 7 in the 1st diagonal is (6, 6).
- * The only spot for 3 in the 2nd diagonal is (5, 4).

Step 3: There are 6 independent moves.

- * The only spot for 8 in the 5th column is (5, 7).
- * The only spot for 6 in the 6th column is (6, 1).
- * The only spot for 7 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 6 in the 1st diagonal is (2, 2).
- * The only spot for 7 in the 2nd diagonal is (7, 2).

Step 4: There are 4 independent moves.

- * The only spot for 3 in the 6th row is (2, 6).
- * The only spot for 4 in the 7th column is (7, 7).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 3 in the 1st diagonal is (3, 3).

Step 5: There are 6 independent moves.

- * The only spot for 2 in the 2nd column is (2, 3).
- * The only spot for 5 in the 8th column is (8, 4).
- * The only spot for 3 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 5 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (6, 7).

Step 6: There are 3 independent moves.

- * The only spot for 4 in the 4th row is (6, 4).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (7, 6).

* The only spot for 5 in the 1st diagonal is (1, 1).

Step 7: There are 5 independent moves.

- * The only spot for 5 in the 2nd column is (2, 8).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 8 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 8 in the 1st diagonal is (4, 4).
- * The only spot for 4 in the 2nd diagonal is (8, 1).

Step 8: There are 8 independent moves.

- * The only spot for 8 in the 1st row is (2, 1).
- * The only spot for 8 in the 1st column is (1, 5).
- * The only spot for 4 in the 2nd column is (2, 5).
- * The only spot for 4 in the 4th column is (4, 8).
- * The only spot for 4 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 8).

Solution for Puzzle 20

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	8	2	7	1	6	3	4
3	6	4	1	5	2	7	8
4	2	3	5	6	8	1	7
6	7	1	8	3	4	2	5
8	4	7	6	2	1	5	3
1	3	5	2	4	7	8	6
7	1	6	3	8	5	4	2
2	5	8	4	7	3	6	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 8

Four Difficult Sudoku-8-X Puzzles

There are four puzzles in this section ranging in difficulty from nine to twelve. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 21	(45/64)	DiffKey 9 / 2.5477.9622
Puzzle 22	(46/64)	DiffKey 11 / 2A1.3224.7994
Puzzle 23	(48/64)	DiffKey 11 / 753.3594.3432
Puzzle 24	(48/64)	DiffKey 12 / 2661.A225.6674

Sudoku-8-X Puzzle 21, Difficult/9

Variations on Sudoku Eight Logic Puzzles (Vol 1)

				_	•		43/04
	6			5	8		
	5						1
	7		5			1	
2							
6		4			7		
		5		3			2
5						2	
		6					8

Difficult

Diff: 9 / 2.5477.9622

45/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 21

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	i Suuoku Eig	ght Logic Puz					45/64
1	6			5	8		
	5						1
	7	2	5		3	1	
2			1				3
6		4		3	7	3	
		5	2	3	2	2	2
5		2				2	
		6					8

Difficult

Diff: 9 / 2.5477.9622

45/64

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 21

Variations on	n Sudoku Eig	ht Logic Puz	zzles (Vol 1)				45	/64
1	6	5	6	5	8	6	5	1
6	5	6	7	4	4	4	1	
5	7	2	5	4	3	1	6	3
2	6	6	1	5	9	8	3	
6	5	4	4	3	7	3	4	5
7	6	5	2	3	2	2	2	
5	7	2	6	6	7	2	4	7
7	5	6	7	5	8	9	8	
<i>1</i> Difficult				5		Diff:	9 / 2.5477.96	5 22

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 9 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 2 independent moves.

* The only spot for 6 in the 3rd $4x^2$ rectangle is (4, 4).

* The only spot for 7 in the 1st diagonal is (1, 1).

Step 2: There are 5 independent moves.

* The only spot for 7 in the 3rd column is (3, 7).

* The only spot for 7 in the 5th $4x^2$ rectangle is (4, 6).

* The only spot for 6 in the 6th $4x^2$ rectangle is (7, 6).

* The only spot for 4 in the 1st diagonal is (6, 6).

* The only spot for 3 in the 1st diagonal is (3, 3).

Step 3: There are 4 independent moves.

* The only spot for 7 in the 8th column is (8, 4).

* The only spot for 8 in the 6th $4x^2$ rectangle is (7, 5).

* The only spot for 1 in the 1st diagonal is (5, 5).

* The only spot for 6 in the 2nd diagonal is (6, 3).

Step 4: There are 7 independent moves.

* The only spot for 2 in the 6th column is (6, 2).

* The only spot for 6 in the 8th column is (8, 7).

* The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 2).

* The only spot for 2 in the 4th 4x2 rectangle is (5, 3).

* The only spot for 5 in the 6th $4x^2$ rectangle is (8, 5).

* The only spot for 2 in the 2nd diagonal is (4, 5).

* The only spot for 7 in the 2nd diagonal is (7, 2).

Step 5: There are 7 independent moves.

* The only spot for 8 in the 3rd row is (1, 3).

* The only spot for 3 in the 8th column is (8, 1).

* The only spot for 2 in the 1st 4x2 rectangle is (3, 1).

* The only spot for 8 in the 4th $4x^2$ rectangle is (5, 4).

* The only spot for 3 in the 5th $4x^2$ rectangle is (2, 5).

* The only spot for 2 in the 7th $4x^2$ rectangle is (2, 8).

* The only spot for 7 in the 8th $4x^2$ rectangle is (5, 8).

Step 6: There are 10 independent moves.

* The only spot for 3 in the 1st column is (1, 2).

* The only spot for 1 in the 3rd column is (3, 4).

* The only spot for 8 in the 3rd column is (3, 2).

* The only spot for 4 in the 5th column is (5, 7).

* The only spot for 4 in the 8th column is (8, 3).

- * The only spot for 1 in the 1st 4x2 rectangle is (4, 1).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 4 in the 3rd 4x2 rectangle is (2, 4).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (4, 7).

Step 7: There are 6 independent moves.

* The only spot for 3 in the 7th row is (6, 7).

* The only spot for 1 in the 2nd column is (2, 7).

- * The only spot for 4 in the 1st $4x^2$ rectangle is (4, 2).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 3 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 4 in the 2nd diagonal is (1, 8).

Step 8: There are 2 independent moves.

- * The only spot for 3 in the 4th $4x^2$ rectangle is (7, 4).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (6, 8).

Step 9: There are 2 independent moves.

- * The only spot for 5 in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for 5 in the 8th 4x2 rectangle is (7, 8).

Solution for Puzzle 21

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	6	2	1	5	8	4	3
3	5	8	4	6	2	7	1
8	7	3	5	2	6	1	4
2	4	1	6	8	5	3	7
6	3	4	2	1	7	8	5
1	8	5	7	3	4	6	2
5	1	7	8	4	3	2	6
4	2	6	3	7	1	5	8

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 22, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of		,			•		40/04
	7		5		2		
					7		
6	4						3
						2	
		7			3	4	
5		3				1	
							8
	5		6	1			

Difficult

Diff: 11 / 2A1.3224.7994

46/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 22

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3		gnt Logic Pu			•		40/04
	7		5		2		
					7		
6	4						3
						2	
		7			3	4	
5		3	1			1	
							8
	5		6	1	2	1	

Difficult

Diff: 11 / 2A1.3224.7994

46/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 22

Variations on Sudoku Eight Logic Puzzles (Vol 1) 46/64									
3	7	8	5	4	2	7	6	1	
10	10	8	11	8	7	7	5		
6	4	9	8	9	8	10	3	3	
11	10	9	9	4	7	2	8		
10	10	7	9	10	3	4	9	5	
5	10	3	1	8	9	1	9		
11	9	4	11	10	10	9	8	7	
5	5	6	6	1	2	1	7		
1 Difficult				5		Diff: 11/	2A1.3224.79	994	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions.

- Step 1: There are 2 independent moves.
 - * The only spot for 3 in the 8th row is (7, 8).
 - * The only spot for 4 in the 5th $4x^2$ rectangle is (4, 6).
- Step 2: There is 1 independent move.
 - * 4 must be placed at (6, 8) because it is the only value left that is not already in the 8th row, the 6th column or the 8th 4x2 rectangle.
- Step 3: There is 1 independent move.
 - * The only spot for 4 in the 1st diagonal is (1, 1).
- Step 4: There are 3 independent moves.
 - * The only spot for 3 in the 1st row is (5, 1).
 - * The only spot for 4 in the 7th $4x^2$ rectangle is (3, 7).
 - * The only spot for 4 in the 2nd diagonal is (5, 4).
- Step 5: There are 2 independent moves.
 - * The only spot for 4 in the 2nd $4x^2$ rectangle is (8, 2).
 - * The only spot for 7 in the 2nd diagonal is (1, 8).
- Step 6: There are 2 independent moves.
 - * The only spot for 1 in the 2nd $4x^2$ rectangle is (8, 1).
 - * The only spot for 8 in the 7th 4x2 rectangle is (3, 8).
- Step 7: There are 4 independent moves.
 - * The only spot for 8 in the 1st row is (7, 1).
 - * The only spot for 2 in the 8th row is (8, 8).
 - * The only spot for 1 in the 4th $4x^2$ rectangle is (6, 4).
 - * The only spot for 6 in the 2nd diagonal is (7, 2).

Step 8: There are 7 independent moves.

- * The only spot for 2 in the 3rd column is (3, 2).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (3, 1).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 6 in the 4th $4x^2$ rectangle is (8, 4).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 5 in the 2nd diagonal is (6, 3).

Step 9: There are 10 independent moves.

- * The only spot for 8 in the 6th column is (6, 6).
- * The only spot for 7 in the 3rd 4x2 rectangle is (4, 4).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (3, 4).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (3, 3).

- * The only spot for 8 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 7 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 5 in the 6th 4x2 rectangle is (8, 5).
- * The only spot for 5 in the 1st diagonal is (7, 7).
- * The only spot for 2 in the 2nd diagonal is (2, 7).
- * The only spot for 8 in the 2nd diagonal is (4, 5).

Step 10: There are 10 independent moves.

- * The only spot for 6 in the 6th row is (2, 6).
- * The only spot for 1 in the 2nd column is (2, 5).
- * The only spot for 8 in the 2nd column is (2, 4).
- * The only spot for 6 in the 6th column is (6, 7).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 7 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 7 in the 8th 4x2 rectangle is (5, 7).
- * The only spot for 6 in the 1st diagonal is (5, 5).
- * The only spot for 3 in the 1st diagonal is (2, 2).

Step 11: There are 4 independent moves.

- * The only spot for 1 in the 1st column is (1, 7).
- * The only spot for 3 in the 4th column is (4, 7).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (4, 2).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (1, 4).

Solution for Puzzle 22

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	7	6	5	3	2	8	1
8	3	2	1	5	7	6	4
6	4	1	2	8	5	7	3
3	8	5	7	4	1	2	6
2	1	7	8	6	3	4	5
5	6	3	4	2	8	1	7
1	2	4	3	7	6	5	8
7	5	8	6	1	4	3	2

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 23, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Variations or		6				7	1
		7					2
					2		
						5	
7							
			4			3	8
	3		2				
			5	6	1		

Difficult

Diff: 11 / 753.3594.3432

48/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 23

Variations on	ariations on Sudoku Eight Logic Puzzles (Vol 1) 48/64								
		6				7	1		
		7					2		
			2		2				
		2	3	1		5			
7		1					3		
	3	1	4		2	3	8		
1	3	2	2				2		
	1		5	6	1	1	1		

Difficult

Diff: 11 / 753.3594.3432

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 23

Variations or	Variations on Sudoku Eight Logic Puzzles (Vol 1) 48/64								
6	7	6	5	9	10	7	1	1	
8	7	7	4	11	10	4	2		
8	8	6	2	9	2	6	4	3	
9	7	2	3	1	9	5	5		
7	6	1	6	5	5	6	3	5	
6	3	1	4	6	2	3	8		
1	3	2	2	10	11	7	2	7	
5	1	6	5	6	1	1	1		
1 Difficult				5		Diff: 11/	753.3594.34	32	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 7 independent moves.

- * The only spot for 3 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 3 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 2 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 5 in the 2nd diagonal is (3, 6).
- * The only spot for 7 in the 2nd diagonal is (5, 4).

Step 2: There are 5 independent moves.

- * The only spot for 2 in the 3rd column is (3, 4).
- * The only spot for 7 in the 8th column is (8, 7).
- * The only spot for 7 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 1 in the 7th 4x2 rectangle is (3, 7).
- * The only spot for 7 in the 1st diagonal is (6, 6).

Step 3: There are 3 independent moves.

- * The only spot for 6 in the 6th row is (2, 6).
- * The only spot for 5 in the 8th column is (8, 5).
- * The only spot for 6 in the 1st diagonal is (4, 4).

Step 4: There are 3 independent moves.

- * The only spot for 1 in the 4th column is (4, 2).
- * The only spot for 6 in the 8th column is (8, 3).
- * The only spot for 6 in the 2nd diagonal is (7, 2).

Step 5: There are 5 independent moves.

- * The only spot for 3 in the 4th column is (4, 1).
- * The only spot for 4 in the 8th column is (8, 4).
- * The only spot for 6 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 1 in the 1st diagonal is (5, 5).
- * The only spot for 4 in the 2nd diagonal is (1, 8).

Step 6: There are 9 independent moves.

- * The only spot for 2 in the 5th row is (2, 5).
- * The only spot for 4 in the 3rd column is (3, 3).
- * The only spot for 1 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 2 in the 6th 4x2 rectangle is (5, 6).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 8 in the 7th 4x2 rectangle is (3, 8).

- * The only spot for 2 in the 1st diagonal is (1, 1).
- * The only spot for 8 in the 2nd diagonal is (4, 5).

Step 7: There are 4 independent moves.

- * The only spot for 8 in the 7th column is (7, 7).
- * The only spot for 4 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (2, 4).
- * The only spot for 5 in the 1st diagonal is (2, 2).

Step 8: There are 3 independent moves.

- * The only spot for 8 in the 2nd column is (2, 3).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (1, 3).

Step 9: There are 4 independent moves.

- * The only spot for 3 in the 3rd row is (5, 3).
- * The only spot for 8 in the 5th column is (5, 1).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (1, 4).

* The only spot for 8 in the 4th $4x^2$ rectangle is (6, 4).

Step 10: There are 3 independent moves.

- * The only spot for 5 in the 5th column is (5, 7).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (6, 1).

Step 11: There are 2 independent moves.

- * The only spot for 4 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (6, 7).

Solution for Puzzle 23

Variations on Sudoku Eight Logic Puzzles (Vol 1)

2	4	6	3	8	5	7	1
8	5	7	1	4	3	6	2
5	8	4	7	3	2	1	6
3	1	2	6	7	8	5	4
7	2	3	8	1	6	4	5
1	6	5	4	2	7	3	8
6	3	1	2	5	4	8	7
4	7	8	5	6	1	2	3

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Sudoku-8-X Puzzle 24, Difficult/12

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		ght Logic Pu					48/64
4		2					
			5	2		1	
	2			3			
7						3	
2						5	7
3		1					
	8				6		

Difficult

Diff: 12/2661.A225.6674

48/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each diagonal.

There are 12 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 24

Variations on	Sudoku	Eight I	Logic	Puzzles	(Vol 1)

	i Sudoku Lig	tht Logic Puz					48/64
					3		3
4		2			5		5
	2		5	2		1	
3	2			3			
7			2		2	3	
2			3		3	5	7
3		1				2	
	8		3	2	6		1

Difficult

Diff: 12/2661.A225.6674

18/6/

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 24

Variations or	Variations on Sudoku Eight Logic Puzzles (Vol 1) 48/64								
9	4	2	12	12	11	9	1		
4	6	2	11	12	3	8	3		
10	2	8	5	2	8	1	10 3		
3	2	9	9	3	9	10	10		
7	11	6	2	10	2	3	11 5		
2	11	7	3	10	3	5	7		
3	7	1	8	11	12	2	11 7		
5	8	9	3	2	6	8	1		
1 Difficult				5		Diff: 12/2	661.A225.6674		

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 2 independent moves.

* The only spot for 3 in the 8th 4x2 rectangle is (8, 8).

* The only spot for 2 in the 2nd diagonal is (8, 1).

Step 2: There are 6 independent moves.

* The only spot for 3 in the 3rd column is (3, 1).

* The only spot for 3 in the 3rd $4x^2$ rectangle is (2, 3).

* The only spot for 2 in the 6th $4x^2$ rectangle is (6, 5).

* The only spot for 1 in the 8th 4x2 rectangle is (5, 8).

* The only spot for 2 in the 1st diagonal is (7, 7).

* The only spot for 1 in the 2nd diagonal is (4, 5).

Step 3: There are 6 independent moves.

* The only spot for 1 in the 8th column is (8, 2).

* The only spot for 3 in the 2nd $4x^2$ rectangle is (6, 2).

* The only spot for 1 in the 3rd $4x^2$ rectangle is (1, 4).

* The only spot for 3 in the 5th $4x^2$ rectangle is (4, 6).

* The only spot for 1 in the 6th $4x^2$ rectangle is (6, 6).

* The only spot for 2 in the 7th $4x^2$ rectangle is (4, 8).

Step 4: There is 1 independent move.

* The only spot for 1 in the 1st $4x^2$ rectangle is (2, 1).

Step 5: There is 1 independent move.

* 5 must be placed at (1, 8) because it is the only value left that is not already in the 8th row, the 1st column, the 7th 4x2 rectangle or the 2nd diagonal.

Step 6: There are 2 independent moves.

* The only spot for 5 in the 3rd column is (3, 5).

* The only spot for 5 in the 1st diagonal is (2, 2).

Step 7: There are 2 independent moves.

* The only spot for 7 in the 2nd column is (2, 7).

* The only spot for 8 in the 5th $4x^2$ rectangle is (3, 6).

Step 8: There are 5 independent moves.

* The only spot for 7 in the 3rd row is (3, 3).

* The only spot for 6 in the 7th $4x^2$ rectangle is (4, 7).

* The only spot for 7 in the 8th 4x2 rectangle is (7, 8).

* The only spot for 4 in the 2nd diagonal is (6, 3).

* The only spot for 6 in the 2nd diagonal is (7, 2).

Step 9: There are 6 independent moves.

* The only spot for 6 in the 3rd column is (3, 4).

- * The only spot for 4 in the 4th column is (4, 4).
- * The only spot for 4 in the 7th column is (7, 1).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 7 in the 4th 4x2 rectangle is (6, 4).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (3, 8).

Step 10: There are 6 independent moves.

- * The only spot for 6 in the 5th column is (5, 6).
- * The only spot for 8 in the 7th column is (7, 4).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 5 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 6 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 8 in the 1st diagonal is (5, 5).

Step 11: There are 7 independent moves.

- * The only spot for 8 in the 2nd row is (4, 2).
- * The only spot for 4 in the 6th row is (2, 6).
- * The only spot for 4 in the 5th column is (5, 7).
- * The only spot for 8 in the 8th column is (8, 7).
- * The only spot for 8 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (8, 5).

Step 12: There are 4 independent moves.

- * The only spot for 7 in the 2nd row is (5, 2).
- * The only spot for 7 in the 1st 4x2 rectangle is (4, 1).
- * The only spot for 5 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (6, 7).

Solution for Puzzle 24

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	1	3	7	5	8	4	2
4	5	2	8	7	3	6	1
8	3	7	5	2	4	1	6
1	2	6	4	3	7	8	5
7	6	5	1	8	2	3	4
2	4	8	3	6	1	5	7
3	7	1	6	4	5	2	8
5	8	4	2	1	6	7	3

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 9

Four Easy HyperSudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from three to four. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 25	(30/64)	DiffKey 3 / 992
Puzzle 26	(35/64)	DiffKey 4 / 9943
Puzzle 27	(36/64)	DiffKey 4 / 9991
Puzzle 28	(37/64)	DiffKey 4 / 9991

HyperSudoku-8 Puzzle 25, Easy/3

/ariations on Sudoku Eight Logic Puzzles (Vol 1) 30/64								
6		5	8	4	2		1	
		1	4			7	6	
5	2			6				
		4		1	7	2	5	
1	5				4			
		6	2	5		8	7	
4			6		3		8	
7		3	5	2				

Easy

Diff: 3/992

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 3 steps required to solve the puzzle above with a total of 30 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 25

Variations on	Cudala	Eicht Lo	ai a Dugg	lag (Wal 1)
Variations on	Sudoku	EIGHT LO	gic Puzz	les(vol 1)

6	1	5	8	4	2	2	30/64
1	2	1	4	1	1	7	6
5	2	2	1	6	1	3	2
1	1	4	2	1	7	2	5
1	5	1	2	2	4	1	1
2	1	6	2	5	1	8	7
	2	1	~	1	0	1	0
4			6		3		8

Easy

Diff: 3/992

30/6/

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 30 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 25

Variations or	n Sudoku Eig	tht Logic Puz	zzles (Vol 1)				30	/64
6	1	5	8	4	2	2	1	1
1	2	1	4	1	1	7	6	
5	2	2	1	6	1	3	2	(T)
1	1	4	2	1	7	2	5	
1	5	1	2	2	4	1	1	5
2	1	6	2	5	1	8	7	
4	2	1	6	1	3	1	8	7
7	1	3	5	2	1	2	3	
1 Easy	1			5	1	1	Diff: 3 / 9	J 99:

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 30 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 18 independent moves.

- * The only spot for 8 in the 1st column is (1, 4).
- * The only spot for 8 in the 5th column is (5, 2).
- * The only spot for 6 in the 6th column is (6, 8).
- * The only spot for 2 in the 1st 4x2 rectangle is (1, 2).
- * The only spot for 7 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 5 in the 2nd 4x2 rectangle is (6, 2).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 8 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (6, 6).
- * The only spot for 2 in the 6th 4x2 rectangle is (8, 5).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 2 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (5, 7).
- * The only spot for 6 in the 1st 2x4 inner rectangle is (2, 4).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (7, 7).
- * The only spot for 6 in the 2nd 2x4 inner rectangle is (7, 5).

Step 2: There are 10 independent moves.

- * The only spot for 3 in the 1st column is (1, 6).
- * The only spot for 3 in the 8th column is (8, 3).
- * The only spot for 3 in the 2nd 4x2 rectangle is (7, 1).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (4, 4).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 1 in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (3, 3).
- * The only spot for 3 in the 1st 2x4 inner rectangle is (2, 2).

Step 3: There are 2 independent moves.

- * The only spot for 4 in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for 4 in the 8th 4x2 rectangle is (8, 8).

Solution for Puzzle 25

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	7	5	8	4	2	3	1
2	3	1	4	8	5	7	6
5	2	7	1	6	8	4	3
8	6	4	3	1	7	2	5
1	5	8	7	3	4	6	2
3	4	6	2	5	1	8	7
4	1	2	6	7	3	5	8
7	8	3	5	2	6	1	4

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 26, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)
--

Variations or	1	2	3			5	4
6				2		3	
	8			3	4		
		6	4			8	
2	3	7			6		
	6		1	8		7	
1			6	7	3		
4		3					8

Easy

Diff: 4 / 9943

35/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 26

Variations on Sudoku Eight Logic Puzzles (Vol 1) 3										
1	1	2	3	1	2	5	4			
6	1	2	2	2	2	3	3			
2	8	1	3	3	4	2	1			
1	1	6	4		3	8	2			
2	3	7	1	1	6	3	2			
2	6	1	1	8	2	7	1			
1	2	1	6	7	3	1	2			
4	1	3	2			2	8			

Easy

Diff: 4 / 9943

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 26

Variations or	n Sudoku Eig	tt Logic Puz	zzles (Vol 1)				35/6
1	1	2	3	1	2	5	4
6	1	2	2	2	2	3	3
2	8	1	3	3	4	2	1
1	1	6	4	4	3	8	2
2	3	7	1	1	6	3	2
2	6	1	1	8	2	7	1
1	2	1	6	7	3	1	2
4	1	3	2	4	4	2	8
1 Easy				5			Diff: 4 / 994

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 14 independent moves.

- * The only spot for 8 in the 1st column is (1, 1).
- * The only spot for 7 in the 2nd column is (2, 8).
- * The only spot for 4 in the 2nd column is (2, 2).
- * The only spot for 4 in the 5th column is (5, 5).
- * The only spot for 6 in the 8th column is (8, 3).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 3 in the 3rd 4x2 rectangle is (1, 4).
- * The only spot for 4 in the 5th 4x2 rectangle is (3, 6).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 3 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (7, 7).
- * The only spot for 2 in the 1st 2x4 inner rectangle is (2, 4).
- * The only spot for 1 in the 1st 2x4 inner rectangle is (3, 3).

Step 2: There are 14 independent moves.

- * The only spot for 7 in the 1st row is (6, 1).
- * The only spot for 5 in the 5th row is (8, 5).
- * The only spot for 7 in the 1st column is (1, 3).
- * The only spot for 5 in the 2nd column is (2, 7).
- * The only spot for 2 in the 8th column is (8, 7).
- * The only spot for 7 in the 1st $4x^2$ rectangle is (4, 2).
- * The only spot for 8 in the 2nd 4x2 rectangle is (6, 2).
- * The only spot for 7 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 2 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 2 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (3, 2).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (6, 6).

Step 3: There are 4 independent moves.

- * The only spot for 1 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 5 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 4).

Step 4: There are 3 independent moves.

- * The only spot for 1 in the 6th column is (6, 8).
- * The only spot for 1 in the 4th $4x^2$ rectangle is (5, 4).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (5, 8).

Solution for Puzzle 26

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	1	2	3	6	7	5	4
6	4	5	7	2	8	3	1
7	8	1	5	3	4	2	6
3	2	6	4	1	5	8	7
2	3	7	8	4	6	1	5
5	6	4	1	8	2	7	3
1	5	8	6	7	3	4	2
4	7	3	2	5	1	6	8

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 27, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	5					6	3
6			7	5	8		
		6	2		7		
7		5		3		8	
5			8	1	3		
	6	4				7	
		8		6		1	
	7		6		4		

Easy

Diff: 4 / 9991

36/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 4 steps required to solve the puzzle above with a total of 36 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 27

Variations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				36/64
8	5	2	2	1	1	6	3
6	3	2	7	5	8	2	2
2	1	6	2	2	7	2	3
7	3	5	3	3	1	8	2
5	2	1	8	1	3	1	1
3	6	4	2	3	2	7	3
3	3	8	1	6	3	1	1
	7	3	6	3	4	1	2

Easy

Diff: 4 / 9991

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 36 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 27

Variations or	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				36/6
8	5	2	2	1	1	6	3
6	3	2	7	5	8	2	2
2	1	6	2	2	7	2	3
7	3	5	3	3	1	8	2
5	2	1	8	1	3	1	1
3	6	4	2	3	2	7	3
3	3	8	1	6	3	1	1
4	7	3	6	3	4	1	2
1 Easy	1			5			Diff: 4/999

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 36 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 10 independent moves.

- * The only spot for 1 in the 6th column is (6, 1).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 6 in the 6th 4x2 rectangle is (8, 5).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 3 in the 8th 4x2 rectangle is (7, 8).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (8, 7).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (3, 5).
- * The only spot for 8 in the 1st 2x4 inner rectangle is (2, 3).
- * The only spot for 4 in the 2nd 2x4 inner rectangle is (7, 5).
- * The only spot for 6 in the 2nd 2x4 inner rectangle is (6, 4).

Step 2: There are 13 independent moves.

- * The only spot for 4 in the 1st row is (4, 1).
- * The only spot for 2 in the 1st row is (3, 1).
- * The only spot for 2 in the 5th row is (2, 5).
- * The only spot for 3 in the 3rd column is (3, 2).
- * The only spot for 3 in the 4th column is (4, 6).
- * The only spot for 4 in the 5th column is (5, 3).
- * The only spot for 5 in the 7th column is (7, 3).
- * The only spot for 2 in the 7th column is (7, 2).
- * The only spot for 4 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 2 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 5 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 6).

Step 3: There are 12 independent moves.

- * The only spot for 4 in the 1st column is (1, 7).
- * The only spot for 1 in the 3rd column is (3, 8).
- * The only spot for 1 in the 4th column is (4, 4).
- * The only spot for 8 in the 8th column is (8, 6).
- * The only spot for 1 in the 1st 4x2 rectangle is (2, 2).
- * The only spot for 1 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 2 in the 6th 4x2 rectangle is (5, 6).
- * The only spot for 3 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (5, 8).

* The only spot for 4 in the 1st 2x4 inner rectangle is (2, 4).

* The only spot for 2 in the 2nd 2x4 inner rectangle is (6, 7).

Step 4: There is 1 independent move.

* The only spot for 2 in the 7th $4x^2$ rectangle is (1, 8).

Solution for Puzzle 27

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	5	2	4	7	1	6	3
6	1	3	7	5	8	2	4
3	8	6	2	4	7	5	1
7	4	5	1	3	6	8	2
5	2	7	8	1	3	4	6
1	6	4	3	2	5	7	8
4	3	8	5	6	2	1	7
2	7	1	6	8	4	3	5

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 28, Easy/4

	1	4			5		2
5			3	6	4		
	8	3			6	2	
1	5			7		3	
	4			2	7		3
			6				8
			1				
2		8	4				6

Easy

Diff: 4 / 9991

37/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 28

Variations on	n Sudoku Eig	ht Logic Puz					37/64
1	1	4	2	1	5	3	2
5	3		3	6	4	1	2
1	8	3	2	3	6	2	2
1	5	1	1	7	1	3	1
2	4	1	1	2	7	1	3
3	2	3	6	3	2	2	8
2	1	1	1	2	1	3	3
2	3	8	4	3	1	3	6

Easy

Diff: 4 / 9991

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 28

Variations or	n Sudoku Eig	ht Logic Puz	zzles (Vol 1)				37	/64
1	1	4	2	1	5	3	2	1
5	3	4	3	6	4	1	2	
1	8	3	2	3	6	2	2	3
1	5	1	1	7	1	3	1	
2	4	1	1	2	7	1	3	5
3	2	3	6	3	2	2	8	
2	1	1	1	2	1	3	3	7
2	3	8	4	3	1	3	6	
1 Easy	1			5			Diff: 4/99	991

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 37 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 15 independent moves.

- * The only spot for 8 in the 2nd row is (7, 2).
- * The only spot for 4 in the 4th row is (8, 4).
- * The only spot for 6 in the 2nd column is (2, 7).
- * The only spot for 5 in the 4th column is (4, 5).
- * The only spot for 2 in the 4th column is (4, 4).
- * The only spot for 3 in the 6th column is (6, 8).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 3 in the 2nd 4x2 rectangle is (5, 1).
- * The only spot for 4 in the 3rd 4x2 rectangle is (1, 3).
- * The only spot for 8 in the 4th 4x2 rectangle is (6, 4).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 1 in the 1st 2x4 inner rectangle is (3, 5).
- * The only spot for 6 in the 1st 2x4 inner rectangle is (3, 4).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (6, 7).
- * The only spot for 6 in the 2nd 2x4 inner rectangle is (7, 5).

Step 2: There are 10 independent moves.

- * The only spot for 3 in the 2nd column is (2, 6).
- * The only spot for 1 in the 6th column is (6, 6).
- * The only spot for 5 in the 8th column is (8, 3).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (4, 1).
- * The only spot for 1 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 3 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (5, 7).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (7, 6).

Step 3: There are 11 independent moves.

- * The only spot for 7 in the 1st column is (1, 6).
- * The only spot for 2 in the 2nd column is (2, 2).
- * The only spot for 1 in the 7th column is (7, 8).
- * The only spot for 7 in the 8th column is (8, 7).
- * The only spot for 7 in the 2nd 4x2 rectangle is (7, 1).
- * The only spot for 1 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 2 in the 5th 4x2 rectangle is (3, 6).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (5, 6).

- * The only spot for 7 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (5, 8).
- * The only spot for 4 in the 2nd 2x4 inner rectangle is (7, 7).
- Step 4: There is 1 independent move.
 - * The only spot for 7 in the 1st 2x4 inner rectangle is (3, 2).

Solution for Puzzle 28

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	1	4	8	3	5	7	2
5	2	7	3	6	4	8	1
4	8	3	7	1	6	2	5
1	5	6	2	7	8	3	4
8	4	1	5	2	7	6	3
7	3	2	6	4	1	5	8
3	6	5	1	8	2	4	7
2	7	8	4	5	3	1	6

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 10

Four Medium HyperSudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from five to eight. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 29	(41/64)	DiffKey 5 / 9.9882
Puzzle 30	(41/64)	DiffKey 6 / 99.9554
Puzzle 31	(41/64)	DiffKey 8 / 9584.4344
Puzzle 32	(45/64)	DiffKey 8 / 5326.6589

HyperSudoku-8 Puzzle 29, Medium/5

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7		1		3			5
8			5				
				1			
	7		4		3	6	
		2	6		5		
		8	7	4			6
3	5				8		
						3	7

Medium

Diff: 5 / 9.9882

41/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 5 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 29

Variations or	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				41/64
7		1		3		1	5
8	3	2	5	2			
2	1	3	1	1	2	1	3
1	7	2	4	3	3	6	2
2	1	2	6	2	5	1	1
1	1	8	7	4			6
3	5	1	3	2	8	1	
3		3	2	1	3	3	7

Medium

Diff: 5/9.9882

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 29

variations or	i Sudoku Eig	ht Logic Puz	zles (Vol 1)				41/	/64
7	4	1	4	3	4	1	5	1
8	3	2	5	2	4	5	4	
2	1	3	1	1	2	1	3	3
1	7	2	4	3	3	6	2	
2	1	2	6	2	5	1	1	5
1	1				5	4		1
	1	8	7	4			6	
3	5	8	7	4	8	1	6	7
3			-	4 ²				

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 5 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for 3 in the 6th row is (2, 6).
- * The only spot for 3 in the 4th column is (4, 3).
- * The only spot for 5 in the 7th column is (7, 3).
- * The only spot for 8 in the 2nd 4x2 rectangle is (7, 1).
- * The only spot for 1 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 5 in the 8th 4x2 rectangle is (5, 8).
- * The only spot for 1 in the 1st 2x4 inner rectangle is (2, 5).
- * The only spot for 8 in the 1st 2x4 inner rectangle is (2, 3).
- * The only spot for 4 in the 2nd 2x4 inner rectangle is (7, 7).
- * The only spot for 7 in the 2nd 2x4 inner rectangle is (7, 5).

Step 2: There are 10 independent moves.

- * The only spot for 6 in the 7th row is (5, 7).
- * The only spot for 7 in the 5th column is (5, 2).
- * The only spot for 8 in the 8th column is (8, 4).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 7 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (3, 4).
- * The only spot for 3 in the 1st 2x4 inner rectangle is (3, 2).

Step 3: There are 8 independent moves.

- * The only spot for 1 in the 8th row is (6, 8).
- * The only spot for 6 in the 1st column is (1, 8).
- * The only spot for 4 in the 3rd column is (3, 8).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (3, 3).
- * The only spot for 2 in the 4th $4x^2$ rectangle is (5, 4).
- * The only spot for 4 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 4 in the 1st 2x4 inner rectangle is (2, 2).

Step 4: There are 8 independent moves.

* The only spot for 6 in the 2nd row is (6, 2).

- * The only spot for 2 in the 4th column is (4, 1).
- * The only spot for 1 in the 8th column is (8, 2).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (6, 1).
- * The only spot for 2 in the 7th 4x2 rectangle is (2, 8).
- * The only spot for 2 in the 8th $4x^2$ rectangle is (8, 7).
- * The only spot for 1 in the 2nd 2x4 inner rectangle is (7, 6).

Step 5: There are 2 independent moves.

- * The only spot for 2 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (6, 6).

Solution for Puzzle 29

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	6	1	2	3	4	8	5
8	4	3	5	7	6	2	1
2	8	6	3	1	7	5	4
1	7	5	4	2	3	6	8
4	1	2	6	8	5	7	3
5	3	8	7	4	2	1	6
3	5	7	1	6	8	4	2
6	2	4	8	5	1	3	7

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 30, Medium/6

Variations or	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)			1	41/64
			7		3		
			1			6	5
	4	6					1
5			2			3	
3		7			6		2
	8			3			
	7			5			3
		2		7		4	

Medium

Diff: 6/99.9554

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 6 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 30

/ariations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				41/6
	2	2	7		3		3
	1	1	1		1	6	5
1	4	6	1			3	1
5	3	2	2	1	3	3	2
3	1	7	3		6		2
1	8	2	2	3	3	2	
3	7	3	3	5			3
	2	2	2	7		4	1

Medium

Diff: 6 / 99.9554

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 30

arrations of	1 Sudoku Eig	ght Logic Puz	zles (Vol 1)				41/
5	2	2	7	6	3	6	3
4	1	1	1	5	1	6	5
1	4	6	1	5	6	3	1
5	3	2	2	1	3	3	2
3	1	7	3	5	6	4	2
1		2	2		3	2	4
	8	2	_	3	0	2	4
3	8 7	3	3	3 5	5	6	4 3
3	8 7			3 5 7			

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 6 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 9 independent moves.

- * The only spot for 3 in the 3rd column is (3, 2).
- * The only spot for 6 in the 5th column is (5, 4).
- * The only spot for 7 in the 2nd 4x2 rectangle is (6, 2).
- * The only spot for 3 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 7 in the 3rd 4x2 rectangle is (1, 3).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (8, 8).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (2, 5).
- * The only spot for 2 in the 1st 2x4 inner rectangle is (2, 2).

Step 2: There are 9 independent moves.

- * The only spot for 6 in the 2nd column is (2, 1).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (3, 1).
- * The only spot for 7 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 6 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (3, 6).
- * The only spot for 5 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 3 in the 7th 4x2 rectangle is (2, 8).
- * The only spot for 8 in the 1st 2x4 inner rectangle is (3, 4).
- * The only spot for 7 in the 2nd 2x4 inner rectangle is (7, 6).

Step 3: There are 9 independent moves.

- * The only spot for 4 in the 3rd column is (3, 7).
- * The only spot for 8 in the 4th column is (4, 7).
- * The only spot for 5 in the 7th column is (7, 3).
- * The only spot for 8 in the 8th column is (8, 1).
- * The only spot for 4 in the 4th 4x2 rectangle is (6, 4).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 1 in the 1st 2x4 inner rectangle is (2, 4).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 6).

Step 4: There are 5 independent moves.

- * The only spot for 8 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (1, 8).
- * The only spot for 8 in the 8th $4x^2$ rectangle is (6, 8).
- * The only spot for 8 in the 2nd 2x4 inner rectangle is (7, 5).

Step 5: There are 5 independent moves.

- * The only spot for 4 in the 2nd row is (5, 2).
- * The only spot for 1 in the 6th column is (6, 7).
- * The only spot for 4 in the 1st 4x2 rectangle is (1, 1).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (5, 5).

Step 6: There are 4 independent moves.

- * The only spot for 2 in the 5th column is (5, 1).
- * The only spot for 1 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 2 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (7, 7).

Solution for Puzzle 30

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	6	5	7	2	3	1	8
8	2	3	1	4	7	6	5
7	4	6	3	8	2	5	1
5	1	8	2	6	4	3	7
3	5	7	4	1	6	8	2
2	8	1	6	3	5	7	4
6	7	4	8	5	1	2	3
1	3	2	5	7	8	4	6

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 31, Medium/8

Variations or	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)				41/64
			7		4		
4							8
		6		7			4
		1	8			6	
	8		3	4			6
	6				5		
	3		1			4	
	7	2			6	5	

Medium

Diff: 8 / 9584.4344

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 31

Variations on Sudoku Eight Logic Puzzles (Vol 1) 41/64							
	1	3	7	2	4		3
4	3	1	1				8
2	3	6	2	7			4
1	1	1	8		3	6	
2	8	1	3	4			6
3	6	1	3		5		
1	3	2	1			4	
3	7	2	1		6	5	

Medium

Diff: 8 / 9584.4344

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 31

		zles (Vol 1)				41,
1	3	7	2	4	4	3
3	1	1	5	7	8	8
3	6	2	7	8	7	4
1	1	8	4	3	6	5
8	1	3	4	8	8	6
6	1	3	7	5	6	5
3	2	1	6	7	4	6
7	2	1	5	6	5	4
	3 3 1 8 6 3	3 3 6 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c cccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	7 4 3 1 5 7 8 3 6 2 7 8 7 3 6 2 7 8 7 1 1 8 4 3 6 8 1 3 4 8 8 6 1 3 7 5 6 3 2 1 6 7 4 3 2 1 6 7 4

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 9 independent moves.

- * The only spot for 1 in the 2nd column is (2, 1).
- * The only spot for 4 in the 3rd column is (3, 6).
- * The only spot for 6 in the 4th column is (4, 2).
- * The only spot for 7 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 4 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (3, 5).
- * The only spot for 4 in the 1st 2x4 inner rectangle is (2, 4).
- * The only spot for 3 in the 1st 2x4 inner rectangle is (3, 2).

Step 2: There are 5 independent moves.

* The only spot for 5 in the 4th column is (4, 3).

- * The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 3 in the 3rd 4x2 rectangle is (1, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 5 in the 7th $4x^2$ rectangle is (3, 7).

Step 3: There are 8 independent moves.

- * The only spot for 5 in the 1st row is (8, 1).
- * The only spot for 8 in the 3rd column is (3, 1).
- * The only spot for 2 in the 4th column is (4, 6).
- * The only spot for 3 in the 6th column is (6, 4).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (2, 3).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (1, 8).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (2, 2).

Step 4: There are 4 independent moves.

- * The only spot for 1 in the 8th column is (8, 8).
- * The only spot for 2 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 5 in the 4th $4x^2$ rectangle is (5, 4).

Step 5: There are 4 independent moves.

- * The only spot for 1 in the 5th column is (5, 2).
- * The only spot for 3 in the 8th column is (8, 6).
- * The only spot for 2 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 3 in the 8th $4x^2$ rectangle is (5, 8).

Step 6: There are 3 independent moves.

- * The only spot for 2 in the 5th column is (5, 7).
- * The only spot for 7 in the 8th column is (8, 7).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (7, 6).

Step 7: There are 4 independent moves.

- * The only spot for 8 in the 7th column is (7, 3).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 8 in the 2nd 2x4 inner rectangle is (6, 7).

Step 8: There are 4 independent moves.

- * The only spot for 2 in the 6th column is (6, 5).
- * The only spot for 1 in the 7th column is (7, 5).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 1 in the 4th $4x^2$ rectangle is (6, 3).

Solution for Puzzle 31

Variations on Sudoku Eight Logic Puzzles (Vol 1)

2	1	8	7	6	4	3	5
4	5	3	6	1	7	2	8
3	2	6	5	7	1	8	4
7	4	1	8	5	3	6	2
5	8	7	3	4	2	1	6
1	6	4	2	8	5	7	3
6	3	5	1	2	8	4	7
8	7	2	4	3	6	5	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 32, Medium/8

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	I SUUOKU EIS	giit Logic Fu	zzles (Vol 1)				45/64
	4				6		8
5						2	
		1		7		3	
		8	6			5	
4							
	3						2
2		4		6			

Medium

Diff: 8 / 5326.6589

15/61

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 8 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 32

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Variations or	i Sudoku Eig	tt Logic Puz	zzles (Vol 1)				45/64
6	1		1				
	4	1			6		8
5		2				2	2
	2	1	3	7		3	1
	3	8	6			5	
4						1	
	3	1					2
2		4		6			

Medium

Diff: 8 / 5326.6589

AFICA

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 32

Variations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				45/6	54
6	1	4	1	6	7	5	8	1
8	4	1	8	4	6	5	8	
5	4	2	4	7	6	2	2	3
5	2	1	3	7	4	3	1	
8	3	8	6	7	7	5	6	5
4	7	5	8	5	4	1	8	
8	3	1	6	5	8	7	2	7
2	8	4	7	6	6	8	7	
<i>1</i> Medium				5		Diff	: 8 / 5326.658	89

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for 8 in the 1st 4x2 rectangle is (2, 1).
- * The only spot for 5 in the 4th 4x2 rectangle is (8, 4).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (3, 2).
- * The only spot for 6 in the 2nd 2x4 inner rectangle is (7, 6).

Step 2: There are 3 independent moves.

* The only spot for 6 in the 4th row is (2, 4).

* The only spot for 6 in the 4th $4x^2$ rectangle is (8, 3).

* The only spot for 3 in the 1st 2x4 inner rectangle is (3, 3).

Step 3: There are 2 independent moves.

- * The only spot for 2 in the 3rd $4x^2$ rectangle is (4, 4).
- * The only spot for 2 in the 1st 2x4 inner rectangle is (2, 5).

Step 4: There are 6 independent moves.

* The only spot for 2 in the 2nd row is (5, 2).

- * The only spot for 4 in the 4th row is (6, 4).
- * The only spot for 2 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 4 in the 3rd $4x^2$ rectangle is (4, 3).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (2, 3).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (6, 6).

Step 5: There are 6 independent moves.

- * The only spot for 7 in the 3rd column is (3, 6).
- * The only spot for 4 in the 7th column is (7, 1).
- * The only spot for 1 in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for 8 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 8 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 4 in the 8th $4x^2$ rectangle is (5, 7).

Step 6: There are 5 independent moves.

* The only spot for 5 in the 7th row is (4, 7).

- * The only spot for 5 in the 5th column is (5, 1).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 4 in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for 5 in the 8th $4x^2$ rectangle is (6, 8).

Step 7: There are 8 independent moves.

- * The only spot for 3 in the 5th column is (5, 5).
- * The only spot for 3 in the 6th column is (6, 1).

- * The only spot for 1 in the 4th 4x2 rectangle is (5, 3).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 7 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 8 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 3 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 8 in the 2nd 2x4 inner rectangle is (7, 7).

Step 8: There are 10 independent moves.

- * The only spot for 3 in the 1st column is (1, 2).
- * The only spot for 1 in the 2nd column is (2, 8).
- * The only spot for 7 in the 4th column is (4, 2).
- * The only spot for 7 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (8, 6).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 7 in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for 1 in the 2nd 2x4 inner rectangle is (6, 7).

Solution for Puzzle 32

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	8	2	1	5	3	4	7
3	4	5	7	2	6	1	8
5	7	3	4	1	8	2	6
8	6	1	2	7	4	3	5
1	2	8	6	3	7	5	4
4	5	7	3	8	2	6	1
7	3	6	5	4	1	8	2
2	1	4	8	6	5	7	3

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 11

Four Difficult HyperSudoku-8 Puzzles

There are four puzzles in this section ranging in difficulty from nine to twelve. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 33	(45/64)	DiffKey 9 / 2.3554.8953
Puzzle 34	(45/64)	DiffKey 11 / 584.5123.5561
Puzzle 35	(48/64)	DiffKey 11 / 654.6741.5451
Puzzle 36	(46/64)	DiffKey 12 / 5423.3653.5442

HyperSudoku-8 Puzzle 33, Difficult/9

Variations or	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)				45/64
	7		6	3			
	3				4	6	
	5			2			
3	1					4	
		6					
2						8	6
			4				5
5					7		

Difficult

Diff: 9 / 2.3554.8953

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 33

Variations on	i Sudoku Eig	ght Logic Puz	zles (Vol 1)				45/64
3	7		6	3		2	
	3		3		4	6	
1	5	2		2			
3	1	3				4	
		6				1	
2	3	3				8	6
2			4				5
5					7		

Difficult

Diff: 9 / 2.3554.8953

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 33

Variations or	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				45/64
3	7	7	6	3	6	2	7
6	3	4	3	4	4	6	7
1	5	2	5	2	7	6	4 3
3	1	3	4	8	9	4	7
6	5	6	5	9	8	1	75
2	3	3	4	6	5	8	6
2	9	6	4	7	8	7	5 7
5	8	7	6	7	7	8	6
1 Difficult				5		Diff: 9	9 / 2.3554.8953

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 9 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 9 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 2 independent moves.

* The only spot for 6 in the 3rd $4x^2$ rectangle is (1, 3).

* The only spot for 7 in the 2nd 2x4 inner rectangle is (7, 5).

Step 2: There are 3 independent moves.

* The only spot for 7 in the 1st column is (1, 7).

* The only spot for 5 in the 7th column is (7, 1).

* The only spot for 4 in the 3rd $4x^2$ rectangle is (3, 3).

Step 3: There are 5 independent moves.

* The only spot for 4 in the 2nd column is (2, 6).

* The only spot for 5 in the 3rd column is (3, 6).

* The only spot for 5 in the 1st $4x^2$ rectangle is (4, 2).

- * The only spot for 4 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (3, 4).

Step 4: There are 5 independent moves.

* The only spot for 7 in the 5th column is (5, 2).

- * The only spot for 2 in the 3rd $4x^2$ rectangle is (4, 4).
- * The only spot for 7 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 7 in the 5th 4x2 rectangle is (4, 6).
- * The only spot for 2 in the 1st 2x4 inner rectangle is (3, 2).

Step 5: There are 4 independent moves.

* The only spot for 3 in the 6th row is (6, 6).

* The only spot for 8 in the 3rd $4x^2$ rectangle is (4, 3).

* The only spot for 3 in the 5th $4x^2$ rectangle is (4, 5).

* The only spot for 8 in the 1st 2x4 inner rectangle is (2, 5).

Step 6: There are 8 independent moves.

- * The only spot for 1 in the 6th row is (5, 6).
- * The only spot for 3 in the 7th row is (3, 7).
- * The only spot for 8 in the 1st column is (1, 2).
- * The only spot for 1 in the 4th column is (4, 8).
- * The only spot for 8 in the 6th column is (6, 1).
- * The only spot for 3 in the 8th column is (8, 8).
- * The only spot for 3 in the 4th 4x2 rectangle is (7, 3).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (1, 5).

Step 7: There are 10 independent moves.

- * The only spot for 1 in the 2nd row is (8, 2).
- * The only spot for 8 in the 7th row is (5, 7).

- * The only spot for 1 in the 7th column is (7, 7).
- * The only spot for 4 in the 8th column is (8, 5).
- * The only spot for 8 in the 8th column is (8, 4).
- * The only spot for 1 in the 1st 4x2 rectangle is (3, 1).
- * The only spot for 2 in the 2nd 4x2 rectangle is (8, 1).
- * The only spot for 1 in the 4th 4x2 rectangle is (6, 3).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for 4 in the 8th 4x2 rectangle is (5, 8).

Step 8: There are 5 independent moves.

- * The only spot for 6 in the 8th row is (2, 8).
- * The only spot for 6 in the 5th column is (5, 4).
- * The only spot for 2 in the 7th column is (7, 8).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (6, 5).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (6, 7).

Step 9: There are 3 independent moves.

- * The only spot for 5 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 2 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 4).

Solution for Puzzle 33

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	7	1	6	3	8	5	2
8	3	2	5	7	4	6	1
6	5	4	8	2	1	3	7
3	1	7	2	6	5	4	8
1	8	6	3	5	2	7	4
2	4	5	7	1	3	8	6
7	2	3	4	8	6	1	5
5	6	8	1	4	7	2	3

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 34, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

		5	zzles (Vol 1)		1		45/64 4
7			6				
1						3	
	8			5	7		
4				7	8		
			8				1
		4				2	
		8				5	

Difficult

Diff: 11 / 584.5123.5561

15/61

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 34

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Variations or 1	i Sudoku Eig	gnt Logic Puz	zzies (vol 1)	2		1	45/64
I		5		Z	1	1	4
7	1	2	6	3		2	2
1						3	
	8		2	5	7	1	
4			3	7	8	3	3
			8		1	2	1
2		4			2	2	
		8				5	

Difficult

Diff: 11 / 584.5123.5561

AFICA

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 34

Variations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				45/	/64
1	10	5	11	2	1	1	4	1
7	1	2	6	3	4	2	2	
1	10	9	4	7	8	3	6	3
6	8	4	2	5	7	1	7	
4	4	5	3	7	8	3	3	5
9	10	10	8	4	1	2	1	
2	8	4	9	9	2	2	7	7
10	9	8	10	8	8	5	8	
1 Difficult		I		5		Diff: 11/	584.5123.55	561

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for 4 in the 1st 4x2 rectangle is (2, 2).
- * The only spot for 8 in the 1st 4x2 rectangle is (1, 1).
- * The only spot for 7 in the 2nd $4x^2$ rectangle is (7, 1).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 6).
- * The only spot for 1 in the 2nd 2x4 inner rectangle is (7, 4).

Step 2: There are 8 independent moves.

* The only spot for 4 in the 4th row is (4, 4).

- * The only spot for 5 in the 1st column is (1, 7).
- * The only spot for 8 in the 7th column is (7, 2).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (3, 2).
- * The only spot for 5 in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 1).
- * The only spot for 3 in the 2nd 2x4 inner rectangle is (6, 7).
- * The only spot for 4 in the 2nd 2x4 inner rectangle is (7, 6).

Step 3: There are 4 independent moves.

- * The only spot for 3 in the 8th column is (8, 5).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 6 in the 2nd 2x4 inner rectangle is (7, 5).

Step 4: There are 5 independent moves.

- * The only spot for 5 in the 4th column is (4, 3).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 5 in the 5th $4x^2$ rectangle is (2, 5).
- * The only spot for 2 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 3 in the 1st 2x4 inner rectangle is (3, 4).

Step 5: There is 1 independent move.

* The only spot for 2 in the 5th $4x^2$ rectangle is (3, 5).

Step 6: There are 2 independent moves.

- * The only spot for 2 in the 3rd row is (8, 3).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (1, 4).
- Step 7: There are 3 independent moves.
 - * The only spot for 6 in the 4th row is (8, 4).
 - * The only spot for 8 in the 8th column is (8, 7).
 - * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).

Step 8: There are 5 independent moves.

- * The only spot for 6 in the 7th row is (2, 7).
- * The only spot for 4 in the 5th column is (5, 8).
- * The only spot for 4 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 7 in the 8th 4x2 rectangle is (8, 8).
- * The only spot for 6 in the 8th $4x^2$ rectangle is (6, 8).

Step 9: There are 5 independent moves.

- * The only spot for 6 in the 1st column is (1, 6).
- * The only spot for 1 in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for 7 in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for 1 in the 8th 4x2 rectangle is (5, 7).
- * The only spot for 6 in the 1st 2x4 inner rectangle is (3, 3).

Step 10: There are 6 independent moves.

- * The only spot for 3 in the 1st column is (1, 8).
- * The only spot for 2 in the 2nd column is (2, 1).
- * The only spot for 7 in the 3rd column is (3, 6).
- * The only spot for 3 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 2 in the 7th 4x2 rectangle is (4, 8).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (2, 3).

Step 11: There is 1 independent move.

* The only spot for 3 in the 1st 4x2 rectangle is (4, 1).

Solution for Puzzle 34

Variations on Sudoku Eight Logic Puzzles (Vol 1)

8	2	5	3	6	1	7	4
7	4	1	6	3	2	8	5
1	7	6	5	8	4	3	2
2	8	3	4	5	7	1	6
4	5	2	1	7	8	6	3
6	3	7	8	2	5	4	1
5	6	4	7	1	3	2	8
3	1	8	2	4	6	5	7

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 35, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	i Sudoku Eig	gnt Logic Puz	zzles (Vol 1)		1	1	48/64
3			2				
	6						
						5	
	5		4	2			
	3				4		8
1		7		3			
			7		8		
					2		

Difficult

Diff: 11/654.6741.5451

18/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 35

Variations or	n Sudoku Eig	ght Logic Puz	zles (Vol 1)				48/64
3	3		2				
2	6	1				3	
	1	3	1	1		5	2
	5	2	4	2			
	3				4		8
1	1	7	2	3	1		
	2		7		8		
3					2		

Difficult

Diff: 11/654.6741.5451

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 35

Variations or	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				48/64
3	3	5	2	8	10	9	11
2	6	1	4	5	5	3	4
4	1	3	1	1	5	5	2
5	5	2	4	2	10	8	10
5	3	4	6	10	4	9	8
1	1	7	2	3	1	5	6
4	2	8	7	8	8	7	6
3	4	8	6	9	2	10	9
1 Difficult	·			5		Diff: 11/	654.6741.545

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 48 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 3 in the 3rd 4x2 rectangle is (4, 3).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).
- * The only spot for 4 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (2, 3).
- * The only spot for 4 in the 1st 2x4 inner rectangle is (3, 2).
- * The only spot for 5 in the 2nd 2x4 inner rectangle is (6, 6).

Step 2: There are 5 independent moves.

- * The only spot for 2 in the 2nd column is (2, 7).
- * The only spot for 7 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 4 in the 4th 4x2 rectangle is (8, 3).
- * The only spot for 8 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 8 in the 1st 2x4 inner rectangle is (3, 4).

Step 3: There are 4 independent moves.

* The only spot for 8 in the 2nd row is (7, 2).

- * The only spot for 8 in the 1st column is (1, 8).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (2, 1).
- * The only spot for 1 in the 1st 2x4 inner rectangle is (3, 3).

Step 4: There are 6 independent moves.

- * The only spot for 1 in the 2nd column is (2, 8).
- * The only spot for 1 in the 1st $4x^2$ rectangle is (4, 2).
- * The only spot for 2 in the 2nd $4x^2$ rectangle is (8, 2).
- * The only spot for 2 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 4 in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for 2 in the 1st 2x4 inner rectangle is (3, 5).

Step 5: There are 7 independent moves.

- * The only spot for 5 in the 2nd row is (5, 2).
- * The only spot for 6 in the 3rd row is (6, 3).
- * The only spot for 5 in the 1st column is (1, 5).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (3, 1).
- * The only spot for 3 in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for 6 in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for 2 in the 2nd 2x4 inner rectangle is (7, 6).

Step 6: There are 4 independent moves.

- * The only spot for 6 in the 6th row is (8, 6).
- * The only spot for 5 in the 7th row is (8, 7).

* The only spot for 6 in the 5th $4x^2$ rectangle is (4, 5).

* The only spot for 5 in the 7th $4x^2$ rectangle is (4, 8).

Step 7: There is 1 independent move.

* The only spot for 6 in the 2nd 2x4 inner rectangle is (7, 7).

Step 8: There are 5 independent moves.

* The only spot for 3 in the 7th row is (3, 7).

* The only spot for 6 in the 2nd $4x^2$ rectangle is (5, 1).

* The only spot for 6 in the 7th $4x^2$ rectangle is (3, 8).

* The only spot for 1 in the 8th $4x^2$ rectangle is (5, 7).

* The only spot for 3 in the 2nd 2x4 inner rectangle is (7, 4).

Step 9: There are 4 independent moves.

* The only spot for 4 in the 5th column is (5, 8).

* The only spot for 4 in the 2nd $4x^2$ rectangle is (7, 1).

* The only spot for 1 in the 6th $4x^2$ rectangle is (7, 5).

* The only spot for 3 in the 8th 4x2 rectangle is (8, 8).

Step 10: There are 5 independent moves.

* The only spot for 1 in the 6th column is (6, 1).

* The only spot for 1 in the 4th $4x^2$ rectangle is (8, 4).

* The only spot for 7 in the 6th $4x^2$ rectangle is (5, 5).

* The only spot for 7 in the 8th $4x^2$ rectangle is (7, 8).

* The only spot for 7 in the 2nd 2x4 inner rectangle is (6, 4).

Step 11: There is 1 independent move.

* The only spot for 7 in the 2nd 4x2 rectangle is (8, 1).

Solution for Puzzle 35

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	8	5	2	6	1	4	7
7	6	4	1	5	3	8	2
2	7	1	3	8	6	5	4
6	5	8	4	2	7	3	1
5	3	2	6	7	4	1	8
1	4	7	8	3	5	2	6
4	2	3	7	1	8	6	5
8	1	6	5	4	2	7	3

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8 Puzzle 36, Difficult/12

Variations or	n Sudoku Eig	ght Logic Puz	zzles (Vol 1)				46/64
			3	2		8	
		2					3
		4				2	
			8	5			4
					2		7
						6	
3			4	7	5		
	5						

Difficult

Diff: 12 / 5423.3653.5442

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 inner rectangle.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 36

	ı Sudoku Eiş	ght Logic Puz	zzles (Vol 1)				46/64
2			3	2		8	
		2				1	3
		4	2			2	
1			8	5	3	2	4
		1			2	2	7
					1	6	1
3			4	7	5		
	5					3	

Difficult

Diff: 12 / 5423.3653.5442

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 36

Variations or	n Sudoku Eig	ght Logic Puz	zles (Vol 1)				46	/64
2	7	9	3	2	6	8	10	1
6	5	2	10	11	10	1	3	
5	4	4	2	11	12	2	10	3
1	8	9	8	5	3	2	4	
9	6	1	9	5	2	2	7	5
7	7	4	6	6	1	6	1	
3	9	7	4	7	5	4	8	7
8	5	6	7	12	11	3	11	
1 Difficult		· I		5		Diff: 12/5	5423.3653.54	1 42

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for 5 in the 7th column is (7, 2).
- * The only spot for 2 in the 3rd 4x2 rectangle is (1, 4).
- * The only spot for 5 in the 6th 4x2 rectangle is (8, 6).
- * The only spot for 5 in the 1st 2x4 inner rectangle is (3, 5).
- * The only spot for 8 in the 2nd 2x4 inner rectangle is (6, 6).

Step 2: There are 4 independent moves.

* The only spot for 5 in the 4th column is (4, 3).

- * The only spot for 7 in the 7th column is (7, 4).
- * The only spot for 5 in the 1st $4x^2$ rectangle is (1, 1).
- * The only spot for 4 in the 2nd 2x4 inner rectangle is (7, 5).

Step 3: There are 2 independent moves.

- * The only spot for 3 in the 7th column is (7, 8).
- * The only spot for 3 in the 2nd 2x4 inner rectangle is (6, 4).

Step 4: There are 3 independent moves.

- * The only spot for 3 in the 3rd column is (3, 6).
- * The only spot for 3 in the 3rd $4x^2$ rectangle is (2, 3).
- * The only spot for 1 in the 2nd 2x4 inner rectangle is (7, 7).

Step 5: There are 3 independent moves.

- * The only spot for 7 in the 3rd $4x^2$ rectangle is (1, 3).
- * The only spot for 3 in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for 7 in the 1st 2x4 inner rectangle is (2, 2).

Step 6: There are 6 independent moves.

- * The only spot for 7 in the 3rd column is (3, 8).
- * The only spot for 8 in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for 7 in the 2nd 4x2 rectangle is (6, 1).
- * The only spot for 7 in the 5th $4x^2$ rectangle is (4, 6).
- * The only spot for 1 in the 6th $4x^2$ rectangle is (5, 6).
- * The only spot for 8 in the 1st 2x4 inner rectangle is (2, 5).

Step 7: There are 5 independent moves.

- * The only spot for 4 in the 1st column is (1, 6).
- * The only spot for 2 in the 4th column is (4, 8).
- * The only spot for 4 in the 1st 4x2 rectangle is (2, 1).
- * The only spot for 2 in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for 8 in the 7th $4x^2$ rectangle is (3, 7).

Step 8: There are 3 independent moves.

- * The only spot for 1 in the 2nd column is (2, 4).
- * The only spot for 1 in the 7th 4x2 rectangle is (1, 8).

* The only spot for 2 in the 8th 4x2 rectangle is (8, 7).

Step 9: There are 5 independent moves.

* The only spot for 6 in the 1st column is (1, 5).

- * The only spot for 1 in the 3rd column is (3, 1).
- * The only spot for 1 in the 5th $4x^2$ rectangle is (4, 5).
- * The only spot for 6 in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for 6 in the 1st 2x4 inner rectangle is (3, 4).

Step 10: There are 4 independent moves.

- * The only spot for 6 in the 1st row is (8, 1).
- * The only spot for 1 in the 8th column is (8, 3).
- * The only spot for 6 in the 1st $4x^2$ rectangle is (4, 2).
- * The only spot for 1 in the 2nd $4x^2$ rectangle is (6, 2).

Step 11: There are 4 independent moves.

- * The only spot for 4 in the 6th column is (6, 8).
- * The only spot for 8 in the 8th column is (8, 8).
- * The only spot for 4 in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for 8 in the 4th $4x^2$ rectangle is (5, 3).

Step 12: There are 2 independent moves.

- * The only spot for 6 in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for 6 in the 8th 4x2 rectangle is (5, 8).

Solution for Puzzle 36

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	4	1	3	2	7	8	6
8	7	2	6	4	1	5	3
7	3	4	5	8	6	2	1
2	1	6	8	5	3	7	4
6	8	5	1	3	2	4	7
4	2	3	7	1	8	6	5
3	6	8	4	7	5	1	2
1	5	7	2	6	4	3	8

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 12

Four Easy HyperSudoku-8up Puzzles

There are four puzzles in this section ranging in difficulty from three to four. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 37	(29/64)	DiffKey 3 / 992
Puzzle 38	(31/64)	DiffKey 3 / 982
Puzzle 39	(34/64)	DiffKey 4 / 9952
Puzzle 40	(35/64)	DiffKey 4 / 9962

HyperSudoku-8up Puzzle 37, Easy/3

Variations on Sudoku Fight Logic Puzzles (Vol 1)

		ght Logic Pu	3	6	1	8	^{29/64}
6	3	2					
2	1	8			7	5	
8			5		2		6
	7		2	8		1	5
	6	7		1		2	8
1	2			7			4
		5	1	2	6		

Easy

Diff: 3 / 992

20/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 37

		ght Logic Puz	zzles (Vol 1)				29/64
1	1	2	3	6	1	8	2
6	3	2	1	1	1	2	1
2	1	8	1	2	7	5	1
8	2	1	5	1	2	1	6
3	7	1	2	8	3	1	5
1	6	7	2	1	2	2	8
1	2	2	1	7	1	1	4
2	1	5	1	2	6	2	2

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Easy

Diff: 3/992

20164

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 37

Variations on	n Sudoku Eig	ht Logic Puz	zzles (Vol 1)				29	/64
1	1	2	3	6	1	8	2	1
6	3	2	1	1	1	2	1	
2	1	8	1	2	7	5	1	
8	2	1	5	1	2	1	6	
3	7	1	2	8	3	1	5	5
1	6	7	2	1	2	2	8	
1	2	2	1	7	1	1	4	
2	1	5	1	2	6	2	2	
1 Easy		3		5		7	Diff: 3/9	992

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 29 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 17 independent moves.

- * The only spot for 3 in the 3rd row is (8, 3).
- * The only spot for 7 in the 4th row is (7, 4).
- * The only spot for 6 in the 5th row is (3, 5).
- * The only spot for 5 in the 7th row is (6, 7).
- * The only spot for 5 in the 2nd column is (2, 1).
- * The only spot for 7 in the 1st 2x4 rectangle is (1, 1).
- * The only spot for 1 in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for 3 in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for 8 in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for 1 in the 4th 2x4 rectangle is (8, 2).
- * The only spot for 8 in the 5th 2x4 rectangle is (2, 8).
- * The only spot for 5 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 6 in the 8th 2x4 rectangle is (7, 7).
- * The only spot for 6 in the 1st 4x2 inner rectangle is (4, 3).
- * The only spot for 5 in the 1st 4x2 inner rectangle is (5, 2).
- * The only spot for 7 in the 1st 4x2 inner rectangle is (4, 2).
- * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (4, 7).

Step 2: There are 10 independent moves.

- * The only spot for 4 in the 8th row is (1, 8).
- * The only spot for 4 in the 1st 2x4 rectangle is (2, 4).
- * The only spot for 4 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 4 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 3 in the 6th 2x4 rectangle is (3, 7).
- * The only spot for 4 in the 6th 2x4 rectangle is (4, 6).
- * The only spot for 7 in the 8th 2x4 rectangle is (8, 8).
- * The only spot for 3 in the 8th 2x4 rectangle is (7, 8).
- * The only spot for 4 in the 1st $4x^2$ inner rectangle is (5, 3).
- * The only spot for 3 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 3: There are 2 independent moves.

- * The only spot for 3 in the 5th 2x4 rectangle is (1, 5).
- * The only spot for 4 in the 7th 2x4 rectangle is (6, 5).

Solution for Puzzle 37

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	5	4	3	6	1	8	2
6	3	2	7	5	8	4	1
2	1	8	6	4	7	5	3
8	4	1	5	3	2	7	6
3	7	6	2	8	4	1	5
5	6	7	4	1	3	2	8
1	2	3	8	7	5	6	4
4	8	5	1	2	6	3	7

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 38, Easy/3

3	2	7	zzles (Vol 1)	8			31/64
	1	4			7	2	
			8	6		3	
8	4			3		7	6
1		6			5	4	3
	5	8	1	7		6	
7	5 6	8 3	1 2	7		6	

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Easy

Diff: 3/982

31/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 38

Variations on	i Sudoku Eig	ght Logic Puz	zles (Vol 1)				31/64
3	2	7	1	8	3	1	2
1	1	4	1	1	7	2	1
2	1	1	8	6	2	3	3
8	4	1	2	3	2	7	6
1	1	6	1	1	5	4	3
1	5	8	1	7	1	6	1
7	6	3	2	1	2	1	1
2	1	2	1	1	1	2	7

Easy

Diff: 3/982

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 38

Variations or	n Sudoku Eig	tt Logic Pu	zzles (Vol 1)				31	/64
3	2	7	1	8	3	1	2	1
1	1	4	1	1	7	2	1	-
2	1	1	8	6	2	3	3	
8	4	1	2	3	2	7	6	
1	1	6	1	1	5	4	3	5
1	5	8	1	7	1	6	1	
7	6	3	2	1	2	1	1	
2	1	2	1	1	1	2	7	
1		3		5		7		-

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 3 steps required to solve the puzzle above with a total of 31 empty locations that must be determined, out of a total puzzle size of 64.

All 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 21 independent moves.

- * The only spot for 8 in the 5th row is (2, 5).
- * The only spot for 4 in the 5th column is (5, 7).
- * The only spot for 1 in the 7th column is (7, 1).
- * The only spot for 6 in the 1st 2x4 rectangle is (1, 2).
- * The only spot for 1 in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for 6 in the 2nd 2x4 rectangle is (4, 1).
- * The only spot for 5 in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for 8 in the 4th 2x4 rectangle is (8, 2).
- * The only spot for 3 in the 5th 2x4 rectangle is (2, 8).
- * The only spot for 4 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 4 in the 6th 2x4 rectangle is (4, 8).
- * The only spot for 7 in the 6th 2x4 rectangle is (4, 5).
- * The only spot for 6 in the 7th 2x4 rectangle is (6, 8).
- * The only spot for 2 in the 7th 2x4 rectangle is (5, 5).
- * The only spot for 1 in the 8th 2x4 rectangle is (8, 7).
- * The only spot for 2 in the 8th 2x4 rectangle is (8, 6).
- * The only spot for 2 in the 1st 4x2 inner rectangle is (3, 3).
- * The only spot for 7 in the 1st $4x^2$ inner rectangle is (2, 3).
- * The only spot for 3 in the 1st $4x^2$ inner rectangle is (4, 2).
- * The only spot for 5 in the 2nd $4x^2$ inner rectangle is (7, 7).
- * The only spot for 3 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 2: There are 8 independent moves.

* The only spot for 5 in the 1st row is (8, 1).

- * The only spot for 5 in the 1st 2x4 rectangle is (1, 3).
- * The only spot for 5 in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for 2 in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for 1 in the 3rd 2x4 rectangle is (6, 3).
- * The only spot for 5 in the 6th 2x4 rectangle is (3, 8).
- * The only spot for 8 in the 8th 2x4 rectangle is (7, 8).
- * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 3: There are 2 independent moves.

- * The only spot for 4 in the 3rd 2x4 rectangle is (6, 1).
- * The only spot for 4 in the 4th 2x4 rectangle is (8, 3).

Solution for Puzzle 38

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	2	7	6	8	4	1	5
6	1	4	3	5	7	2	8
5	7	2	8	6	1	3	4
8	4	1	5	3	2	7	6
1	8	6	7	2	5	4	3
4	5	8	1	7	3	6	2
7	6	3	2	4	8	5	1
2	3	5	4	1	6	8	7

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 39, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3			2		1	5	
		3		6	2	8	
4	2				5		
	8	6		4		1	
5				2	7		8
8		7				2	
	4	2		3			5
	7		8		6	4	

Easy

Diff: 4/9952

34/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 4 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 39

Variations or	ı Sudoku Eig	tt Logic Puz	zles (Vol 1)				34/64
3	1		2	3	1	5	2
2	1	3	1	6	2	8	3
4	2	3	2		5	2	3
2	8	6	1	4	1	1	1
5	3	2	1	2	7	2	8
8	2	7	2	2	1	2	2
1	4	2	2	3	1	1	5
1	7	1	8	2	6	4	1

Easy

Diff: 4/9952

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 39

Variations or	n Sudoku Eig	tt Logic Puz	zles (Vol 1)				34/	64
3	1	4	2	3	1	5	2	1
2	1	3	1	6	2	8	3	
4	2	3	2	4	5	2	3	
2	8	6	1	4	1	1	1	
5	3	2	1	2	7	2	8	5
8	2	7	2	2	1	2	2	
1	4	2	2	3	1	1	5	
1	7	1	8	2	6	4	1	
1 Easy		3		5		7	Diff: 4 / 99	52

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 14 independent moves.

- * The only spot for 5 in the 4th row is (4, 4).
- * The only spot for 3 in the 8th row is (8, 8).
- * The only spot for 6 in the 1st column is (1, 7).
- * The only spot for 5 in the 3rd column is (3, 8).
- * The only spot for 5 in the 1st 2x4 rectangle is (2, 2).
- * The only spot for 6 in the 1st 2x4 rectangle is (2, 1).
- * The only spot for 3 in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for 2 in the 4th 2x4 rectangle is (8, 4).
- * The only spot for 2 in the 5th 2x4 rectangle is (1, 8).
- * The only spot for 3 in the 6th 2x4 rectangle is (4, 5).
- * The only spot for 4 in the 7th 2x4 rectangle is (6, 6).
- * The only spot for 4 in the 1st 4x2 inner rectangle is (4, 2).
- * The only spot for 7 in the 2nd 4x2 inner rectangle is (7, 7).
- * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 2: There are 13 independent moves.

- * The only spot for 7 in the 4th row is (1, 4).
- * The only spot for 6 in the 5th row is (7, 5).
- * The only spot for 1 in the 7th row is (4, 7).
- * The only spot for 1 in the 8th row is (5, 8).
- * The only spot for 1 in the 1st 2x4 rectangle is (1, 2).
- * The only spot for 7 in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for 3 in the 4th 2x4 rectangle is (7, 3).
- * The only spot for 4 in the 4th 2x4 rectangle is (8, 1).
- * The only spot for 3 in the 5th 2x4 rectangle is (2, 6).
- * The only spot for 4 in the 6th 2x4 rectangle is (3, 5).
- * The only spot for 1 in the 8th 2x4 rectangle is (8, 6).
- * The only spot for 5 in the 2nd 4x2 inner rectangle is (5, 6).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (4, 6).

Step 3: There are 5 independent moves.

- * The only spot for 7 in the 3rd 2x4 rectangle is (5, 1).
- * The only spot for 6 in the 4th 2x4 rectangle is (8, 3).
- * The only spot for 7 in the 4th 2x4 rectangle is (8, 2).
- * The only spot for 1 in the 5th 2x4 rectangle is (2, 5).
- * The only spot for 1 in the 1st $4x^2$ inner rectangle is (3, 3).

Step 4: There are 2 independent moves.

- * The only spot for 8 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 8 in the 1st $4x^2$ inner rectangle is (5, 3).

Solution for Puzzle 39

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	6	8	2	7	1	5	4
1	5	3	4	6	2	8	7
4	2	1	7	8	5	3	6
7	8	6	5	4	3	1	2
5	1	4	3	2	7	6	8
8	3	7	6	5	4	2	1
6	4	2	1	3	8	7	5
2	7	5	8	1	6	4	3

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 40, Easy/4

Variations on Sudoku Fight Logic Puzzles (Vol 1)

	2	ght Logic Puz	6	4			35/64
1			4	5	2		
4		2			7	5	
	3					2	4
7			2		1		5
	6	1	8	2			
		4		3			2
2	1					6	

Easy

Diff: 4 / 9962

35/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 40

Variations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				35/64
2	2	3	6	4	1	2	1
1	1	3	4	5	2	3	1
4	2	2	2	1	7	5	3
1	3	3		2	2	2	4
7	1	1	2	2	1	2	5
1	6	1	8	2	2	2	2
2	1	4	2	3	1	1	2
2	1		3	1	1	6	2

Easy

Diff: 4/9962

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 40

Variations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				35/	64
2	2	3	6	4	1	2	1	1
1	1	3	4	5	2	3	1	
4	2	2	2	1	7	5	3	
1	3	3	4	2	2	2	4	
7	1	1	2	2	1	2	5	5
1	6	1	8	2	2	2	2	
2	1	4	2	3	1	1	2	
2	1	4	3	1	1	6	2	
1 Easy		3		5		7	Diff: 4/99	62

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for 6 in the 2nd row is (8, 2).
- * The only spot for 4 in the 8th row is (6, 8).
- * The only spot for 5 in the 2nd column is (2, 7).
- * The only spot for 6 in the 1st 2x4 rectangle is (1, 4).
- * The only spot for 7 in the 1st 2x4 rectangle is (2, 2).
- * The only spot for 3 in the 3rd 2x4 rectangle is (6, 1).
- * The only spot for 3 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 4 in the 5th 2x4 rectangle is (2, 5).
- * The only spot for 6 in the 6th 2x4 rectangle is (3, 5).
- * The only spot for 7 in the 7th 2x4 rectangle is (5, 8).
- * The only spot for 6 in the 1st $4x^2$ inner rectangle is (5, 3).
- * The only spot for 1 in the 2nd $4x^2$ inner rectangle is (7, 7).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 2: There are 14 independent moves.

- * The only spot for 3 in the 5th row is (7, 5).
- * The only spot for 8 in the 8th row is (8, 8).
- * The only spot for 8 in the 2nd column is (2, 3).
- * The only spot for 8 in the 6th column is (6, 4).
- * The only spot for 7 in the 8th column is (8, 6).
- * The only spot for 5 in the 1st 2x4 rectangle is (1, 1).
- * The only spot for 1 in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for 7 in the 4th 2x4 rectangle is (7, 1).
- * The only spot for 8 in the 5th 2x4 rectangle is (1, 7).
- * The only spot for 7 in the 6th 2x4 rectangle is (4, 7).
- * The only spot for 8 in the 7th 2x4 rectangle is (5, 5).
- * The only spot for 1 in the 1st 4x2 inner rectangle is (4, 3).
- * The only spot for 4 in the 2nd $4x^2$ inner rectangle is (7, 6).
- * The only spot for 5 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 3: There are 6 independent moves.

- * The only spot for 3 in the 4th column is (4, 8).
- * The only spot for 7 in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for 8 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 3 in the 4th 2x4 rectangle is (8, 3).
- * The only spot for 8 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 3 in the 1st 4x2 inner rectangle is (3, 2).

Step 4: There are 2 independent moves.

- * The only spot for 5 in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for 5 in the 6th 2x4 rectangle is (3, 8).

Solution for Puzzle 40

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	2	8	6	4	3	7	1
1	7	3	4	5	2	8	6
4	8	2	1	6	7	5	3
6	3	7	5	1	8	2	4
7	4	6	2	8	1	3	5
3	6	1	8	2	5	4	7
8	5	4	7	3	6	1	2
2	1	5	3	7	4	6	8

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 13

Four Medium HyperSudoku-8up Puzzles

There are four puzzles in this section ranging in difficulty from six to eight. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 41	(44/64)	DiffKey 6 / 98.7675
Puzzle 42	(41/64)	DiffKey 7 / 956.7733
Puzzle 43	(44/64)	DiffKey 7 / 656.8691
Puzzle 44	(41/64)	DiffKey 8 / 5347.6961

HyperSudoku-8up Puzzle 41, Medium/6

Variations or	n Sudoku Eig	tt Logic Pu	zzles (Vol 1)				44/64
		4			5		6
	4						
3	5			8			
			5		6		
		2			7		5
1		8					
7			4			1	3
			1		2		

Medium

Diff: 6/98.7675

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group $(1\ 2\ 3\ 4\ 5\ 6\ 7\ 8)$ exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 41

Variations on	i Sudoku Eig	tt Logic Puz	zzles (Vol 1)				44/64
	2	4	1		5	3	6
1	4				2	1	2
3	5	3		8	1		
3	3		5		6	2	
2		2		1	7		5
1	3	8	2	1	3	1	1
7	1	2	4	3	1	1	3
1			1	2	2		

Medium

Diff: 6/98.7675

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 41

Variations on	n Sudoku Eig	ht Logic Puz	zzles (Vol 1)				44/	/64
4	2	4	1	4	5	3	6	1
1	4	4	5	6	2	1	2	
3	5	3	4	8	1	6	5	
3	3	5	5	5	6	2	4	
2	6	2	5	1	7	5	5	5
1	3	8	2	1	3	1	1	
7	1	2	4	3	1	1	3	
1	5	4	1	2	2	6	6	
1 Medium		3		5		7 D	iff: 6 / 98.76	575

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 6 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

All 6 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 11 independent moves.

- * The only spot for 4 in the 6th row is (8, 6).
- * The only spot for 5 in the 6th row is (5, 6).
- * The only spot for 2 in the 7th row is (2, 7).
- * The only spot for 4 in the 6th column is (6, 3).
- * The only spot for 6 in the 1st 2x4 rectangle is (1, 2).
- * The only spot for 8 in the 2nd 2x4 rectangle is (4, 1).
- * The only spot for 5 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 5 in the 5th 2x4 rectangle is (1, 8).
- * The only spot for 1 in the 7th 2x4 rectangle is (5, 5).
- * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (6, 7).
- * The only spot for 2 in the 2nd $4x^2$ inner rectangle is (7, 6).

Step 2: There are 8 independent moves.

- * The only spot for 1 in the 1st row is (2, 1).
- * The only spot for 8 in the 2nd row is (8, 2).
- * The only spot for 1 in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for 4 in the 4th 2x4 rectangle is (7, 4).
- * The only spot for 4 in the 5th 2x4 rectangle is (1, 5).
- * The only spot for 5 in the 6th 2x4 rectangle is (3, 7).
- * The only spot for 4 in the 7th 2x4 rectangle is (5, 8).
- * The only spot for 7 in the 2nd $4x^2$ inner rectangle is (4, 6).

Step 3: There are 7 independent moves.

- * The only spot for 6 in the 6th row is (2, 6).
- * The only spot for 8 in the 1st column is (1, 4).
- * The only spot for 7 in the 1st 2x4 rectangle is (2, 4).
- * The only spot for 3 in the 4th 2x4 rectangle is (7, 1).
- * The only spot for 1 in the 1st 4x2 inner rectangle is (3, 3).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (5, 7).
- * The only spot for 3 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 4: There are 6 independent moves.

- * The only spot for 7 in the 1st row is (5, 1).
- * The only spot for 6 in the 3rd column is (3, 8).
- * The only spot for 2 in the 1st 2x4 rectangle is (1, 1).
- * The only spot for 7 in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for 1 in the 4th 2x4 rectangle is (8, 4).
- * The only spot for 6 in the 1st $4x^2$ inner rectangle is (4, 3).

Step 5: There are 7 independent moves.

- * The only spot for 2 in the 4th row is (5, 4).
- * The only spot for 3 in the 8th row is (2, 8).
- * The only spot for 3 in the 3rd column is (3, 4).
- * The only spot for 2 in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for 2 in the 4th 2x4 rectangle is (8, 3).
- * The only spot for 3 in the 6th 2x4 rectangle is (4, 5).
- * The only spot for 6 in the 8th 2x4 rectangle is (7, 5).

Step 6: There are 5 independent moves.

- * The only spot for 7 in the 8th column is (8, 8).
- * The only spot for 7 in the 4th 2x4 rectangle is (7, 3).
- * The only spot for 8 in the 5th 2x4 rectangle is (2, 5).
- * The only spot for 8 in the 8th 2x4 rectangle is (7, 8).
- * The only spot for 3 in the 1st 4x2 inner rectangle is (5, 2).

Solution for Puzzle 41

Variations on Sudoku Eight Logic Puzzles (Vol 1)

2	1	4	8	7	5	3	6
6	4	7	2	3	1	5	8
3	5	1	6	8	4	7	2
8	7	3	5	2	6	4	1
4	8	2	3	1	7	6	5
1	6	8	7	5	3	2	4
7	2	5	4	6	8	1	3
5	3	6	1	4	2	8	7

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 42, Medium/7

Variations or	n Sudoku Eig	tht Logic Pu	zzles (Vol 1)			41/64
	6	8			7	
	2		1			3
5		3		7		2
3						
		4	7	6		
		2			6	7
	4			3	2	
2				8		4

Medium

Diff: 7 / 956.7733

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group $(1\ 2\ 3\ 4\ 5\ 6\ 7\ 8)$ exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 7 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 42

Variations on Sudoku Eight Logic Puzzles (V	'ol 1)
---	--------

Variations or	ı Sudoku Eig	ht Logic Puz	zles (Vol 1)				41/64
2	6	8			1	7	
1	2		1	3	3		3
5	1	3	2	7			2
3	3	1	3				1
	3	4	7	6	1	2	
	1	2				6	7
1	4	3		3	1	2	
2	2	2	1	8			4

Medium

Diff: 7 / 956.7733

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 42

Variations on	Sudoku Eig	ht Logic Puz	zzles (Vol 1)				41	/64
2	6	8	4	5	1	7	5	1
1	2	4	1	3	3	4	3	
5	1	3	2	7	5	4	2	
3	3	1	3	4	4	5	1	
6	3	4	7	6	1	2	7	5
7	1	2	6	5	4	6	7	
1	4	3	7	3	1	2	6	•
2	2	2	1	8	5	5	4	
1 Medium		3		5		7 Dif	f: 7 / 956.7	- 733

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 10 independent moves.

- * The only spot for 7 in the 2nd row is (1, 2).
- * The only spot for 3 in the 6th row is (2, 6).
- * The only spot for 7 in the 2nd 2x4 rectangle is (3, 4).

* The only spot for 3 in the 3rd 2x4 rectangle is (6, 1).

* The only spot for 6 in the 4th 2x4 rectangle is (8, 4).

* The only spot for 6 in the 5th 2x4 rectangle is (1, 7).

* The only spot for 3 in the 6th 2x4 rectangle is (4, 8).

* The only spot for 2 in the 7th 2x4 rectangle is (6, 5).

* The only spot for 8 in the 1st $4x^2$ inner rectangle is (2, 3).

* The only spot for 7 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 2: There are 5 independent moves.

* The only spot for 6 in the 4th column is (4, 3).

* The only spot for 4 in the 1st 2x4 rectangle is (1, 1).

* The only spot for 7 in the 5th 2x4 rectangle is (2, 8).

* The only spot for 6 in the 6th 2x4 rectangle is (3, 8).

* The only spot for 3 in the 8th 2x4 rectangle is (7, 5).

Step 3: There are 6 independent moves.

* The only spot for 1 in the 1st 2x4 rectangle is (2, 4).

* The only spot for 4 in the 2nd 2x4 rectangle is (4, 4).

* The only spot for 6 in the 3rd 2x4 rectangle is (6, 2).

* The only spot for 5 in the 5th 2x4 rectangle is (2, 5).

* The only spot for 1 in the 6th 2x4 rectangle is (3, 7).

* The only spot for 4 in the 1st $4x^2$ inner rectangle is (5, 2).

Step 4: There are 7 independent moves.

* The only spot for 8 in the 2nd row is (7, 2).

* The only spot for 2 in the 4th row is (5, 4).

* The only spot for 2 in the 2nd 2x4 rectangle is (4, 1).

- * The only spot for 8 in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for 4 in the 4th 2x4 rectangle is (7, 3).
- * The only spot for 5 in the 1st $4x^2$ inner rectangle is (3, 2).

* The only spot for 4 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 5: There are 7 independent moves.

- * The only spot for 1 in the 3rd row is (6, 3).
- * The only spot for 5 in the 4th row is (7, 4).
- * The only spot for 5 in the 6th column is (6, 8).

- * The only spot for 1 in the 7th column is (7, 8).
- * The only spot for 5 in the 3rd 2x4 rectangle is (5, 1).
- * The only spot for 1 in the 4th 2x4 rectangle is (8, 1).
- * The only spot for 1 in the 2nd $4x^2$ inner rectangle is (5, 6).

Step 6: There are 3 independent moves.

- * The only spot for 5 in the 6th row is (4, 6).
- * The only spot for 1 in the 5th 2x4 rectangle is (1, 5).
- * The only spot for 5 in the 8th 2x4 rectangle is (8, 7).
- Step 7: There are 3 independent moves.
 - * The only spot for 8 in the 5th 2x4 rectangle is (1, 6).
 - * The only spot for 8 in the 8th 2x4 rectangle is (8, 5).
 - * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (4, 7).

Solution for Puzzle 42

Variations on Sudoku Eight Logic Puzzles (Vol 1)

4	6	8	2	5	3	7	1
7	2	5	1	4	6	8	3
5	8	3	6	7	1	4	2
3	1	7	4	2	8	5	6
1	5	4	7	6	2	3	8
8	3	2	5	1	4	6	7
6	4	1	8	3	7	2	5
2	7	6	3	8	5	1	4

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 43, Medium/7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)	-			44/64
		2		7		6	
4					1		
		1				2	
	6		5		4		
	2						8
						5	
8				1			2
6		7		4			1

Medium

Diff: 7 / 656.8691

11/61

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group $(1\ 2\ 3\ 4\ 5\ 6\ 7\ 8)$ exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 43

Variations on Sudoku Eight Logic Puzzles (Vol 1)

Variations or	1 Sudoku Eig	ght Logic Puz	zzles (Vol 1)				44/64
		2		7		6	2
4		3	2	1	1	2	
3		1	1			2	
1	6		5		4	1	2
	2	3	1			3	8
	3					5	1
			3			2	
8				1		2	2

Medium

Diff: 7 / 656.8691


11161

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 43



Variations on Sudoku Eight Logic Puzzles (Vol 1)

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 44 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 2 in the 1st 2x4 rectangle is (1, 4).
- * The only spot for 1 in the 4th 2x4 rectangle is (7, 4).
- * The only spot for 1 in the 6th 2x4 rectangle is (4, 5).
- * The only spot for 6 in the 8th 2x4 rectangle is (8, 6).
- * The only spot for 4 in the 1st 4x2 inner rectangle is (4, 3).
- * The only spot for 2 in the 1st $4x^2$ inner rectangle is (5, 2).

Step 2: There are 5 independent moves.

- * The only spot for 7 in the 4th row is (8, 4).
- * The only spot for 7 in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for 8 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 4 in the 4th 2x4 rectangle is (8, 1).
- * The only spot for 4 in the 2nd 4x2 inner rectangle is (7, 7).

Step 3: There are 6 independent moves.

- * The only spot for 4 in the 5th row is (3, 5).
- * The only spot for 6 in the 4th column is (4, 7).
- * The only spot for 7 in the 1st 2x4 rectangle is (1, 3).
- * The only spot for 6 in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for 4 in the 5th 2x4 rectangle is (2, 6).
- * The only spot for 7 in the 8th 2x4 rectangle is (7, 5).

Step 4: There are 8 independent moves.

- * The only spot for 7 in the 6th row is (6, 6).
- * The only spot for 1 in the 2nd column is (2, 1).
- * The only spot for 6 in the 5th column is (5, 5).
- * The only spot for 6 in the 3rd 2x4 rectangle is (6, 3).
- * The only spot for 7 in the 5th 2x4 rectangle is (2, 7).
- * The only spot for 1 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 5 in the 6th 2x4 rectangle is (3, 7).
- * The only spot for 3 in the 8th 2x4 rectangle is (7, 8).

Step 5: There are 6 independent moves.

- * The only spot for 3 in the 7th row is (6, 7).
- * The only spot for 5 in the 5th column is (5, 3).
- * The only spot for 8 in the 1st 2x4 rectangle is (2, 3).
- * The only spot for 3 in the 5th 2x4 rectangle is (1, 5).
- * The only spot for 2 in the 7th 2x4 rectangle is (6, 8).
- * The only spot for 2 in the 2nd $4x^2$ inner rectangle is (4, 6).

Step 6: There are 12 independent moves.

- * The only spot for 3 in the 3rd row is (8, 3).
- * The only spot for 8 in the 8th row is (4, 8).
- * The only spot for 3 in the 4th column is (4, 1).
- * The only spot for 8 in the 6th column is (6, 1).
- * The only spot for 5 in the 1st 2x4 rectangle is (1, 1).
- * The only spot for 3 in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for 5 in the 4th 2x4 rectangle is (8, 2).
- * The only spot for 5 in the 5th 2x4 rectangle is (2, 8).
- * The only spot for 3 in the 6th 2x4 rectangle is (3, 6).
- * The only spot for 5 in the 7th 2x4 rectangle is (6, 5).
- * The only spot for 3 in the 1st 4x2 inner rectangle is (2, 2).
- * The only spot for 8 in the 2nd $4x^2$ inner rectangle is (5, 6).

Step 7: There is 1 independent move.

* The only spot for 8 in the 2nd 2x4 rectangle is (3, 4).

Solution for Puzzle 43

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	1	2	3	7	8	6	4
4	3	6	7	2	1	8	5
7	8	1	4	5	6	2	3
2	6	8	5	3	4	1	7
3	2	4	1	6	5	7	8
1	4	3	2	8	7	5	6
8	7	5	6	1	3	4	2
6	5	7	8	4	2	3	1

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 44, Medium/8

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	5		4			2	
		1		8	3	5	
		5			2		4
2		7					
		2		3	1		8
	1					4	6
				6		3	
3			7				

Medium

Diff: 8 / 5347.6961

41/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 44

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	i Sudoku Elş	ght Logic Puz	zies (vol 1)				41/64
	5		4			2	2
2	1	1	1	8	3	5	3
		5	3		2		4
2		7					
2		2	3	3	1		8
	1	1		1		4	6
		3	1	6		3	
3			7				

Medium

Diff: 8 / 5347.6961

A1/6A

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 44

Variations on	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				41	/64
6	5	5	4	7	4	2	2	1
2	1	1	1	8	3	5	3	
6	4	5	3	5	2	5	4	
2	5	7	4	8	7	4	6	
2	4	2	3	3	1	4	8	5
7	1	1	5	1	6	4	6	
6	5	3	1	6	7	3	6	
3	6	4	7	7	6	6	7	
<i>1</i> Medium		3		5		7 Diff	: 8 / 5347.69	9 61

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for 3 in the 6th 2x4 rectangle is (3, 6).
- * The only spot for 2 in the 1st 4x2 inner rectangle is (4, 2).
- * The only spot for 4 in the 1st 4x2 inner rectangle is (2, 2).
- * The only spot for 1 in the 2nd 4x2 inner rectangle is (4, 7).
- * The only spot for 2 in the 2nd 4x2 inner rectangle is (5, 6).

Step 2: There are 3 independent moves.

* The only spot for 3 in the 1st row is (8, 1).

- * The only spot for 6 in the 2nd row is (1, 2).
- * The only spot for 4 in the 5th row is (1, 5).

Step 3: There are 4 independent moves.

- * The only spot for 7 in the 2nd row is (8, 2).
- * The only spot for 5 in the 5th row is (4, 5).
- * The only spot for 4 in the 7th row is (3, 7).
- * The only spot for 6 in the 1st 4x2 inner rectangle is (4, 3).

Step 4: There are 7 independent moves.

- * The only spot for 6 in the 1st row is (6, 1).
- * The only spot for 6 in the 5th row is (2, 5).
- * The only spot for 3 in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for 6 in the 4th 2x4 rectangle is (7, 4).
- * The only spot for 6 in the 6th 2x4 rectangle is (3, 8).
- * The only spot for 7 in the 8th 2x4 rectangle is (7, 5).
- * The only spot for 3 in the 1st 4x2 inner rectangle is (2, 3).

Step 5: There are 6 independent moves.

- * The only spot for 8 in the 4th row is (2, 4).
- * The only spot for 7 in the 2nd column is (2, 7).
- * The only spot for 8 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 8 in the 4th 2x4 rectangle is (7, 3).
- * The only spot for 8 in the 6th 2x4 rectangle is (4, 6).
- * The only spot for 7 in the 1st $4x^2$ inner rectangle is (5, 3).

Step 6: There are 9 independent moves.

- * The only spot for 1 in the 3rd row is (1, 3).
- * The only spot for 2 in the 7th row is (8, 7).
- * The only spot for 1 in the 7th column is (7, 8).
- * The only spot for 7 in the 1st 2x4 rectangle is (1, 1).
- * The only spot for 1 in the 4th 2x4 rectangle is (8, 4).

- * The only spot for 2 in the 5th 2x4 rectangle is (2, 8).
- * The only spot for 8 in the 5th 2x4 rectangle is (1, 7).
- * The only spot for 8 in the 7th 2x4 rectangle is (6, 8).
- * The only spot for 7 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 7: There are 6 independent moves.

- * The only spot for 4 in the 6th column is (6, 4).
- * The only spot for 1 in the 3rd 2x4 rectangle is (5, 1).
- * The only spot for 5 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 4 in the 7th 2x4 rectangle is (5, 8).
- * The only spot for 5 in the 8th 2x4 rectangle is (8, 8).
- * The only spot for 5 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 8: There is 1 independent move.

* The only spot for 5 in the 3rd 2x4 rectangle is (5, 4).

Solution for Puzzle 44

Variations on Sudoku Eight Logic Puzzles (Vol 1)

7	5	8	4	1	6	2	3
6	4	1	2	8	3	5	7
1	3	5	6	7	2	8	4
2	8	7	3	5	4	6	1
4	6	2	5	3	1	7	8
5	1	3	8	2	7	4	6
8	7	4	1	6	5	3	2
3	2	6	7	4	8	1	5

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 14

Four Difficult HyperSudoku-8up Puzzles

There are four puzzles in this section ranging in difficulty from eleven to twelve. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 45	(46/64)	DiffKey 11 / 352.1326.9654
Puzzle 46	(46/64)	DiffKey 12 / 6213.1114.7974
Puzzle 47	(46/64)	DiffKey 12 / 2211.1258.8951
Puzzle 48	(47/64)	DiffKey 12 / 5773.2112.4861

HyperSudoku-8up Puzzle 45, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1) 46/64									
3		2			7				
	8						7		
5				2			8		
	7				6	5			
		7				3			
6		5			2				
						4			
				3					

Difficult

Diff: 11/352.1326.9654

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group $(1\ 2\ 3\ 4\ 5\ 6\ 7\ 8)$ exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 45

Variations on	i Sudoku Eig	ht Logic Pu	zzles (Vol 1)				46/64
3		2			7		2
3	8					2	7
5			1	2			8
2	7				6	5	1
		7				3	
6	1	5	2		2		
	2					4	3
				3			

Difficult

Diff: 11 / 352.1326.9654

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 45

Variations on	Variations on Sudoku Eight Logic Puzzles (Vol 1) 46/64								
3	7	2	7	6	7	8	2	1	
3	8	5	6	7	8	2	7		
5	8	4	1	2	5	7	8	-	
2	7	10	10	5	6	5	1		
11	9	7	10	9	11	3	8	5	
6	1	5	2	8	2	7	9		
8	2	9	9	7	8	4	3		
10	10	8	11	3	11	8	9		
1		3		5		7		-	
Difficult						Diff: 11 /	352.1326.96	554	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 3 independent moves.

- * The only spot for 4 in the 6th row is (2, 6).
- * The only spot for 3 in the 4th 2x4 rectangle is (8, 4).
- * The only spot for 7 in the 1st 4x2 inner rectangle is (4, 3).

Step 2: There are 5 independent moves.

- * The only spot for 2 in the 4th row is (1, 4).
- * The only spot for 3 in the 6th row is (4, 6).
- * The only spot for 2 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 4 in the 4th 2x4 rectangle is (8, 1).
- * The only spot for 3 in the 5th 2x4 rectangle is (2, 7).
- Step 3: There are 2 independent moves.
 - * The only spot for 2 in the 7th row is (8, 7).
 - * The only spot for 4 in the 1st 2x4 rectangle is (1, 2).
- Step 4: There is 1 independent move.
- * The only spot for 4 in the 1st $4x^2$ inner rectangle is (3, 3).
- Step 5: There are 3 independent moves.
 - * The only spot for 3 in the 3rd row is (6, 3).
 - * The only spot for 4 in the 3rd 2x4 rectangle is (5, 4).
 - * The only spot for 3 in the 1st $4x^2$ inner rectangle is (3, 2).

Step 6: There are 2 independent moves.

- * The only spot for 6 in the 2nd row is (4, 2).
- * The only spot for 8 in the 3rd 2x4 rectangle is (5, 1).

Step 7: There are 6 independent moves.

- * The only spot for 6 in the 3rd row is (7, 3).
- * The only spot for 8 in the 6th row is (7, 6).
- * The only spot for 6 in the 1st 2x4 rectangle is (2, 1).
- * The only spot for 5 in the 2nd 2x4 rectangle is (4, 1).
- * The only spot for 5 in the 1st $4x^2$ inner rectangle is (5, 2).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (5, 7).

Step 8: There are 9 independent moves.

- * The only spot for 6 in the 5th row is (8, 5).
- * The only spot for 7 in the 7th row is (1, 7).
- * The only spot for 1 in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for 1 in the 4th 2x4 rectangle is (7, 1).
- * The only spot for 6 in the 6th 2x4 rectangle is (3, 8).
- * The only spot for 7 in the 8th 2x4 rectangle is (7, 8).

- * The only spot for 1 in the 1st $4x^2$ inner rectangle is (2, 3).
- * The only spot for 5 in the 2nd $4x^2$ inner rectangle is (6, 7).

* The only spot for 7 in the 2nd $4x^2$ inner rectangle is (5, 6).

Step 9: There are 6 independent moves.

* The only spot for 5 in the 5th row is (2, 5).

* The only spot for 1 in the 6th row is (8, 6).

* The only spot for 8 in the 7th row is (3, 7).

* The only spot for 1 in the 7th 2x4 rectangle is (5, 5).

* The only spot for 5 in the 8th 2x4 rectangle is (8, 8).

* The only spot for 1 in the 2nd $4x^2$ inner rectangle is (4, 7).

Step 10: There are 5 independent moves.

* The only spot for 2 in the 5th row is (4, 5).

* The only spot for 8 in the 2nd 2x4 rectangle is (4, 4).

* The only spot for 1 in the 2nd 2x4 rectangle is (3, 4).

* The only spot for 2 in the 5th 2x4 rectangle is (2, 8).

* The only spot for 1 in the 5th 2x4 rectangle is (1, 8).

Step 11: There are 4 independent moves.

* The only spot for 4 in the 5th row is (6, 5).

* The only spot for 8 in the 8th row is (6, 8).

* The only spot for 8 in the 5th 2x4 rectangle is (1, 5).

* The only spot for 4 in the 6th 2x4 rectangle is (4, 8).

Solution for Puzzle 45

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	6	2	5	8	7	1	4
4	8	3	6	5	1	2	7
5	1	4	7	2	3	6	8
2	7	1	8	4	6	5	3
8	5	7	2	1	4	3	6
6	4	5	3	7	2	8	1
7	3	8	1	6	5	4	2
1	2	6	4	3	8	7	5

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 46, Difficult/12

Variations on	Sudoku	Eight Logic	Puzzles	(Vol 1)
---------------	--------	-------------	---------	---------

variations of	i Suuoku Eis	sin Logic I u	zzies (vol 1)				46/64
			8		5		2
				1			
							4
6				2		3	
4			2			7	
	2				6		
		8				4	3
		6			7		

Difficult

Diff: 12/6213.1114.7974

46/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 46

Variations or	n Sudoku Eig	tht Logic Pu	zzles (Vol 1)				46/64
	2		8		5		2
			3	1			
							4
6				2		3	
4			2		2	7	1
	2	1			6		
	1	8			1	4	3
		6		1	7	1	

Difficult

Diff: 12/6213.1114.7974

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 46

Variations on	i Sudoku Eig	ht Logic Puz	zles (Vol 1)				46/0	64
9	2	8	8	5	5	10	2	1
11	11	12	3	1	12	4	8	
10	12	11	4	6	12	9	4	
6	7	9	10	2	4	3	8	
4	10	11	2	10	2	7	1	5
11	2	1	10	11	6	9	9	
10	1	8	9	11	1	4	3	
9	8	6	10	1	7	1	10	
<i>1</i> Difficult		3		5		7 Diff: 12/6	213.1114.797	74

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for 4 in the 6th row is (3, 6).
- * The only spot for 6 in the 7th row is (2, 7).
- * The only spot for 4 in the 7th 2x4 rectangle is (5, 8).
- * The only spot for 2 in the 8th 2x4 rectangle is (7, 8).
- * The only spot for 6 in the 8th 2x4 rectangle is (8, 5).
- * The only spot for 2 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 2: There are 2 independent moves.

- * The only spot for 4 in the 1st row is (2, 1).
- * The only spot for 1 in the 7th 2x4 rectangle is (6, 5).
- Step 3: There is 1 independent move.
 - * The only spot for 4 in the 1st $4x^2$ inner rectangle is (4, 2).

Step 4: There are 3 independent moves.

- * The only spot for 6 in the 2nd row is (7, 2).
- * The only spot for 6 in the 2nd 2x4 rectangle is (4, 3).

* The only spot for 4 in the 3rd 2x4 rectangle is (6, 4).

Step 5: There is 1 independent move.

- * The only spot for 6 in the 3rd 2x4 rectangle is (5, 1).
- Step 6: There is 1 independent move.
- * The only spot for 7 in the 3rd 2x4 rectangle is (5, 3).
- Step 7: There is 1 independent move.
- * The only spot for 7 in the 2nd column is (2, 4).

Step 8: There are 4 independent moves.

- * The only spot for 8 in the 4th row is (8, 4).
- * The only spot for 1 in the 2nd column is (2, 8).
- * The only spot for 7 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 7 in the 4th 2x4 rectangle is (8, 2).

Step 9: There are 7 independent moves.

- * The only spot for 3 in the 1st row is (1, 1).
- * The only spot for 1 in the 7th row is (4, 7).
- * The only spot for 8 in the 8th row is (1, 8).
- * The only spot for 1 in the 3rd column is (3, 4).
- * The only spot for 1 in the 8th column is (8, 6).
- * The only spot for 5 in the 4th 2x4 rectangle is (7, 3).
- * The only spot for 8 in the 8th 2x4 rectangle is (7, 6).

Step 10: There are 9 independent moves.

- * The only spot for 5 in the 4th row is (4, 4).
- * The only spot for 7 in the 7th row is (1, 7).
- * The only spot for 3 in the 8th row is (4, 8).
- * The only spot for 1 in the 1st 2x4 rectangle is (1, 3).
- * The only spot for 1 in the 4th 2x4 rectangle is (7, 1).
- * The only spot for 3 in the 5th 2x4 rectangle is (2, 5).
- * The only spot for 8 in the 7th 2x4 rectangle is (5, 5).
- * The only spot for 5 in the 8th 2x4 rectangle is (8, 8).
- * The only spot for 7 in the 2nd $4x^2$ inner rectangle is (4, 6).

Step 11: There are 7 independent moves.

- * The only spot for 2 in the 3rd row is (3, 3).
- * The only spot for 5 in the 7th row is (5, 7).
- * The only spot for 2 in the 1st 2x4 rectangle is (1, 2).
- * The only spot for 5 in the 5th 2x4 rectangle is (1, 6).
- * The only spot for 5 in the 6th 2x4 rectangle is (3, 5).
- * The only spot for 5 in the 1st $4x^2$ inner rectangle is (2, 2).
- * The only spot for 3 in the 2nd 4x2 inner rectangle is (5, 6).

Step 12: There are 4 independent moves.

- * The only spot for 8 in the 2nd row is (6, 2).
- * The only spot for 3 in the 3rd row is (6, 3).
- * The only spot for 8 in the 1st $4x^2$ inner rectangle is (2, 3).
- * The only spot for 3 in the 1st $4x^2$ inner rectangle is (3, 2).

Solution for Puzzle 46

Variations on Sudoku Eight Logic Puzzles (Vol 1)

3	4	7	8	6	5	1	2
2	5	3	4	1	8	6	7
1	8	2	6	7	3	5	4
6	7	1	5	2	4	3	8
4	3	5	2	8	1	7	6
5	2	4	7	3	6	8	1
7	6	8	1	5	2	4	3
8	1	6	3	4	7	2	5

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 47, Difficult/12

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6		ght Logic Pu		5			46/64
		6					8
			5			7	
	4		8		2		
				1			
8			1		4		2
7						3	
		5	7				

Difficult

Diff: 12/2211.1258.8951

16/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (1 2 3 4 5 6 7 8) exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 47

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	i Sudoku Ele	tht Logic Puz	(10)	5	3		46/64
	2	6					8
			5			7	
	4	2	8		2		
				1			1
8			1	1	4		2
7						3	
		5	7				

Difficult

Diff: 12/2211.1258.8951

16/6/

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 47

Variations on	Sudoku Eig	ht Logic Puz					46/64
6	4	11	9	5	3	10	9
8	2	6	10	6	9	11	8
11	11	10	5	5	8	7	7
10	4	2	8	10	2	9	8
12	11	7	9	1	7	8	1
8	8	9	1	1	4	7	2
7	8	8	10	10	6	3	9
8	9	5	7	10	10	7	10
1 Difficult		3		5		7 Diff: 12/2	211.1258.895

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 46 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 2 independent moves.

* The only spot for 7 in the 8th 2x4 rectangle is (8, 5).

* The only spot for 7 in the 2nd $4x^2$ inner rectangle is (5, 6).

Step 2: There are 2 independent moves.

* The only spot for 7 in the 4th row is (3, 4).

* The only spot for 7 in the 1st $4x^2$ inner rectangle is (2, 2).

Step 3: There is 1 independent move.

* The only spot for 7 in the 3rd 2x4 rectangle is (6, 1).

Step 4: There is 1 independent move.

* The only spot for 8 in the 1st row is (2, 1).

Step 5: There is 1 independent move.

* The only spot for 8 in the 1st $4x^2$ inner rectangle is (5, 3).

Step 6: There are 2 independent moves.

* The only spot for 4 in the 3rd 2x4 rectangle is (5, 2).

* The only spot for 8 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 7: There are 5 independent moves.

* The only spot for 4 in the 3rd row is (8, 3).

* The only spot for 8 in the 8th row is (7, 8).

* The only spot for 8 in the 6th 2x4 rectangle is (3, 5).

* The only spot for 5 in the 7th 2x4 rectangle is (6, 5).

* The only spot for 5 in the 2nd $4x^2$ inner rectangle is (7, 6).

Step 8: There are 8 independent moves.

- * The only spot for 5 in the 2nd row is (1, 2).
- * The only spot for 6 in the 3rd row is (6, 3).
- * The only spot for 6 in the 6th row is (2, 6).
- * The only spot for 4 in the 7th row is (3, 7).
- * The only spot for 4 in the 8th row is (1, 8).
- * The only spot for 5 in the 4th 2x4 rectangle is (8, 4).
- * The only spot for 5 in the 5th 2x4 rectangle is (2, 7).
- * The only spot for 4 in the 8th 2x4 rectangle is (7, 5).

Step 9: There are 8 independent moves.

* The only spot for 6 in the 5th row is (4, 5).

* The only spot for 3 in the 6th row is (3, 6).

- * The only spot for 1 in the 7th row is (8, 7).
- * The only spot for 4 in the 2nd 2x4 rectangle is (4, 1).

- * The only spot for 1 in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for 6 in the 4th 2x4 rectangle is (7, 4).
- * The only spot for 3 in the 4th 2x4 rectangle is (8, 1).
- * The only spot for 1 in the 5th 2x4 rectangle is (2, 8).

Step 10: There are 10 independent moves.

- * The only spot for 1 in the 4th row is (1, 4).
- * The only spot for 2 in the 8th row is (5, 8).
- * The only spot for 3 in the 6th column is (6, 8).
- * The only spot for 3 in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for 3 in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for 1 in the 4th 2x4 rectangle is (7, 1).
- * The only spot for 2 in the 6th 2x4 rectangle is (4, 7).
- * The only spot for 6 in the 8th 2x4 rectangle is (8, 8).
- * The only spot for 1 in the 1st 4x2 inner rectangle is (3, 3).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (5, 7).

Step 11: There are 5 independent moves.

- * The only spot for 3 in the 2nd column is (2, 5).
- * The only spot for 3 in the 1st 2x4 rectangle is (1, 3).
- * The only spot for 2 in the 2nd 2x4 rectangle is (3, 1).
- * The only spot for 2 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 2 in the 1st $4x^2$ inner rectangle is (2, 3).
- Step 12: There is 1 independent move.
 - * The only spot for 2 in the 5th 2x4 rectangle is (1, 5).

Solution for Puzzle 47

Variations on Sudoku Eight Logic Puzzles (Vol 1)

6	8	2	4	5	7	1	3
5	7	6	3	4	1	2	8
3	2	1	5	8	6	7	4
1	4	7	8	3	2	6	5
2	3	8	6	1	5	4	7
8	6	3	1	7	4	5	2
7	5	4	2	6	8	3	1
4	1	5	7	2	3	8	6

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

HyperSudoku-8up Puzzle 48, Difficult/12

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations of	i Sudoku Lig	in Logie I u	zzles (Vol 1)				4 //64
		8			1		
8			1				
					3	2	
	7						5
			4			5	
		1	8	2			4
3							
				5	7		

Difficult

Diff: 12 / 5773.2112.4861

17/6/

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group $(1\ 2\ 3\ 4\ 5\ 6\ 7\ 8)$ exactly once in each row, each column, each 2x4 rectangle, and each 4x2 inner rectangle.

There are 12 steps required to solve the puzzle above with a total of 47 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 48

Variations on Sudoku Eight Logic Puzzles (Vol 1)

	i Sudoku Eig	gin Logic I uz					4 //64
3		8			1		
8			1		1		
		2		1	3	2	3
3	7				2	2	5
		3	4	1	2	5	
2	3	1	8	2		1	4
3			1	2	3	2	
				5	7	3	

Difficult

Diff: 12 / 5773.2112.4861

17/6/

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 47 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 48

Variations or	n Sudoku Eig	ht Logic Puz	zles (Vol 1)				47/6
3	8	8	10	5	1	9	6
8	7	8	1	10	1	10	5
11	11	2	4	1	3	2	3
3	7	9	10	11	2	2	5
10	4	3	4	1	2	5	11
2	3	1	8	2	4	1	4
3	10	11	1	2	3	2	9
12	11	10	9	5	7	3	10
1 Difficult		3		5		7 Diff: 12/5	773.2112.486

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 47 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for 5 in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for 3 in the 7th 2x4 rectangle is (5, 5).
- * The only spot for 8 in the 1st 4x2 inner rectangle is (5, 3).
- * The only spot for 5 in the 2nd $4x^2$ inner rectangle is (4, 7).
- * The only spot for 3 in the 2nd 4x2 inner rectangle is (7, 6).

Step 2: There are 7 independent moves.

- * The only spot for 7 in the 6th row is (1, 6).
- * The only spot for 5 in the 2nd 2x4 rectangle is (3, 3).
- * The only spot for 2 in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for 8 in the 4th 2x4 rectangle is (7, 4).
- * The only spot for 1 in the 7th 2x4 rectangle is (5, 7).
- * The only spot for 8 in the 7th 2x4 rectangle is (6, 5).
- * The only spot for 7 in the 2nd $4x^2$ inner rectangle is (7, 7).

Step 3: There are 7 independent moves.

- * The only spot for 1 in the 4th row is (1, 4).
- * The only spot for 5 in the 1st column is (1, 1).
- * The only spot for 1 in the 7th column is (7, 8).
- * The only spot for 1 in the 4th 2x4 rectangle is (8, 3).
- * The only spot for 5 in the 5th 2x4 rectangle is (2, 6).
- * The only spot for 7 in the 6th 2x4 rectangle is (3, 5).
- * The only spot for 4 in the 2nd $4x^2$ inner rectangle is (6, 7).

Step 4: There are 3 independent moves.

- * The only spot for 7 in the 3rd row is (4, 3).
- * The only spot for 1 in the 5th 2x4 rectangle is (2, 5).
- * The only spot for 6 in the 2nd $4x^2$ inner rectangle is (6, 6).

Step 5: There are 2 independent moves.

- * The only spot for 7 in the 2nd row is (8, 2).
- * The only spot for 7 in the 3rd 2x4 rectangle is (5, 1).
- Step 6: There is 1 independent move.
- * The only spot for 3 in the 4th 2x4 rectangle is (8, 1).
- Step 7: There is 1 independent move.
- * The only spot for 3 in the 1st 2x4 rectangle is (2, 2).

Step 8: There are 2 independent moves.

- * The only spot for 2 in the 1st 2x4 rectangle is (2, 1).
- * The only spot for 2 in the 1st $4x^2$ inner rectangle is (3, 2).

Step 9: There are 4 independent moves.

- * The only spot for 4 in the 1st row is (7, 1).
- * The only spot for 2 in the 7th row is (8, 7).
- * The only spot for 4 in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for 2 in the 6th 2x4 rectangle is (4, 8).

Step 10: There are 8 independent moves.

- * The only spot for 6 in the 1st row is (4, 1).
- * The only spot for 8 in the 7th row is (2, 7).
- * The only spot for 3 in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for 4 in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for 6 in the 4th 2x4 rectangle is (7, 2).
- * The only spot for 2 in the 5th 2x4 rectangle is (1, 5).
- * The only spot for 3 in the 6th 2x4 rectangle is (3, 8).
- * The only spot for 8 in the 8th 2x4 rectangle is (8, 8).

Step 11: There are 6 independent moves.

- * The only spot for 4 in the 2nd column is (2, 8).
- * The only spot for 4 in the 1st 2x4 rectangle is (1, 3).
- * The only spot for 6 in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for 6 in the 6th 2x4 rectangle is (3, 7).
- * The only spot for 6 in the 8th 2x4 rectangle is (8, 5).
- * The only spot for 6 in the 1st $4x^2$ inner rectangle is (2, 3).

Step 12: There is 1 independent move.

* The only spot for 6 in the 5th 2x4 rectangle is (1, 8).

Solution for Puzzle 48

Variations on Sudoku Eight Logic Puzzles (Vol 1)

5	2	8	6	7	1	4	3
8	3	2	1	4	5	6	7
4	6	5	7	8	3	2	1
1	7	4	3	6	2	8	5
2	1	7	4	3	8	5	6
7	5	1	8	2	6	3	4
3	8	6	5	1	4	7	2
6	4	3	2	5	7	1	8

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 15

Four Easy Super-Birthday Puzzles

All four puzzles in this section are at difficulty level four. The puzzles are arranged by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 49	(32/64)	DiffKey 4 / 9952
Puzzle 50	(32/64)	DiffKey 4 / 9941
Puzzle 51	(35/64)	DiffKey 4 / 9982
Puzzle 52	(38/64)	DiffKey 4 / 9993

Super-Birthday Puzzle 49, Easy/4

Variations or	ı Sudoku Eig	ght Logic Pu	zzles (Vol 1)				32/64
В	I	R	Т	Н	D	Α	Y
	Υ						В
	Α				Y		
		Υ			Т	I	Н
I		Т				В	
Α		В	R	Y			
Υ		Α			В	D	
	В			Т		Υ	

Easy

Diff: 4 / 9952

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 49

Variations on	ı Sudoku Eig	ght Logic Puz	zles (Vol 1)				32/64
В	I	R	Т	Н	D	Α	Υ
2	Y	3	1	1	2	1	В
1	Α	3		2	Y	2	1
3	2	Υ	2	1	Т	I	Н
I	2	Т	1	1	2	В	3
	1					1	1
Α	1	В	R	Υ		1	1
A Y	1	B A	R	Y	I B	D	I
		_		2 2 T	I B		1

Easy

Diff: 4 / 9952

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 49

Variations on	n Sudoku Eig	ht Logic Puz	zzles (Vol 1)				32	/64
В	-	R	Т	Н	D	Α	Y	1
2	Υ	3	1	1	2	1	В	
1	Α	3	4	2	Y	2	1	
3	2	Y	2	1	Т	-	Η	
I	2	Т	1	1	2	В	3	5
Α	1	В	R	Υ		1	1	
Υ	1	Α	2	2	В	D	I	
2	В	4	3	Т	1	Υ	2	
1 Easy		3		5		7	Diff: 4/99	9 52

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for D in the 6th row is (2, 6).
- * The only spot for T in the 8th column is (8, 6).
- * The only spot for H in the 8th $4x^2$ rectangle is (6, 8).
- * The only spot for T in the 1st 2x4 rectangle is (1, 3).
- * The only spot for A in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for A in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for I in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for D in the 4th 2x4 rectangle is (8, 3).
- * The only spot for T in the 4th 2x4 rectangle is (7, 2).
- * The only spot for T in the 5th 2x4 rectangle is (2, 7).
- * The only spot for Y in the 6th 2x4 rectangle is (4, 5).
- * The only spot for D in the 7th 2x4 rectangle is (5, 5).
- * The only spot for H in the 8th 2x4 rectangle is (7, 6).

Step 2: There are 12 independent moves.

- * The only spot for B in the 4th row is (4, 4).
- * The only spot for R in the 7th row is (5, 7).
- * The only spot for R in the 2nd column is (2, 4).
- * The only spot for R in the 2nd 4x2 rectangle is (6, 2).
- * The only spot for A in the 8th 4x2 rectangle is (8, 8).
- * The only spot for H in the 1st 2x4 rectangle is (1, 2).
- * The only spot for B in the 3rd 2x4 rectangle is (5, 3).
- * The only spot for R in the 4th 2x4 rectangle is (7, 3).
- * The only spot for R in the 5th 2x4 rectangle is (1, 8).
- * The only spot for H in the 5th 2x4 rectangle is (2, 5).
- * The only spot for H in the 6th 2x4 rectangle is (4, 7).
- * The only spot for A in the 7th 2x4 rectangle is (6, 5).

Step 3: There are 5 independent moves.

* The only spot for D in the 4th column is (4, 8).

- * The only spot for D in the 1st 2x4 rectangle is (1, 4).
- * The only spot for H in the 2nd 2x4 rectangle is (3, 3).
- * The only spot for D in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for R in the 8th 2x4 rectangle is (8, 5).

Step 4: There are 2 independent moves.

- * The only spot for I in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for I in the 6th 2x4 rectangle is (3, 8).

Solution for Puzzle 49

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Τ	Η	D	Α	Y
Н	Y	D	Α		R	Т	В
Т	Α	Η		В	Y	R	D
D	R	Y	В	Α	Т		Η
I	Η	Т	Υ	D	Α	В	R
Α	D	В	R	Y		Н	Т
Υ	Т	Α	Η	R	В	D	
R	В		D	Т	н	Υ	Α

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 50, Easy/4

Variations or	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)				32/64
В	I	R	Т	Н	D	Α	Υ
			Н				
				Υ		I	
Υ	Т					R	
	В	Т		Α	Η		
		Н	Υ	Т			
		I				В	Α
D	Y	В		I			Τ

Easy

Diff: 4 / 9941

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 50

Variations on	n Sudoku Eig	ght Logic Puz	zzles (Vol 1)				32/64
В	Ι	R	Т	Η	D	Α	Υ
3	2	1	Н	1	I	1	2
2	3	3	1	Υ	1	I	2
Υ	Т	2		2	2	R	1
1	В	Т	1	Α	Η	1	1
3		H	Y	Т	1	1	
1	2	I	2	1	1	В	Α
	V	В	1		2	1	Т

Easy

Diff: 4 / 9941

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 50

Variations on	i Sudoku Eig	ht Logic Puz	zles (Vol 1)				32/	64
В	-	R	Т	Н	D	Α	Υ	1
3	2	1	Η	1	I	1	2	
2	3	3	1	Y	1	I	2	
Υ	Т	2		2	2	R	1	
1	В	Т	1	Α	Н	1	1	5
3	4	Η	Y	Т	1	1	I	
1	2	I	2	1	1	В	Α	
D	Υ	В	1	Ι	2	1	Т	
1 Easy		3		5		7	Diff: 4 / 994	41

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 32 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 17 independent moves.

- * The only spot for H in the 4th row is (8, 4).
- * The only spot for D in the 6th row is (7, 6).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for Y in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for T in the 3rd 2x4 rectangle is (6, 3).
- * The only spot for R in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for T in the 4th 2x4 rectangle is (7, 2).
- * The only spot for T in the 5th 2x4 rectangle is (1, 7).
- * The only spot for I in the 5th 2x4 rectangle is (1, 5).
- * The only spot for A in the 6th 2x4 rectangle is (4, 8).
- * The only spot for D in the 6th 2x4 rectangle is (4, 5).
- * The only spot for Y in the 7th 2x4 rectangle is (6, 7).
- * The only spot for D in the 7th 2x4 rectangle is (5, 7).
- * The only spot for B in the 7th 2x4 rectangle is (6, 6).
- * The only spot for H in the 8th 2x4 rectangle is (7, 8).
- * The only spot for R in the 8th 2x4 rectangle is (8, 5).
- * The only spot for Y in the 8th 2x4 rectangle is (7, 5).

Step 2: There are 10 independent moves.

- * The only spot for D in the 4th row is (3, 4).
- * The only spot for H in the 1st column is (1, 3).
- * The only spot for D in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for A in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for B in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for D in the 4th 2x4 rectangle is (8, 3).
- * The only spot for B in the 4th 2x4 rectangle is (8, 2).
- * The only spot for H in the 5th 2x4 rectangle is (2, 7).
- * The only spot for R in the 6th 2x4 rectangle is (4, 7).

* The only spot for R in the 7th 2x4 rectangle is (6, 8).

Step 3: There are 4 independent moves.

- * The only spot for R in the 1st column is (1, 6).
- * The only spot for A in the 1st $4x^2$ rectangle is (1, 2).
- * The only spot for R in the 1st 2x4 rectangle is (2, 3).
- * The only spot for A in the 2nd 2x4 rectangle is (3, 3).

Step 4: There is 1 independent move.

* The only spot for A in the 5th 2x4 rectangle is (2, 6).

Solution for Puzzle 50

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Τ	Η	D	Α	Y
Α	D	Y	Н	R		Т	В
Н	R	Α	В	Y	Т	I	D
Υ	Т	D		В	Α	R	Η
I	В	Т	D	Α	Н	Y	R
R	Α	H	Y	Т	В	D	
Т	Η		R	D	Y	В	Α
D	Y	В	Α	Ι	R	Η	Τ

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 51, Easy/4

Variations or	n Sudoku Eig	ght Logic Puz	zzles (Vol 1)				35/64
В		R	Т	Н	D	Α	Υ
		Υ			R		
			Н	Α	В	D	R
	D		В				
	В			R			Н
		Н					
н	Α			D		R	
Т			Y		Η	Ι	

Easy

Diff: 4/9982

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 51

Variations on Sudoku Eight Logic Puzzles (Vol 1) 35/64									
В		R	Т	Η	D	Α	Υ		
2	1	Y	1		R	3	3		
2	1	1	Η	Α	В	D	R		
1	D	2	В	2	3	1			
2	В	1	2	R	3	3	Н		
3	2	Н	1	3	2	3	1		
н	Α	2	2	D	1	R	2		
Т	1	1	Υ	2	Η	Ι	1		
Fasy Diff [.] 4/9982									

Easy

Diff: 4 / 9982

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 51

Variations on Sudoku Eight Logic Puzzles (Vol 1) 35/64									
В		R	Т	Н	D	Α	Y ¹		
2	1	Υ	1	4	R	3	3		
2	1	1	Η	Α	В	D	R		
1	D	2	В	2	3	1	4		
2	В	1	2	R	3	3	H 5		
3	2	н	1	3	2	3	1		
Н	Α	2	2	D	1	R	2		
Т	1	1	Y	2	Н	Ι	1		
1 Easy		3		5		7	Diff: 4 / 9982		

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 35 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 13 independent moves.

- * The only spot for I in the 3rd row is (3, 3).
- * The only spot for D in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for R in the 7th $4x^2$ rectangle is (2, 8).
- * The only spot for A in the 8th $4x^2$ rectangle is (8, 8).
- * The only spot for Y in the 8th $4x^2$ rectangle is (6, 7).
- * The only spot for R in the 1st 2x4 rectangle is (1, 4).
- * The only spot for T in the 1st 2x4 rectangle is (2, 3).
- * The only spot for H in the 1st 2x4 rectangle is (2, 2).
- * The only spot for D in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for H in the 4th 2x4 rectangle is (7, 4).
- * The only spot for R in the 6th 2x4 rectangle is (4, 6).
- * The only spot for T in the 6th 2x4 rectangle is (3, 5).
- * The only spot for D in the 8th 2x4 rectangle is (8, 6).

Step 2: There are 12 independent moves.

- * The only spot for A in the 6th row is (6, 6).
- * The only spot for B in the 8th row is (5, 8).
- * The only spot for Y in the 2nd column is (2, 6).
- * The only spot for I in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for T in the 8th 4x2 rectangle is (8, 7).
- * The only spot for Y in the 1st 2x4 rectangle is (1, 3).
- * The only spot for A in the 1st 2x4 rectangle is (1, 2).
- * The only spot for A in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for Y in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for D in the 5th 2x4 rectangle is (1, 5).
- * The only spot for B in the 6th 2x4 rectangle is (3, 7).
- * The only spot for A in the 6th 2x4 rectangle is (4, 5).

Step 3: There are 8 independent moves.

* The only spot for I in the 5th row is (6, 5).

- * The only spot for B in the 8th column is (8, 2).
- * The only spot for T in the 4th $4x^2$ rectangle is (6, 4).
- * The only spot for T in the 4th 2x4 rectangle is (7, 2).
- * The only spot for I in the 5th 2x4 rectangle is (1, 6).
- * The only spot for T in the 7th 2x4 rectangle is (5, 6).
- * The only spot for B in the 8th 2x4 rectangle is (7, 6).
- * The only spot for Y in the 8th 2x4 rectangle is (7, 5).

Step 4: There are 2 independent moves.

- * The only spot for I in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for I in the 4th 2x4 rectangle is (8, 4).

Solution for Puzzle 51

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Т	Η	D	Α	Y
Α	Η	Y	D		R	Т	В
Υ	Т	I	Η	Α	В	D	R
R	D	A	В	Y	Т	H	
D	В	Т	Α	R		Υ	Η
	Y	H	R	Т	Α	В	D
Н	Α	В		D	Y	R	Т
Т	R	D	Y	В	Η	Ι	Α

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 52, Easy/4

Variations on Sudoku Eight Logic Puzzles (Vol 1) 38/64									
В		R	Т	H	D	Α	Y		
			Α				R		
Y							D		
		-							
I	Υ				Т				
Η		Т				В			
						R	I		
R		D		В	Η				

Easy

Diff: 4 / 9993

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 4 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 52

Variations on Sudoku Eight Logic Puzzles (Vol 1) 38/64									
В		R	Т	Н	D	Α	Υ		
2	2	1	Α	2	1	1	R		
Υ		3	3	3			D		
3			1	2	3	3	1		
I	Υ	2	3	3	Т	1	2		
н	1	Т	3	1	2	В	3		
2	1	3	2	1	3	R			
R	3	D	1	В	Η	1	2		
Easy						-);ff: 4 / 0002		

Easy

Diff: 4 / 9993

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 52

Variations on Sudoku Eight Logic Puzzles (Vol 1) 38/64									
В		R	Т	Η	D	Α	Y	1	
2	2	1	Α	2	1	1	R		
Υ	4	3	3	3	I	4	D		
3	4		1	2	3	3	1		
I	Υ	2	3	3	Т	1	2	5	
н	1	Т	3	1	2	В	3	_	
2	1	3	2	1	3	R			
R	3	D	1	В	Η	1	2		
1 Easy		3		5		7	Diff: 4/99	993	

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 4 steps required to solve the puzzle above with a total of 38 empty locations that must be determined, out of a total puzzle size of 64.

All 4 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 12 independent moves.

- * The only spot for B in the 2nd $4x^2$ rectangle is (6, 2).
- * The only spot for D in the 8th $4x^2$ rectangle is (5, 7).
- * The only spot for D in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for Y in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for B in the 4th 2x4 rectangle is (8, 4).
- * The only spot for I in the 4th 2x4 rectangle is (7, 2).
- * The only spot for B in the 5th 2x4 rectangle is (2, 7).
- * The only spot for D in the 5th 2x4 rectangle is (2, 6).
- * The only spot for I in the 6th 2x4 rectangle is (4, 8).
- * The only spot for I in the 7th 2x4 rectangle is (5, 6).
- * The only spot for Y in the 8th 2x4 rectangle is (7, 8).
- * The only spot for D in the 8th 2x4 rectangle is (7, 5).

Step 2: There are 10 independent moves.

* The only spot for T in the 7th row is (1, 7).

- * The only spot for Y in the 5th column is (5, 4).
- * The only spot for H in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for T in the 2nd 4x2 rectangle is (5, 2).
- * The only spot for A in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for D in the 1st 2x4 rectangle is (1, 2).
- * The only spot for Y in the 6th 2x4 rectangle is (4, 7).
- * The only spot for Y in the 7th 2x4 rectangle is (6, 6).
- * The only spot for T in the 8th 2x4 rectangle is (8, 8).

* The only spot for H in the 8th 2x4 rectangle is (8, 5).

Step 3: There are 13 independent moves.

- * The only spot for H in the 4th row is (7, 4).
- * The only spot for R in the 6th row is (4, 6).
- * The only spot for A in the 1st column is (1, 4).
- * The only spot for B in the 3rd column is (3, 3).
- * The only spot for H in the 4th column is (4, 3).
- * The only spot for A in the 5th column is (5, 3).
- * The only spot for R in the 6th column is (6, 4).
- * The only spot for A in the 5th 2x4 rectangle is (2, 8).
- * The only spot for H in the 6th 2x4 rectangle is (3, 7).
- * The only spot for B in the 6th 2x4 rectangle is (4, 5).
- * The only spot for A in the 7th 2x4 rectangle is (6, 7).

- * The only spot for R in the 7th 2x4 rectangle is (5, 5).
- * The only spot for A in the 8th 2x4 rectangle is (8, 6).

Step 4: There are 3 independent moves.

- * The only spot for T in the 4th row is (2, 4).
- * The only spot for R in the 1st 2x4 rectangle is (2, 3).
- * The only spot for T in the 4th 2x4 rectangle is (7, 3).

Solution for Puzzle 52

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Т	Η	D	Α	Y
D	Η	Y	Α	Τ	В		R
Υ	R	В	Η	Α		Т	D
Α	Τ		D	Υ	R	Н	В
I	Y	Α	В	R	Т	D	Н
н	D	Т	R	I	Υ	В	Α
Т	В	Η	Y	D	Α	R	
R	Α	D		В	Η	Y	Τ

Easy

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 16

Four Medium Super-Birthday Puzzles

There are four puzzles in this section ranging in difficulty from five to eight. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (empty/total).

See page 39 for an explaination of the DiffKey ratings.

Puzzle 53	(34/64)	DiffKey 5 / 8.9941
Puzzle 54	(40/64)	DiffKey 7 / 977.7441
Puzzle 55	(43/64)	DiffKey 7 / 859.5682
Puzzle 56	(40/64)	DiffKey 8 / 8764.3543

Super-Birthday Puzzle 53, Medium/5

Variations on Sudoku Eight Logic Puzzles (Vol 1) 34/64										
В		R	Т	Η	D	Α	Υ			
	R	Υ		Т	Α					
Т			Α		Y	В				
R				Α						
		Α	Υ	D			В			
		Н	R				Α			
D	Α	Т			В	Н				

Medium

Diff: 5 / 8.9941

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 5 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 53

Variations on Sudoku Eight Logic Puzzles (Vol 1) 34/6									
В	Τ	R	Т	Η	D	Α	Υ		
1	2	3	2	1	3	3			
3	R	Y	1	T	Α	3	2		
Т	3	2	Α	2	Y	В	3		
R		1	2	Α	3	1			
3		Α	Υ	D	2		В		
2	1	Η	R	3	2	1	Α		
D	Α	Τ	3	1	В	Η	2		

Medium

Diff: 5 / 8.9941

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 53

Variations on Sudoku Eight Logic Puzzles (Vol 1) 34/64									
В	-	R	Т	Η	D	Α	Y ¹		
1	2	3	2	1	3	3	4		
3	R	Y	1	Т	Α	3	2		
Т	3	2	Α	2	Y	В	3		
R	5	1	2	Α	3	1	4 5		
3	4	Α	Υ	D	2	4	В		
2	1	Η	R	3	2	1	Α		
D	Α	Т	3	1	В	Η	2		
<i>1</i> Medium		3		5		7	Diff: 5 / 8.9941		

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 5 steps required to solve the puzzle above with a total of 34 empty locations that must be determined, out of a total puzzle size of 64.

All 5 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 8 independent moves.

- * The only spot for Y in the 8th row is (5, 8).
- * The only spot for B in the 3rd column is (3, 5).
- * The only spot for Y in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for B in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for A in the 1st 2x4 rectangle is (1, 2).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for B in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for D in the 8th 2x4 rectangle is (7, 7).

Step 2: There are 10 independent moves.

- * The only spot for D in the 3rd row is (8, 3).
- * The only spot for R in the 5th column is (5, 4).
- * The only spot for R in the 8th 4x2 rectangle is (8, 8).
- * The only spot for T in the 8th $4x^2$ rectangle is (6, 7).
- * The only spot for Y in the 1st 2x4 rectangle is (2, 2).
- * The only spot for I in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for H in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for Y in the 5th 2x4 rectangle is (1, 7).
- * The only spot for D in the 6th 2x4 rectangle is (4, 5).
- * The only spot for R in the 7th 2x4 rectangle is (6, 6).

Step 3: There are 11 independent moves.

* The only spot for H in the 3rd row is (1, 3).

- * The only spot for I in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for I in the 8th $4x^2$ rectangle is (5, 7).
- * The only spot for D in the 1st 2x4 rectangle is (2, 4).
- * The only spot for D in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for I in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for H in the 4th 2x4 rectangle is (8, 4).
- * The only spot for R in the 4th 2x4 rectangle is (7, 2).
- * The only spot for I in the 5th 2x4 rectangle is (1, 6).
- * The only spot for I in the 6th 2x4 rectangle is (4, 8).
- * The only spot for H in the 7th 2x4 rectangle is (6, 5).

Step 4: There are 4 independent moves.

- * The only spot for T in the 7th column is (7, 6).
- * The only spot for T in the 4th 2x4 rectangle is (8, 2).
- * The only spot for H in the 5th 2x4 rectangle is (2, 6).

* The only spot for I in the 8th 2x4 rectangle is (8, 5).

Step 5: There is 1 independent move.

* The only spot for T in the 5th 2x4 rectangle is (2, 5).

Solution for Puzzle 53

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Τ	Η	D	Α	Y
Α	Y	D	Η	В		R	Т
Н	R	Y	В	Т	Α	I	D
Т	D		Α	R	Y	В	Н
R	Т	В	D	Α	Η	Υ	
	Η	Α	Y	D	R	Т	В
Υ	В	Η	R	I	Τ	D	Α
D	Α	Т		Y	В	Η	R

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 54, Medium/7

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В		R	Τ	Η	D	Α	Y
						Т	
					Т		
	R	I					Н
	В						
		Υ		D	Α		
Н	D		В	Т			
I							Α

Medium

Diff: 7 / 977.7441

40/64

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 7 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 54

Variations on Sudoku Eight Logic Puzzles (Vol 1)

B	Ι	R	Т	Η	D	Α	Y
2			3			Т	
3		1			T		1
1	R		2	3		3	Η
1	В	3			-		3
2	2	Y	1	D	Α	2	3
Н	D	1	В	Т			
	1	2	1	2	1	1	Α

Medium

Diff: 7 / 977.7441

10/64

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 54

Variations on	Sudoku Eig	ht Logic Puz	zles (Vol 1)				40/	64
В	Ι	R	Т	Н	D	Α	Υ	1
2	4	4	3	7	4	Т	6	
3	5	1	4	6	Т	6	1	
1	R		2	3	4	3	Н	
1	В	3	4	4		5	3	5
2	2	Y	1	D	Α	2	3	
Н	D	1	В	Т	5	5	6	
	1	2	1	2	1	1	Α	
1 Medium		3		5		7 Di	ff: 7 / 977.74	41

Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 10 independent moves.

- * The only spot for D in the 8th column is (8, 3).
- * The only spot for R in the 7th $4x^2$ rectangle is (4, 8).
- * The only spot for A in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for T in the 1st 2x4 rectangle is (1, 4).
- * The only spot for B in the 2nd 2x4 rectangle is (3, 3).
- * The only spot for Y in the 5th 2x4 rectangle is (2, 8).

* The only spot for A in the 5th 2x4 rectangle is (1, 5).

- * The only spot for I in the 6th 2x4 rectangle is (4, 6).
- * The only spot for H in the 7th 2x4 rectangle is (6, 8).
- * The only spot for D in the 8th 2x4 rectangle is (7, 8).

Step 2: There are 7 independent moves.

- * The only spot for H in the 6th row is (7, 6).
- * The only spot for D in the 3rd 4x2 rectangle is (4, 4).
- * The only spot for T in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for D in the 1st 2x4 rectangle is (1, 2).
- * The only spot for T in the 5th 2x4 rectangle is (2, 6).
- * The only spot for R in the 5th 2x4 rectangle is (1, 6).
- * The only spot for B in the 7th 2x4 rectangle is (5, 8).

Step 3: There are 7 independent moves.

* The only spot for A in the 4th row is (5, 4).

- * The only spot for B in the 7th column is (7, 4).
- * The only spot for Y in the 1st 4x2 rectangle is (4, 2).
- * The only spot for Y in the 1st 2x4 rectangle is (1, 3).
- * The only spot for D in the 6th 2x4 rectangle is (3, 5).
- * The only spot for B in the 8th 2x4 rectangle is (8, 6).
- * The only spot for T in the 8th 2x4 rectangle is (8, 5).

Step 4: There are 7 independent moves.

* The only spot for H in the 3rd column is (3, 2).

- * The only spot for Y in the 5th column is (5, 5).
- * The only spot for A in the 1st $4x^2$ rectangle is (2, 2).
- * The only spot for A in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for Y in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for B in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for H in the 6th 2x4 rectangle is (4, 5).

Step 5: There are 4 independent moves.

- * The only spot for R in the 6th $4x^2$ rectangle is (7, 5).
- * The only spot for H in the 1st 2x4 rectangle is (2, 3).
- * The only spot for R in the 7th 2x4 rectangle is (6, 7).
- * The only spot for Y in the 8th 2x4 rectangle is (7, 7).

Step 6: There are 4 independent moves.

- * The only spot for I in the 7th column is (7, 3).
- * The only spot for R in the 4th $4x^2$ rectangle is (5, 3).
- * The only spot for R in the 4th 2x4 rectangle is (8, 2).
- * The only spot for I in the 8th 2x4 rectangle is (8, 7).
- Step 7: There is 1 independent move.
 - * The only spot for I in the 3rd 2x4 rectangle is (5, 2).

Solution for Puzzle 54

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Τ	Η	D	Α	Y
D	Α	Н	Υ	I	В	Т	R
Υ	Η	В	Α	R	Τ	I	D
Т	R	-	D	Α	Y	В	Η
Α	В	D	Н	Υ		R	Т
R	Т	Υ		D	Α	Н	В
Н	D	Α	В	Т	R	Y	
	Υ	Т	R	В	Η	D	Α

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 55, Medium/7

Variations or	n Sudoku Eig	ght Logic Pu	zzles (Vol 1)				43/64
В		R	Т	Η	D	Α	Y
		D					
	R						
Α						H	
	Υ		Η				
					Н		В
		Y					
					R		Τ
Madium						5.00	7 1 950 5691

Medium

Diff: 7 / 859.5682

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 7 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 55


Variations on	Variations on Sudoku Eight Logic Puzzles (Vol 1) 43/64								
В	Ι	R	Т	Η	D	Α	Υ		
2	3	D	1			3			
2	R	1							
Α	3	3				H			
	Y	1	Η			3	2		
	3	2	3	1	Η		В		
	1	Υ	1				1		
3	2	3			R	1	Т		
Medium						Diff:	7 / 859.5682		

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 55



Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 7 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

All 7 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 8 independent moves.

- * The only spot for B in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for R in the 7th $4x^2$ rectangle is (4, 7).
- * The only spot for T in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for Y in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for H in the 2nd 2x4 rectangle is (3, 3).
- * The only spot for A in the 2nd 2x4 rectangle is (4, 2).

* The only spot for Y in the 7th 2x4 rectangle is (5, 6).

* The only spot for H in the 8th 2x4 rectangle is (8, 7).

Step 2: There are 5 independent moves.

* The only spot for Y in the 1st $4x^2$ rectangle is (1, 2).

- * The only spot for T in the 1st 2x4 rectangle is (1, 3).
- * The only spot for B in the 5th 2x4 rectangle is (2, 8).
- * The only spot for T in the 6th 2x4 rectangle is (3, 6).
- * The only spot for A in the 8th 2x4 rectangle is (8, 5).

Step 3: There are 9 independent moves.

* The only spot for I in the 5th row is (7, 5).

- * The only spot for I in the 3rd column is (3, 4).
- * The only spot for D in the 1st 2x4 rectangle is (2, 4).
- * The only spot for H in the 1st 2x4 rectangle is (2, 2).
- * The only spot for T in the 4th 2x4 rectangle is (7, 2).

* The only spot for H in the 5th 2x4 rectangle is (1, 8).

- * The only spot for A in the 5th 2x4 rectangle is (2, 6).
- * The only spot for A in the 6th 2x4 rectangle is (3, 8).
- * The only spot for I in the 6th 2x4 rectangle is (4, 6).

Step 4: There are 5 independent moves.

- * The only spot for R in the 5th row is (1, 5).
- * The only spot for D in the 8th column is (8, 3).
- * The only spot for B in the 4th 2x4 rectangle is (7, 3).
- * The only spot for D in the 6th 2x4 rectangle is (4, 8).
- * The only spot for R in the 8th 2x4 rectangle is (7, 6).

Step 5: There are 6 independent moves.

- * The only spot for I in the 4th 4x2 rectangle is (6, 3).
- * The only spot for D in the 6th $4x^2$ rectangle is (5, 5).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 4).
- * The only spot for I in the 4th 2x4 rectangle is (8, 2).

* The only spot for D in the 5th 2x4 rectangle is (1, 6).

* The only spot for D in the 8th 2x4 rectangle is (7, 7).

Step 6: There are 8 independent moves.

- * The only spot for T in the 5th column is (5, 4).
- * The only spot for A in the 6th column is (6, 7).
- * The only spot for R in the 2nd $4x^2$ rectangle is (5, 2).
- * The only spot for Y in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for Y in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for A in the 3rd 2x4 rectangle is (5, 3).
- * The only spot for R in the 4th 2x4 rectangle is (8, 4).
- * The only spot for T in the 7th 2x4 rectangle is (6, 5).

Step 7: There are 2 independent moves.

- * The only spot for B in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for B in the 7th 2x4 rectangle is (5, 7).

Solution for Puzzle 55

Variations on Sudoku Eight Logic Puzzles (Vol 1)

B	I	R	Τ	Η	D	Α	Y
Υ	Η	D	Α	R	В	Т	
Т	R	Η	Y	Α		В	D
Α	D	Ι	В	Т	Υ	Н	R
R	Υ	В	Н	D	Т	I	Α
D	Α	Т		Υ	Н	R	В
	Τ	Y	R	В	Α	D	Н
Н	В	Α	D	I	R	Y	Τ

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 56, Medium/8

Variations on Sudoku Eight Logic Puzzles (Vol 1) 40/64 Н D B R Α Т Υ D Н Η R Т B Н Υ Т B Н Α Α Medium Diff: 8 / 8764.3543

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 8 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 56

Variations on Sudoku Eight Logic Puzzles (Vol 1)

variations on	I SUUOKU LIE	int Logic Puz					40/64
В	Ι	R	Т	Η	D	Α	Υ
3	3	1	2				
2		D	1		3		
3		2				1	Η
2	Т		Η		R	1	
1	В		Υ	2		Н	Τ
2	3	В	3	1	Н		Α
Α	1	1		Y			2

Medium

Diff: 8 / 8764.3543


10/64

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 56



Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 8 steps required to solve the puzzle above with a total of 40 empty locations that must be determined, out of a total puzzle size of 64.

All 8 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 8 independent moves.

- * The only spot for T in the 7th row is (5, 7).
- * The only spot for R in the 5th $4x^2$ rectangle is (1, 6).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for H in the 2nd 2x4 rectangle is (3, 2).
- * The only spot for D in the 4th 2x4 rectangle is (7, 4).
- * The only spot for H in the 5th 2x4 rectangle is (2, 8).

* The only spot for T in the 6th 2x4 rectangle is (3, 8).

* The only spot for Y in the 8th 2x4 rectangle is (7, 5).

Step 2: There are 7 independent moves.

* The only spot for D in the 6th row is (5, 6).

* The only spot for A in the 4th column is (4, 2).

- * The only spot for D in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for I in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for D in the 8th $4x^2$ rectangle is (8, 8).
- * The only spot for H in the 1st 2x4 rectangle is (1, 3).

* The only spot for Y in the 2nd 2x4 rectangle is (3, 4).

Step 3: There are 6 independent moves.

- * The only spot for Y in the 1st column is (1, 2).
- * The only spot for T in the 1st 2x4 rectangle is (1, 4).
- * The only spot for D in the 1st 2x4 rectangle is (2, 2).
- * The only spot for Y in the 3rd 2x4 rectangle is (6, 3).
- * The only spot for Y in the 5th 2x4 rectangle is (2, 7).

* The only spot for D in the 6th 2x4 rectangle is (4, 7).

Step 4: There are 4 independent moves.

- * The only spot for R in the 7th row is (7, 7).
- * The only spot for T in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for T in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for R in the 6th 2x4 rectangle is (4, 8).

Step 5: There are 3 independent moves.

- * The only spot for I in the 7th column is (7, 8).
- * The only spot for R in the 2nd 4x2 rectangle is (8, 2).
- * The only spot for I in the 4th 2x4 rectangle is (8, 3).

Step 6: There are 5 independent moves.

- * The only spot for I in the 5th row is (3, 5).
- * The only spot for B in the 8th $4x^2$ rectangle is (6, 8).

- * The only spot for B in the 4th 2x4 rectangle is (7, 2).
- * The only spot for I in the 7th 2x4 rectangle is (6, 6).

* The only spot for B in the 8th 2x4 rectangle is (8, 5).

Step 7: There are 4 independent moves.

- * The only spot for A in the 6th column is (6, 4).
- * The only spot for B in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for A in the 6th 2x4 rectangle is (3, 6).
- * The only spot for A in the 7th 2x4 rectangle is (5, 5).

Step 8: There are 3 independent moves.

- * The only spot for R in the 4th row is (2, 4).
- * The only spot for A in the 1st 2x4 rectangle is (2, 3).
- * The only spot for R in the 3rd 2x4 rectangle is (5, 3).

Solution for Puzzle 56

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В		R	Τ	Η	D	Α	Y
Υ	D	Н	Α		Τ	В	R
н	Α	D	В	R	Y	Т	I
Т	R	Y		В	Α	D	Η
D	T	I	Η	Α	R	Y	В
R	В	Α	Y	D		Н	Т
	Υ	В	D	Т	Η	R	Α
Α	Η	Т	R	Y	В		D

Medium

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Chapter 17

Four Difficult Super-Birthday Puzzles

There are four puzzles in this section ranging in difficulty from ten to twelve. The puzzles are arranged by the difficulty level, and within the same difficulty level by the difficulty due to the number of empty cells (in ascending order). The number of empty cells out of the total number of puzzle grid cells are shown for each puzzle as: (*empty/total*). See page 39 for an explaination of the DiffKey ratings.

Puzzle 57	(43/64)	DiffKey 10 / 64.3347.5461
Puzzle 58	(41/64)	DiffKey 11 / 324.31C4.4854
Puzzle 59	(45/64)	DiffKey 12 / 7743.1A24.5551
Puzzle 60	(45/64)	DiffKey 12 / 5A22.2377.6361

Super-Birthday Puzzle 57, Difficult/10

Variations on Sudoku Eight Logic Puzzles (Vol 1) 43/64										
В	I	R	Т	Н	D	Α	Υ			
	Т	D				н				
			Υ							
	Η									
Υ							R			
				В						
I		Η			R		Т			

Difficult

Diff: 10/64.3347.5461

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 10 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 57

Variations on Sudoku Eight Logic Puzzles (Vol 1) 43/								
В	I	R	Т	Н	D	Α	Υ	
2	1	3	1					
3	Т	D				Н		
1			Υ				3	
	H						2	
Υ					1		R	
2		1		В		2	1	
		Η			R		Т	

Difficult


Diff: 10/64.3347.5461

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 10 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 57



Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 10 steps required to solve the puzzle above with a total of 43 empty locations that must be determined, out of a total puzzle size of 64.

All 10 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 6 independent moves.

- * The only spot for H in the 3rd $4x^2$ rectangle is (1, 4).
- * The only spot for H in the 6th $4x^2$ rectangle is (6, 6).
- * The only spot for Y in the 1st 2x4 rectangle is (2, 2).
- * The only spot for H in the 2nd 2x4 rectangle is (4, 2).
- * The only spot for Y in the 6th 2x4 rectangle is (3, 7).
- * The only spot for H in the 8th 2x4 rectangle is (8, 7).

Step 2: There are 4 independent moves.

- * The only spot for T in the 7th $4x^2$ rectangle is (1, 7).
- * The only spot for D in the 1st 2x4 rectangle is (1, 2).
- * The only spot for I in the 8th 2x4 rectangle is (7, 7).
- * The only spot for A in the 8th 2x4 rectangle is (8, 5).

Step 3: There are 3 independent moves.

* The only spot for A in the 1st column is (1, 3).

* The only spot for D in the 8th column is (8, 4).

* The only spot for A in the 1st $4x^2$ rectangle is (3, 2).

Step 4: There are 3 independent moves.

* The only spot for R in the 3rd row is (5, 3).

- * The only spot for R in the 1st column is (1, 5).
- * The only spot for R in the 1st 2x4 rectangle is (2, 4).

Step 5: There are 4 independent moves.

- * The only spot for Y in the 5th column is (5, 8).
- * The only spot for Y in the 3rd 2x4 rectangle is (6, 3).
- * The only spot for R in the 4th 2x4 rectangle is (7, 2).
- * The only spot for R in the 6th 2x4 rectangle is (4, 7).

Step 6: There are 7 independent moves.

- * The only spot for D in the 7th row is (2, 7).
- * The only spot for A in the 5th column is (5, 4).
- * The only spot for D in the 8th $4x^2$ rectangle is (7, 8).
- * The only spot for T in the 4th 2x4 rectangle is (7, 4).
- * The only spot for A in the 7th 2x4 rectangle is (6, 7).
- * The only spot for D in the 7th 2x4 rectangle is (5, 6).
- * The only spot for Y in the 8th 2x4 rectangle is (7, 5).

Step 7: There are 5 independent moves.

- * The only spot for T in the 6th row is (3, 6).
- * The only spot for T in the 5th column is (5, 2).

- * The only spot for D in the 6th 2x4 rectangle is (4, 5).
- * The only spot for T in the 7th 2x4 rectangle is (6, 5).

* The only spot for B in the 8th 2x4 rectangle is (7, 6).

Step 8: There are 4 independent moves.

- * The only spot for I in the 3rd column is (3, 4).
- * The only spot for B in the 5th $4x^2$ rectangle is (3, 5).
- * The only spot for B in the 5th 2x4 rectangle is (2, 8).
- * The only spot for I in the 6th 2x4 rectangle is (4, 6).

Step 9: There are 6 independent moves.

- * The only spot for B in the 4th row is (6, 4).
- * The only spot for I in the 4th 4x2 rectangle is (8, 3).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for I in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for A in the 5th 2x4 rectangle is (2, 6).
- * The only spot for A in the 6th 2x4 rectangle is (4, 8).

Step 10: There is 1 independent move.

* The only spot for B in the 4th 2x4 rectangle is (8, 2).

Solution for Puzzle 57

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	Ι	R	Τ	Η	D	Α	Y
D	Y	Α	Η	Т		R	В
Α	Т	D	В	R	Y	Η	
н	R		Y	Α	В	Т	D
R	Η	В	D		Т	Y	Α
Υ	Α	Т		D	Н	В	R
Т	D	Y	R	В	Α		Н
	В	Η	Α	Y	R	D	Τ

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 58, Difficult/11

Variations on Sudoku Eight Logic Puzzles (Vol 1) 41							
В	I	R	Т	Н	D	Α	Y
		Η					
				Y			
			D	Α			
					R	Υ	
Υ		Т		D		I	
Α	В						D
	Τ						В

Difficult

Diff: 11 / 324.31C4.4854

Next; Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 11 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 58

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В		R	Τ	Η	D	Α	Y
		н		1			
				Υ		1	
			D	Α			
				2	R	Υ	3
Y		т	3	2 D	R 3	Y I	3
Y A	B	Т	3			Y	3 D

Difficult

Diff: 11 / 324.31C4.4854

41/64

Next; Prev;TOC; Help; Puzzle; All steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 58

Variations or	n Sudoku Eig	tt Logic Puz	zzles (Vol 1)				41/	/64
В		R	Т	Н	D	Α	Y	1
6	9	Н	9	1	10	10	6	
11	10	9	7	Υ	10	1	11	
10	11	8	D	Α	7	9	11	
5	7	9	8	2	R	Υ	3	5
Υ	4	Т	3	D	3		4	
Α	В	6	9	3	2	9	D	
8	Τ	7	8	4	1	9	В	
<i>1</i> Difficult		3		5		7 Diff: 11/2	324.31C4.48	354

Next; Prev;TOC; Help; Puzzle; 3-steps; Solution.

There are 11 steps required to solve the puzzle above with a total of 41 empty locations that must be determined, out of a total puzzle size of 64.

All 11 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 3 independent moves.

- * The only spot for A in the 8th $4x^2$ rectangle is (6, 8).
- * The only spot for R in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for D in the 4th 2x4 rectangle is (7, 3).

Step 2: There are 2 independent moves.

* The only spot for B in the 5th column is (5, 5).

* The only spot for Y in the 7th 2x4 rectangle is (6, 7).

Step 3: There are 4 independent moves.

- * The only spot for T in the 6th $4x^2$ rectangle is (8, 5).
- * The only spot for B in the 6th 2x4 rectangle is (4, 6).
- * The only spot for T in the 7th 2x4 rectangle is (5, 7).
- * The only spot for H in the 7th 2x4 rectangle is (6, 6).

Step 4: There are 3 independent moves.

- * The only spot for R in the 5th $4x^2$ rectangle is (2, 6).
- * The only spot for I in the 7th 2x4 rectangle is (5, 8).

* The only spot for A in the 8th 2x4 rectangle is (8, 6).

Step 5: There is 1 independent move.

* The only spot for I in the 5th 2x4 rectangle is (1, 5).

Step 6: There are 3 independent moves.

- * I must be placed at (3, 7) because it is the only value left that is not already in the 7th row, the 3rd column, the 7th 4x2 rectangle or the 6th 2x4 rectangle.
- * I must be placed at (8, 2) because it is the only value left that is not already in the 2nd row, the 8th column, the 2nd 4x2 rectangle or the 4th 2x4 rectangle.
- * D must be placed at (1, 2) because it is the only value left that is not already in the 2nd row, the 1st column, the 1st 4x2 rectangle or the 1st 2x4 rectangle.

Step 7: There are 4 independent moves.

- * The only spot for I in the 4th row is (6, 4).
- * The only spot for D in the 7th $4x^2$ rectangle is (3, 8).
- * The only spot for I in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for D in the 5th 2x4 rectangle is (2, 5).

Step 8: There are 4 independent moves.

- * The only spot for Y in the 3rd column is (3, 4).
- * The only spot for H in the 5th $4x^2$ rectangle is (4, 5).

- * The only spot for H in the 5th 2x4 rectangle is (1, 8).
- * The only spot for Y in the 6th 2x4 rectangle is (4, 8).

Step 9: There are 8 independent moves.

- * The only spot for B in the 4th row is (7, 4).
- * The only spot for R in the 8th row is (7, 8).
- * The only spot for A in the 4th column is (4, 2).
- * The only spot for Y in the 1st 2x4 rectangle is (2, 2).
- * The only spot for B in the 2nd 2x4 rectangle is (3, 3).
- * The only spot for R in the 6th 2x4 rectangle is (4, 7).
- * The only spot for A in the 6th 2x4 rectangle is (3, 5).
- * The only spot for H in the 8th 2x4 rectangle is (7, 7).

Step 10: There are 5 independent moves.

- * The only spot for T in the 4th row is (1, 4).
- * The only spot for T in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for A in the 1st 2x4 rectangle is (2, 3).
- * The only spot for B in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for T in the 4th 2x4 rectangle is (7, 2).

Step 11: There are 4 independent moves.

- * The only spot for H in the 3rd row is (8, 3).
- * The only spot for R in the 4th row is (8, 4).
- * The only spot for H in the 1st 2x4 rectangle is (2, 4).
- * The only spot for R in the 1st 2x4 rectangle is (1, 3).

Solution for Puzzle 58

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Τ	Η	D	Α	Y
D	Y	Н	Α	R	В	Т	
R	Α	В		Y	Т	D	Η
Т	Η	Y	D	Α		В	R
	D	Α	Η	В	R	Y	Т
Υ	R	Т	В	D	Н		Α
Α	В	-	R	Т	Y	Η	D
н	Т	D	Y	Ι	Α	R	В

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 59, Difficult/12

Variations on Sudoku Eight Logic Puzzles (Vol 1) 45/6								
В	I	R	Т	Н	D	Α	Υ	
		D			Α		Т	
	R	В						
	D					В	Α	
				Y			н	
					R			

Difficult

Diff: 12/7743.1A24.5551

Next; Prev;TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 59

Variations on Sudoku Eight Logic Puzzles (Vol 1) 45								
Ι	R	Т	Н	D	Α	Υ		
2			2	3		1		
	D	3	1	Α	2	T		
R	В	2		1	3			
			2		1	2		
D			3		В	Α		
			Y	2		Η		
			1	R				
	R	2 D R B	² D ³ R B ²	2 2 2 D 3 1 R B 2 2 2 2 2 3 1 2 2 3 1 2 3 2 3 2 3 2 3 2 4 2 4 3 4 2 4 3 4 2 4 4 4 2 4 4 4 4 4 4 4 4 4 4	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		

Difficult


Diff: 12/7743.1A24.5551

Next; Prev; TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 59



Next; Prev; TOC; Help; Puzzle; 3-steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 7 independent moves.

- * The only spot for B in the 4th 4x2 rectangle is (5, 3).
- * The only spot for T in the 1st 2x4 rectangle is (1, 4).
- * The only spot for D in the 1st 2x4 rectangle is (1, 2).
- * The only spot for Y in the 3rd 2x4 rectangle is (6, 4).
- * The only spot for B in the 4th 2x4 rectangle is (8, 2).
- * The only spot for A in the 7th 2x4 rectangle is (5, 8).

* The only spot for Y in the 8th 2x4 rectangle is (7, 5).

Step 2: There are 7 independent moves.

- * The only spot for A in the 3rd 4x2 rectangle is (4, 4).
- * The only spot for R in the 4th $4x^2$ rectangle is (7, 3).
- * The only spot for A in the 1st 2x4 rectangle is (2, 2).
- * The only spot for R in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for B in the 7th 2x4 rectangle is (6, 7).
- * The only spot for D in the 7th 2x4 rectangle is (5, 5).
- * The only spot for R in the 8th 2x4 rectangle is (8, 5).

Step 3: There are 4 independent moves.

- * The only spot for T in the 5th column is (5, 6).
- * The only spot for I in the 2nd 2x4 rectangle is (4, 3).
- * The only spot for T in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for H in the 4th 2x4 rectangle is (7, 4).

Step 4: There are 3 independent moves.

- * The only spot for I in the 2nd $4x^2$ rectangle is (7, 2).
- * The only spot for I in the 3rd 2x4 rectangle is (5, 4).
- * The only spot for D in the 4th 2x4 rectangle is (8, 4).

Step 5: There is 1 independent move.

* The only spot for I in the 8th 2x4 rectangle is (8, 8).

Step 6: There is 1 independent move.

- * T must be placed at (2, 7) because it is the only value left that is not already in the 7th row, the 2nd column, the 7th 4x2 rectangle or the 5th 2x4 rectangle.
- Step 7: There are 2 independent moves.
 - * The only spot for T in the 6th 2x4 rectangle is (3, 5).
 - * The only spot for T in the 8th 2x4 rectangle is (7, 8).

Step 8: There are 4 independent moves.

* The only spot for D in the 8th row is (4, 8).

- * The only spot for A in the 5th $4x^2$ rectangle is (1, 5).
- * The only spot for A in the 6th 2x4 rectangle is (3, 7).

* The only spot for D in the 8th 2x4 rectangle is (7, 7).

Step 9: There are 5 independent moves.

* The only spot for I in the 5th row is (6, 5).

* The only spot for B in the 7th $4x^2$ rectangle is (2, 8).

* The only spot for I in the 7th $4x^2$ rectangle is (1, 7).

* The only spot for I in the 6th 2x4 rectangle is (3, 6).

* The only spot for B in the 6th 2x4 rectangle is (4, 5).

Step 10: There are 5 independent moves.

* The only spot for H in the 5th row is (2, 5).

* The only spot for Y in the 2nd column is (2, 3).

* The only spot for R in the 7th $4x^2$ rectangle is (4, 7).

* The only spot for R in the 5th 2x4 rectangle is (1, 6).

* The only spot for H in the 7th 2x4 rectangle is (6, 6).

Step 11: There are 5 independent moves.

* The only spot for H in the 4th column is (4, 2).

* The only spot for Y in the 5th $4x^2$ rectangle is (4, 6).

* The only spot for H in the 1st 2x4 rectangle is (1, 3).

* The only spot for Y in the 5th 2x4 rectangle is (1, 8).

* The only spot for H in the 6th 2x4 rectangle is (3, 8).

Step 12: There is 1 independent move.

* The only spot for Y in the 2nd 2x4 rectangle is (3, 2).

Solution for Puzzle 59

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В		R	Τ	Η	D	Α	Y
D	Α	Y	Н	R	Т	I	В
Н	Y	D		В	Α	R	Τ
Т	R	В	Α		Y	Η	D
Α	Η	Т	В	D		Y	R
R	D	-	Y	Т	Η	В	Α
	Т	Α	R	Y	В	D	Н
Υ	В	Η	D	Α	R	Т	

Difficult

Next; Prev;TOC; Help; Puzzle; 3-steps; All steps.

Super-Birthday Puzzle 60, Difficult/12

Variations on Sudoku Eight Logic Puzzles (Vol 1) 4:								
I	R	Т	Η	D	Α	Υ		
D						I		
				В				
					D			
			Т					
		Α						
Y				R				
	Ι	I R	I R T D I D I I I I I	I R T H D I I D I I I I I I I T	IRTHDDIIIDIIIIIIIIIIIIIIIIAII	IRTHDAIIIIIIDIIIIIIIIIIIDDIIIIIIDIIIIIIIIAIIIII		

Difficult

Diff: 12/5A22.2377.6361

Prev; TOC; Help; 3-steps; All steps; Solution.

Place each element of the group (B I R T H D A Y) exactly once in each row, each column, each 4x2 rectangle, and each 2x4 rectangle.

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

First Three Steps to Solve Puzzle 60

Variations on Sudoku Eight Logic Puzzles (Vol 1) 45/64 D Η Α Β R Т Y 2 Η 3 D I 3 1 1 Β 1 D 1 Α 1 R Y

Difficult


Diff: 12 / 5A22.2377.6361

Prev; TOC; Help; Puzzle; All steps; Solution.

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

The first 3 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

Deductive Steps to Solve Puzzle 60



· · ·

There are 12 steps required to solve the puzzle above with a total of 45 empty locations that must be determined, out of a total puzzle size of 64.

All 12 steps are marked in empty spaces in the puzzle above with superscripts showing the step number.

The moves within each step may be done in any order.

All of the moves within a particular step must be done before all of the moves in the subsequent step can be completed.

Rows are numbered top to bottom, columns from left to right, and rectangles from left to right and then top to bottom. Coordinates are (col, row). Precise details on numbering within each group is specified in the instructions. Step 1: There are 5 independent moves.

- * The only spot for R in the 7th $4x^2$ rectangle is (2, 7).
- * The only spot for I in the 2nd 2x4 rectangle is (3, 4).
- * The only spot for D in the 4th 2x4 rectangle is (8, 4).
- * The only spot for R in the 6th 2x4 rectangle is (4, 5).
- * The only spot for I in the 8th 2x4 rectangle is (7, 8).

Step 2: There is 1 independent move.

- * A must be placed at (2, 2) because it is the only value left that is not already in the 2nd row, the 2nd column, the 1st 4x2 rectangle or the 1st 2x4 rectangle.
- Step 3: There are 2 independent moves.
 - * The only spot for A in the 4th row is (5, 4).
 - * The only spot for A in the 2nd 2x4 rectangle is (3, 3).

Step 4: There are 2 independent moves.

- * The only spot for A in the 8th 4x2 rectangle is (8, 8).
- * The only spot for B in the 2nd 2x4 rectangle is (4, 3).

Step 5: There are 2 independent moves.

- * The only spot for H in the 3rd row is (7, 3).
- * The only spot for H in the 2nd 2x4 rectangle is (4, 4).

Step 6: There are 3 independent moves.

- * The only spot for Y in the 4th row is (1, 4).
- * The only spot for H in the 8th row is (3, 8).
- * The only spot for Y in the 4th column is (4, 2).

Step 7: There are 7 independent moves.

- * The only spot for R in the 4th row is (7, 4).
- * The only spot for B in the 8th row is (5, 8).
- * The only spot for T in the 8th row is (1, 8).
- * The only spot for D in the 4th column is (4, 8).
- * The only spot for B in the 7th $4x^2$ rectangle is (3, 7).
- * The only spot for R in the 1st 2x4 rectangle is (1, 3).
- * The only spot for D in the 2nd 2x4 rectangle is (3, 2).

Step 8: There are 7 independent moves.

- * The only spot for T in the 4th $4x^2$ rectangle is (6, 3).
- * The only spot for T in the 1st 2x4 rectangle is (2, 4).
- * The only spot for R in the 3rd 2x4 rectangle is (5, 2).
- * The only spot for D in the 5th 2x4 rectangle is (1, 6).

- * The only spot for T in the 6th 2x4 rectangle is (3, 5).
- * The only spot for D in the 7th 2x4 rectangle is (5, 7).

* The only spot for R in the 8th 2x4 rectangle is (8, 6).

Step 9: There are 6 independent moves.

* The only spot for A in the 6th row is (6, 6).

* The only spot for I in the 5th column is (5, 5).

- * The only spot for Y in the 3rd 2x4 rectangle is (5, 3).
- * The only spot for I in the 3rd 2x4 rectangle is (6, 2).
- * The only spot for A in the 5th 2x4 rectangle is (1, 5).
- * The only spot for Y in the 6th 2x4 rectangle is (3, 6).

Step 10: There are 3 independent moves.

* The only spot for H in the 6th row is (2, 6).

* The only spot for Y in the 6th $4x^2$ rectangle is (6, 5).

* The only spot for Y in the 8th 2x4 rectangle is (7, 7).

Step 11: There are 6 independent moves.

* The only spot for B in the 6th row is (7, 6).

- * The only spot for T in the 7th column is (7, 2).
- * The only spot for H in the 6th 4x2 rectangle is (8, 5).
- * The only spot for B in the 5th 2x4 rectangle is (2, 5).
- * The only spot for H in the 7th 2x4 rectangle is (6, 7).

* The only spot for T in the 8th 2x4 rectangle is (8, 7).

Step 12: There is 1 independent move.

* The only spot for B in the 4th 2x4 rectangle is (8, 2).

Solution for Puzzle 60

Variations on Sudoku Eight Logic Puzzles (Vol 1)

В	I	R	Т	Η	D	Α	Y
Н	Α	D	Y	R		Τ	В
R	D	Α	В	Y	Т	Η	
Υ	Т		Η	Α	В	R	D
Α	В	T	R		Y	D	Η
D	Η	Y	I	Т	Α	В	R
	R	В	Α	D	Η	Y	T
Т	Y	Η	D	В	R	Ι	Α

Difficult

Prev; TOC; Help; Puzzle; 3-steps; All steps.